

VITAL STATISTICS

2008-2017

VITAL STATISTICS UNIT
REGISTRAR GENERAL'S DEPARTMENT
MINISTRY OF HOME AFFAIRS

SECOND HEALTH SECTOR DEVELOPMENT PROJECT
MINISTRY OF HEALTH, NUTRITION AND INDIGENEOUS MEDICINE

2018

Printed by - S&S Printers
No. 49, Jayantha Weerasekara Mawatha,
Colombo 10.

PREFACE

Registrar General's Department is pleased to present the publication on "Vital Statistics 2008-2017" which includes vital statistics and key demographic indicators during that period. This publication provides comprehensive information in respect of Mid-Year population, marriages, births, deaths, infant mortality, under five mortality, maternal mortality, migration, cause of death and some demographic indicators based on the civil registration system.

The primary data was furnished by the Medical Registrars and Lay Registrars which was scrutinized at Divisional Secretariat level and District level. The data on migration was provided by the Department of Immigration and Emigration. The information included in this publication is intended to assist administrators, policy makers as well as researchers, students and everyone interested in Vital Statistics.

The data was collected, coded and compiled by the Vital Statistics Unit of the Registrar General's Department. The preparation of this publication was done under the supervision of Mrs. Asoka Egodawatte and Mrs. Sandya Gunawardena, Statisticians.

My special thanks are due to the Second Health Sector Development Project, Ministry of Health, Nutrition and Indigenous Medicine for providing financial assistance and the Director General of the Department of Census and Statistics for continuous support on compilation and tabulation of vital statistics.



N.C. Vithanage

Registrar General

Registrar General's Department

234/A3

Denzil Kobbekaduwa Mawatha

Battaramulla, Sri Lanka

14 August 2018

ACKNOWLEDGEMENT

The publication on “Vital Statistics 2008-2017 is prepared by the Vital Statistics Unit of the Registrar General’s Department. Many individuals have contributed in various ways to make this publication to a successful one.

Mr. G.W. Siriwardana, Statistical Officer was responsible for the compilation, tabulation and preparation of vital statistics and the preparation of tables were carried out by Shyamali Wickramaarachchi, Statistical Officer. Rest of the officers attached to Vital Statistics Unit was responsible for collection and compilation of data on vital events.

The guidance provided by Mrs. Anoja Seneviratne, Director and contribution by Mrs. Nirosha Dissanayake, Statistician to this report during their period in Vital statistics Unit, is also acknowledged with deep gratitude.

Mr. Wsantha Sandiligama, Senior Deputy Registrar General was responsible in the process of data collection on vital events.

CONTENTS	Page No.
Preface	i
Acknowledgement	ii
Content	iii
Explanatory Note	vii
Summary Statistics	xiii
Introduction	1
1. POPULATION	5
1.1 Estimated Mid-Year Population by Age and Sex, 2008 – 2017	6
1.2 Estimated Mid-Year Population by District and Sex, 2008 – 2017	8
2. MARRIAGES	11
2.1 Marriages registered by District and Marriage type, 2008 – 2016	12
3. BIRTHS	15
3.1 Live Births registered by District and Sex - 2008 – 2016	16
3.2 Live Births registered by District of Mother's Usual Residence and Sex of Child, 2008-2013	18
3.3 Live Births registered by District, Sector and Sex, 2008-2013	20
3.4 Live Births registered by District, Live Birth order and Sex, 2008-2013	26
3.5 Live Births registered by District and Mother's Ethnic Group, 2008-2013	38
3.6 Live Births registered by District and Age of Mother, 2008-2013	44
3.7 Live Births registered by Ethnic Group and Age of Mother, 2008-2013	50

CONTENTS	Page No.
4. DEATHS	53
4.1 Deaths registered by District and Sex, 2007 – 2016	54
4.2 Deaths registered by District of Usual Residence and Sex, 2007-2013	
4.3 Deaths registered by District, Sector and Sex, 2007-2013	58
4.4 Deaths registered by District, Ethnic Group and Sex, 2007-2013	63
4.5 Deaths registered by District, Age and Sex, 2007-2013	73
4.6 Deaths registered by Ethnic Group, Age and Sex, 2007-2013	98
5. INFANT DEATHS	111
5.1 Infant deaths registered by District and Sex, 2008,2009,2010,2013	112
5.2 Infant deaths registered by District, Sector and Sex, 2008,2009,2010,2013	113
6. MIGRATION	117
6.1 Movement of Persons To and From Sri Lanka 2010-2016	118
7. CAUSE OF DEATH INFORMATION	119
7.1 Number of Deaths according to Cause of death and Sex, 2007, 2009, 2010, 2013	120
7.2 Number of Deaths according to Cause by Age and sex, 2007, 2009, 2010, 2013	125
8. SUICIDES	265
8.1 Number of Suicides by District of Place of occurrence and sex, 2007, 2009, 2010, 2013	266
8.2 Number of Suicides by District of Usual residence and sex, 2007, 2009, 2010, 2013	267
8.3 Number of Suicides by Age and Sex, 2007, 2009 - 2010, 2013	268
9. DEATHS DUE TO TRANSPORT ACCIDENTS	269
9.1 Number of Deaths due to Transport Accidents by District of Place of occurrence and sex, 2007, 2009, 2010, and 2013	270
9.2 Number of Deaths due to Transport Accidents by Age and Sex, 2007, 2009, 2010, 2013	271

CONTENTS	Page No.
10. INDICATORS	273
10.1 Crude Birth Rate by District and Sex, 2008-2016	274
10.2 Crude Death Rate by District and Sex, 2008-2016	276
10.3 Age Specific Fertility Rate, 2008-2013	278
10.4 Age Specific Death Rate by District, 2008-2010, 2013	279
10.5 Maternal Mortality Rate by District, 2007, 2009, 2010, 2013	280
10.6 Under Five Mortality Rate by District and Sex, 2008-2010, 2013	281
10.7 Infant Mortality Rate by District and Sex, 2008-2010, 2013	282
10.8 Neo Natal Mortality Rate by District and Sex, 2008-2010, 2013	283
11. FIGURES	285
Figure 1: Mid-Year Population by Sex 2008-2017	286
Figure 2: Population Growth Rate 2001-2017	286
Figure 3: Marriages Registered by Year 2008-2016	287
Figure 4: Crude Marriage Rate 1995-2016	287
Figure 5: Live Births Registered by Sex 2008-2016	288
Figure 6: Live Births Registered by Age of Mother-2011-2013	288
Figure 7: Deaths registered by Sex 2008 – 2016	289
Figure 8: Percentage distribution of Deaths by Sector -2013	289
Figure 9: Movements of persons To and from Sri Lanka 2011-2016	290
Figure 10: Movements of Persons To and From Sri Lanka by Nationality – 2016	290
Figure 11: Number of Suicides by Age and Sex -2013	291
Figure 12: Number of Deaths Due to Transport Accidents by Age Group and sex	291

CONTENTS	Page No.
Figure 13: Percentage Distribution of the 10 Leading Causes of Death by Sex -2013(female)	292
Figure 14: Percentage Distribution of the 10 Leading Causes of Death by Sex -2013(male)	292
Figure 15: Crude Birth Rate by Year 2008 – 2016	293
Figure 16: Crude Death Rate by Sex 2008 – 2016	293
Figure 17: Neonatal Mortality Rate, Infant Mortality Rate, Under Five mortality Rate- 1997-2013	294
Figure 18: Age Specific Fertility Rate 2011-2013	294

EXPLANATORY NOTES

Vital statistics are derived from the Civil Registration System (CRS) and customarily tabulated according to the year of registration. Therefore, the number of occurrences of a vital event for a given year refers to the number of occurrences registered in that particular year. According to the law, registration of vital events is done at the place of occurrence. However, certain tabulations were prepared comply with the usual residence of mother in case of births and usual residence of deceased in case of deaths.

Data on deaths registered in 2007 has been revised and all tables pertaining to deaths updated accordingly. Registration of births, deaths and marriages in Mullaitivu and Kilinochchi districts in 2008 have not been reported due to the situation prevailed in these districts. Therefore, the number of births and deaths registered in these two districts are excluded from the total births and deaths registered in Sri Lanka in 2008. Deaths of armed personnel that were registered at Head office of the Registrar General's Department are included.

Mid-year Population : Until 2011, the mid-year population estimates were prepared based on the Census of Population and Housing of 2001, which covered only 18 districts of the country and estimates for the rest of the 7 districts. District level estimates of mid-year population during that period were prepared on the basis of the place of occurrence.

Estimates on mid-year population from 2012 onwards were based on the final results of the Census of Population and Housing conducted in 2012 which covered the entire Island and district level estimates of mid-year population were prepared on the basis of usual residence.

Maternal Mortality Statistics: Information on maternal mortality extracted from the civil registration system is reviewed and supplemented with the maternal mortality data compiled by the Family Health Bureau of the Ministry of Health in order to improve the accuracy and completeness of maternal mortality statistics. This adjustment process was initiated in 2009.

Crude Birth Rate (CBR) and Crude Death Rate (CDR): Until 2011, district level estimates of CBR and CDR are prepared using the number of births and deaths according to the place that they were registered. From 2012 onwards, the number of births by mother's usual residence and deaths by usual residence of deceased is used to estimate district estimates of CBR and CDR respectively.

Cause of Death: Causes of death (COD) information are extracted from the Death Declaration for hospital deaths, Verbal Autopsy for home death or Coroner Report for sudden deaths. The tenth revision of the International Classification of Diseases (ICD) is used to code the cause of death information.

CONCEPTS AND DEFINITIONS

CONCEPTS

Live Birth refers to the complete expulsion or extraction from its mother of a product of conception, irrespective of the duration of the pregnancy, which, after such separation, breathes or shows any other evidence of life - e.g. beating of the heart, pulsation of the umbilical cord or definite movement of voluntary muscles - whether or not the umbilical cord has been cut or the placenta is attached. Each product of such a birth is considered live born.

Marriage is defined as “an act, ceremony or process by which the legal relationship of husband and wife is constituted. The legality of the union may be established by civil, religious or other means as recognized by the laws of each country” (United Nations, 2001).

Death is the permanent disappearance of all evidence of life at any time after live birth has taken place.

Still birth is foetal death prior to the complete expulsion or extraction from its mother of a product of conception of 28 or more completed weeks of gestation. The death is indicated by the fact that after such separation the fetus does not breathe or show any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

Maternal Death is the death of a woman while pregnant or within 42 days of termination of pregnancy, irrespective of the duration and site of the pregnancy, from any cause related to or aggravated by the pregnancy or its management but not from accidental or incidental causes. (WHO, 2004)

Maternal death can be further sub divided into two groups; direct and indirect maternal deaths: direct maternal deaths are those due to obstetric complications of pregnancy (including delivery and 42 days postpartum) while indirect maternal deaths are those linked to other diseases or conditions when aggravated by the physiological effect of pregnancy.

Age is the interval of time between the day, month and year of birth and the day and year of occurrence of the event expressed in the largest completed unit of solar time such as years for

adults and children and months, weeks, days, hours or minutes of life, as appropriate, for infants under one year of age.

Estate is any land of which ten acres or more in cultivation and situated in a district declared under section 3 of Medical Wants Ordinance to be an estate medical district.

DEFINITIONS

Mid-year Population is calculated using the Population Balancing Equation for which births, deaths and migration of the previous year is used. The number of births and deaths are the number of such events registered in that particular year. Net migration is derived from the data the Department of Immigration and Emigration.

Population Growth Rate is the rate at which the number of individuals in a population increases in period from July 01st initial year to June 30th of the current year as a fraction of the initial mid-year population.

Crude birth Rate is the number of births for a given year per 1,000 population in the same year.

Crude Death Rate is the number of deaths for a given year per 1,000 population in the same year.

Maternal Mortality Rate is the number of maternal deaths in a year per 100,000 live births in the same year.

Infant mortality Rate is the number of deaths of children less than one year old in a given year per 1,000 live births in the same year.

Neonatal Mortality Rate is the number of deaths before completing the first 28 days of life per 1000 live births in a given year or period.

Perinatal Mortality Rate is the number of stillbirths and deaths in the first week of life per 1000 births (live births + stillbirths). Presently, perinatal mortality rate is not prepared due to unavailability of data.

Age-specific Death Rate is the number of deaths of a specified age or age group in a given year per 1,000 population of the same age or age group in the same period of time.

Cause Specific Mortality Rate is the number of deaths due to a specific disease per 100,000 populations.

Age-specific Fertility Rate is the number of births to women of a specified age group (15 – 49 years) in a given year per 1,000 women in that age group in the same year.

Total fertility Rate is the number of children that would be born per woman if she were to live to the end of her child-bearing years (age 50) and bear children at each age in accordance with prevailing age-specific fertility rates.

General Fertility Rate is the total number of live births per 1,000 women of reproductive age (ages 15 to 49 years) in a population per year.

Adolescent fertility rate (births per 1,000 women ages 15-19) is the number of children born alive to women aged 15-19 per 1,000 women aged 15-19.

Dependency Ratio is the number of children (0-14 years old) and older persons (65 years or over) to the working-age population (15-64 years old).

Sex Ratio at Birth is the number of male births per 100 female births.

SUMMARY STATISTICS

INDICATOR	Year					
	2012	2013	2014*	2015*	2016*	2017*
POPULATION						
Estimated Mid-Year Population						
Total ('000)	20,425	20,585	20,771	20,966	21,203	21,444
Male ('000)	9,888	9,966	10,056	10,151	10,265	10,382
Female ('000)	10,537	10,619	10,715	10,815	10,938	11,062
Dependency Ratio (%) (a)	49.4	49.4	49.4	49.4	49.4	49.4
LIVE BIRTHS						
Total	359,959	365,762	349,715	334,821	331,073	326,052
Male	183,975	187,671	177,840	169,918	169,177	165,926
Female	175,984	178,091	171,875	164,903	161,896	160,126
Sex ratio at birth (Number of males per 100 female births)	104.5	105.4	103.5	103.0	104.5	103.6
Crude Birth Rate(per 1000 population)	17.6	17.8	16.9	16.0	15.6	15.2
DEATHS						
Total	122,792*	127,183	127,758	131,614	130,765	139,822
Male	70,487*	72,410	71,364	74,040	73,056	77,206
Female	52,305*	54,773	56,394	57,574	57,709	62,616
Crude Death Rate (per 1000 population)	6.0*	6.2	6.2	6.3	6.2	6.5
MARRIAGES						
Total	198,710*	180,760*	175,728	175,939	173,990	169,365
General	177,069*	159,751*	155,717	155,132	152,033	147,238
Kandyan	1,651*	1,010*	822	839	491	386
Muslim	19,990*	19,999*	19,189	19,968	21,466	21,741
MIGRATION						
Arrivals	2,496,372	2,628,911	2,875,218	3,251,904	3,652,077	3,729,860
Departures	2,548,226	2,676,583	2,917,118	3,237,793	3,608,306	3,680,071
Net Migration	-51,854	-47,672	-41,900	14,111	43,771	49,789

*Provisional

(a) 65 or more years of population is considered as old population

INTRODUCTION

Background

Civil registration, as defined by the United Nations, is the continuous permanent and compulsory recording of the occurrence of vital events, like, live-births, deaths, foetal deaths, marriages etc. Civil Registration System (CRS) of a country is performed under the legislative provisions so as to provide a legal records and certificates on vital events to individuals and, to generate vital statistics on a continuous basis at the national and sub national levels.

The superintendence and control of civil registration and vital statistics system (CRVS) in Sri Lanka is done by the Registrar General's Department, which was established in 1867, under the Birth and Death Registration Act, for the purpose of registering births and deaths. The general control and supervision of the department is vested in the Registrar- General.

Legal Framework of Civil Registration System

The earliest British enactment was the Regulation No. 7 of 1815 and this was followed by several amendments. The Ordinance No. 6 of 1847 was the first attempt to provide a general system of registration and was applicable to all births and deaths and to all marriages except those marriages of the Kandyan Sinhalese and the Muslims. This law was replaced by Ordinance No. 18 of 1867. The registration of births and deaths was made compulsory under an Ordinance passed in 1885 and came into effect in 1897. The present law for the registration of births and deaths was passed under Act No. 17 of 1951, which consolidated the several procedures contained in the previous laws and their amendments and became operational on 1 August 1954. The present laws relating to civil registration in Sri Lanka were amended by the Births, Deaths and Marriages (amendment) Law No. 41 of 1975, that was provided to issue a free copy of the registration entry in the case of birth or death to the informant, and in the case of a marriage, to the female party.

Administrative Structure

For the purpose of registration of births, deaths and marriages, Divisional Secretariat Divisions are divided into smaller units, which are called as “Registration Division”. Each “births and deaths registration division” is consisted of one or more Grama Niladhari divisions. Registrars are called Medical Registrars when they are appointed to certain proclaimed areas like Municipal and Urban Council areas to register births, deaths and still births. A marriage registration division is generally co-existed with a Divisional Secretariat. For a marriage registration division there can be more than one Marriage Registrar.

Under the decentralization policy of the Government, all administrative and statutory functions pertaining to civil registration have been transferred to the Divisional Secretaries that have been placed under the control of a Divisional Secretary and designated as Additional District Registrar for purposes of civil registration since 1992.

Registration Procedure

Registration of Birth: When a birth occurs, the father or mother, and in case the parents are unable to provide the information owing to some reasonable cause, the occupier of the house or building in which the child was born or each person present at the birth, or the person having charge of the child are bound by law to give information of the birth within 03 months of the date of birth to the respective Registrar. Registration of a birth is affected by entering the specified particulars in a birth register in triplicate.

Registration of Death: Information of a death is required to be given to the respective Registrar within 5 days of the date of death. The law casts the obligation of giving information of a death to a Registrar, on the nearest relatives present at death, or in attendance at last illness of the deceased and in the absence of such relative every other relative of the deceased dwelling or being in the respective Registrar’s division as the deceased and in the absence of such other relatives, each person present at death and occupier of the house in which the death took place.

In respect of all births and deaths occurring in Estates, qualified informants should inform the Superintendents of Estates who are required to ensure that a report relating to each event is sent to the Additional District Registrar to enable him to register the event.

Registration of Marriages: Registration of marriages in Sri Lanka is governed by three separate laws. The majority of the people in the country are subject to ‘the General Marriage Registration Ordinance’. The Muslims are governed in matrimonial matters by ‘the Muslim Marriage and Divorce Act’. The Kandyan Sinhalese have the option of getting married either under the ‘Kandyan Marriage and Divorce Act’ or under ‘the (General) Marriage Registration Ordinance’.

Under the ‘e-civil programme’ for computerization of registration process on life events – births and deaths, computerization of information have started at Divisional Secretariat level.

Administrative Arrangement of Vital Statistics System

Prior to independence, compilation of vital statistics was the responsibility of the Registrar General and the detailed vital statistics was published in the annual administration reports of the Registrar General’s Department. In 1951 the Department of Census and Statistics (DCS) which was vested with the responsibility of supplying statistics required by the government took over the responsibility of compilation of vital statistics from the Registrar General. Since then, compilation, processing and tabulation of vital statistics are carried out by the Vital Statistical Unit, of the Registrar General’s Department. The technical work of this unit is closely supervised by the Demography Division of the DCS.

Reporting of vital statistics to Vital Statistics Unit of the Registrar General’s Department is performed in two stages.

1. Monthly summary on number of registered births and deaths are reported by Additional District Registrar of divisional secretariat by 20th of the following month.
2. Computerized data set on detailed information on births and deaths are sent to Statistics Unit through e-mail. (Forms on Vital statistics of birth and death, Verbal Autopsy are attached.)

Reporting and Compilation of Vital Statistics

Each Registrar assigned to 'Registration Division' is required to send a monthly summary statement regarding the births, deaths, marriages and still births in proclaimed areas to Vital Statistics Unit via the District Registrar of Divisional Secretariat. Vital Statistics Unit takes necessary actions to release aggregates on births and deaths in advance. Provisional estimates on mid-year population and other demographic indicators are prepared using these aggregates.

The Local Registrar, at the time of registering a marriage, or birth or death is required to complete 'Vital Statistics Forms on birth, Death and Marriage which should be sent to the District Registrar before the 10th of each month together with all the duplicate registration records and death declaration relating to the preceding month. At the District Registrar's Office these 'Vital Statistics Forms' and duplicates are checked for their accuracy and completeness. These forms are dispatched to the Land Registry Office for computerization. Land Registry Office is obliged to send computerized data each month.

Cause of Death information is generated from the 'Death Declaration' for hospital deaths and 'Verbal Autopsy' for home deaths. With regard to sudden deaths, coroner report is used. ICD 10 classification is applied for coding COD.

Editing, compilation and tabulation of vital statistics are done by statistical staff of the Vital Statistics Unit. Vital statistics has usually been tabulated according to the date of registration and the area of occurrence.

POPULATION

Table 1.1: Estimated Mid Year Population by Age and Sex, 2008 – 2017

Age Group	2008 ^(a)			2009 ^(a)			2010 ^(a)			2011 ^(a)			2012 ^(b)		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	20,246	10,060	10,186	20,476	10,174	10,302	20,675	10,273	10,402	20,892	10,381	10,511	20,425	9,888	10,537
0-4	1,722	876	846	1,741	886	855	1,759	895	864	1,777	904	873	1,750	882	868
5-9	1,774	901	873	1,794	911	883	1,812	920	892	1,831	930	901	1,753	885	868
10-14	1,824	928	896	1,845	939	906	1,863	948	915	1,883	958	925	1,645	831	814
15-19	1,970	997	973	1,992	1,008	984	2,011	1,018	993	2,032	1,028	1,004	1,650	823	827
20-24	1,903	953	950	1,924	964	960	1,943	973	970	1,964	984	980	1,538	745	793
25-29	1,603	789	814	1,622	798	824	1,636	805	831	1,654	814	840	1,558	746	812
30-34	1,543	760	783	1,560	769	791	1,575	776	799	1,593	785	808	1,645	799	846
35-39	1,505	744	761	1,521	752	769	1,537	760	777	1,553	768	785	1,413	688	725
40-44	1,400	697	703	1,416	705	711	1,430	712	718	1,445	719	726	1,363	663	700
45-49	1,232	608	624	1,247	615	632	1,259	621	638	1,271	627	644	1,290	620	670
50-54	1,097	540	557	1,109	546	563	1,121	552	569	1,131	557	574	1,223	583	640
55-59	803	387	416	812	391	421	820	395	425	828	399	429	1,068	503	565
60-64	593	288	305	600	291	309	606	294	312	612	297	315	921	427	494
65-69	484	224	260	490	227	263	494	229	265	500	232	268	635	284	351
70-74	363	170	193	368	172	196	370	173	197	375	175	200	414	183	231
75 & Over	430	198	232	435	200	235	439	202	237	443	204	239	559	226	333

Note: (a) Mid-year population estimates until 2011 were prepared based on the Census of Population and housing 2001 that covered only 17 districts.

(b). Mid-year population estimates 2012 onwards are based on the final results of the Census of Population and Housing 2012.

Table 1.1: Estimated Mid Year Population by Age and Sex, 2008 – 2017 (Cont.)

In Thousands

Age Group	2013 ^(b)			2014* ^(b)			2015* ^(b)			2016* ^(b)			2017* ^(b)		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	20,585	9,966	10,619	20,771	10,056	10,715	20,966	10,151	10,815	21,203	10,265	10,938	21,444	10,382	11,062
0-4	1,763	889	874	1,779	897	882	1,797	906	891	1,818	917	901	1,839	927	912
5-9	1,767	892	875	1,783	900	883	1,801	909	892	1,821	919	902	1,843	930	913
10-14	1,658	838	820	1,673	846	827	1,690	854	836	1,709	864	845	1,729	874	855
15-19	1,663	829	834	1,677	836	841	1,694	845	849	1,713	854	859	1,733	864	869
20-24	1,550	751	799	1,564	757	807	1,578	764	814	1,596	773	823	1,614	782	832
25-29	1,570	752	818	1,584	759	825	1,599	766	833	1,617	774	843	1,636	783	853
30-34	1,658	806	852	1,673	813	860	1,688	820	868	1,707	830	877	1,727	839	888
35-39	1,425	694	731	1,438	700	738	1,451	706	745	1,467	714	753	1,484	723	761
40-44	1,374	669	705	1,387	675	712	1,399	681	718	1,415	689	726	1,431	697	734
45-49	1,300	625	675	1,312	631	681	1,324	637	687	1,339	644	695	1,354	651	703
50-54	1,233	588	645	1,244	593	651	1,256	599	657	1,270	605	665	1,284	612	672
55-59	1,076	506	570	1,086	511	575	1,096	516	580	1,108	521	587	1,120	527	593
60-64	928	430	498	936	434	502	945	438	507	955	443	512	966	448	518
65-69	640	287	353	646	289	357	652	292	360	659	295	364	666	298	368
70-74	417	184	233	421	186	235	424	187	237	429	189	240	433	191	242
75 & Over	563	226	337	568	229	339	572	231	341	580	234	346	585	236	349

* Provisional

Note: (a) Mid-year population estimates until 2011 were prepared based on the Census of Population and housing 2001 that covered only 17 districts.

(b). Mid-year population estimates 2012 onwards are based on the final results of the Census of Population and Housing 2012.

Table 1.2: Estimated Mid Year Population by District and Sex, 2008 – 2017

District	2008 ^(a)			2009 ^(a)			2010 ^(a)			2011 ^(a)			2012 ^(b)		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
	20,246	10,060	10,186	20,476	10,174	10,302	20,675	10,273	10,402	20,892	10,381	10,511	20,425	9,888	10,537
Sri Lanka															
Colombo	2,507	1,282	1,225	2,543	1,301	1,242	2,573	1,316	1,257	2,606	1,333	1,273	2,330	1,143	1,187
Gampaha	2,149	1,049	1,100	2,163	1,056	1,107	2,176	1,062	1,114	2,189	1,069	1,120	2,310	1,119	1,191
Kalutara	1,126	557	569	1,135	561	574	1,142	565	577	1,151	569	582	1,225	593	632
Kandy	1,404	685	719	1,422	694	728	1,437	701	736	1,455	710	745	1,381	659	722
Matale	482	240	242	489	244	245	496	247	249	503	251	252	486	234	252
Nuwareliya	751	374	377	757	377	380	763	380	383	769	383	386	715	342	373
Galle	1,062	517	545	1,074	522	552	1,084	527	557	1,094	532	562	1,066	511	555
Matara	821	398	423	830	402	428	839	407	432	847	411	436	817	391	426
Hambantota	559	280	279	566	283	283	572	286	286	577	289	288	602	296	306
Jaffna	528	261	267	532	263	269	536	265	271	542	268	274	585	275	310
Mannar	161	80	81	161	80	81	162	80	82	163	81	82	100	50	50
Vavuniya	166	83	83	167	84	83	172	86	86	176	88	88	173	85	88
Mullativu	135	67	68	136	67	69	129	64	65	125	62	63	93	46	47
Kilinochehi	147	73	74	149	74	75	150	74	76	154	76	78	114	56	58
Batticaloa	529	255	274	537	259	278	543	262	281	549	265	284	528	252	276
Ampara	624	306	318	635	312	323	644	316	328	654	321	333	652	316	336
Trincomalee	362	180	182	368	183	185	374	186	188	381	189	192	381	188	193
Kurunegala	1,541	763	778	1,556	771	785	1,569	777	792	1,583	784	799	1,624	780	844
Puttalam	766	381	385	776	385	391	784	389	395	794	394	400	765	370	395
Anuradhapura	809	413	396	819	418	401	829	423	406	839	428	411	864	422	442
Polonnaruwa	400	209	191	405	212	193	409	214	195	415	217	198	408	202	206
Badulla	866	430	436	879	437	442	891	443	448	902	448	454	818	393	425
Monaragala	432	220	212	437	223	214	442	226	216	447	228	219	453	225	228
Ratnapura	1,107	559	548	1,122	566	556	1,136	574	562	1,149	580	569	1,092	538	554
Kegalle	812	398	414	818	400	418	823	403	420	828	405	423	843	402	441

* Provisional

Note: (a) Mid-year population estimates until 2011 were prepared based on the Census of Population and housing 2001 that covered only 17 districts.

(b). Mid-year population estimates 2012 onwards are based on the final results of the Census of Population and Housing 2012.

(c). District level figures are based on the basis of place of occurrence until 2011.

(d) 2012 onwards district level figures are based on the basis of usual residence

Table 1.2: Estimated Mid Year Population by District and Sex, 2008 – 2017 (Cont.)

District	2013 ^(b)			2014 ^{*(b)}			2015 ^{*(b)}			2016 ^{*(b)}			2017 ^{*(b)}		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
Sri Lanka	20,585	9,966	10,619	20,771	10,056	10,715	20,966	10,151	10,815	21,203	10,265	10,938	21,444	10,382	11,062
Colombo	2,339	1,148	1,191	2,357	1,156	1,201	2,375	1,165	1,210	2,395	1,175	1,220	2,419	1,187	1,232
Gampaha	2,324	1,126	1,198	2,338	1,133	1,205	2,354	1,141	1,213	2,372	1,149	1,223	2,391	1,159	1,232
Kalutara	1,233	597	636	1,241	601	640	1,250	605	645	1,261	610	651	1,271	615	656
Kandy	1,391	663	728	1,402	668	734	1,416	675	741	1,434	684	750	1,452	692	760
Matale	491	237	254	496	239	257	502	242	260	508	245	263	514	248	266
Nuwaraeliya	724	346	378	733	351	382	740	354	386	748	358	390	756	362	394
Galle	1,074	515	559	1,082	519	563	1,091	523	568	1,102	528	574	1,113	534	579
Matara	824	395	429	831	398	433	837	401	436	845	405	440	851	408	443
Hambantota	610	300	310	619	304	315	628	309	319	637	313	324	647	318	329
Jaffna	589	277	312	593	278	315	597	280	317	602	283	319	608	285	323
Mannar	101	51	50	103	52	51	104	52	52	106	53	53	107	54	53
Vavuniya	175	86	89	177	87	90	179	88	91	182	90	92	184	91	93
Mullativu	93	46	47	94	47	47	94	47	47	95	47	48	96	48	48
Kilinochchi	116	57	59	118	58	60	120	59	61	122	60	62	124	61	63
Batticaloa	531	253	278	535	255	280	541	258	283	550	262	288	560	267	293
Ampara	658	318	340	667	323	344	677	328	349	691	334	357	705	341	364
Trincomalee	385	190	195	391	193	198	397	196	201	404	200	204	412	203	209
Kurunegala	1,634	784	850	1,645	790	855	1,658	796	862	1,676	805	871	1,694	813	881
Puttalam	771	373	398	780	377	403	790	382	408	801	388	413	814	394	420
Anuradhapura	874	427	447	883	431	452	893	436	457	905	442	463	918	448	470
Polonnaruwa	411	203	208	415	205	210	419	207	212	425	210	215	431	213	218
Badulla	826	397	429	835	401	434	844	406	438	854	410	444	864	415	449
Monaragala	460	229	231	466	232	234	472	235	237	479	238	241	485	241	244
Ratnapura	1,102	543	559	1,115	550	565	1,127	556	571	1,140	562	578	1,151	567	584
Kegalle	849	405	444	855	408	447	861	410	451	869	414	455	877	418	459

* Provisional

Note: (a) Mid-year population estimates until 2011 were prepared based on the Census of Population and housing 2001 that covered only 17 districts.

(b). Mid-year population estimates 2012 onwards are based on the final results of the Census of Population and Housing 2012.

(c). District level figures are based on the basis of place of occurrence until 2011.

(d) 2012 onwards district level figures are based on the basis of usual residence

MARRIAGES

Table 2.1 : Marriages registered by District and Marriage type, 2008 - 2016

District	2008*			2009*			2010*			
	Total	General	Kandyan Muslim	Total	General	Kandyan Muslim	Total	General	Kandyan Muslim	
Sri Lanka	198,578	174,530	4,651	19,397	171,218	4,177	19,575	177,734	3,166	20,085
Colombo	21,819	19,189	-	2,630	18,133	-	2,528	17,903	-	2,594
Gampaha	21,612	20,674	-	938	21,273	-	1,053	18,325	-	979
Kalutara	11,703	10,485	-	1,218	10,896	-	1,118	10,021	-	1,299
Kandy	13,529	10,788	723	2,018	13,542	754	1,962	11,622	477	2,042
Matale	5,288	4,431	292	565	5,406	305	576	4,529	244	540
Nuwara Eliya	7,332	7,060	57	215	7,435	85	230	7,344	82	160
Galle	10,254	9,866	-	388	10,296	-	397	10,134	-	404
Matara	8,578	8,311	-	267	8,354	-	254	8,050	-	320
Hambantota	6,984	6,866	-	118	6,895	-	135	6,971	-	140
Jaffna	4,532	4,532	-	-	3,789	-	-	6,186	-	-
Mannar	623	599	-	24	651	-	41	678	-	63
Vavuniya	1,436	1,284	57	95	912	86	82	1,714	52	85
Mullaitivu	408	408	-	-	408	-	-	413	-	-
Kilinochchi	385	385	-	-	367	-	-	544	-	-
Batticaloa	5,665	4,378	-	1,287	4,970	-	1,400	4,366	-	1,454
Ampara	6,632	3,803	120	2,709	6,807	118	2,872	4,131	22	2,926
Trincomalee	3,653	1,925	14	1,714	3,524	12	1,492	1,999	-	1,587
Kurunegala	17,283	14,764	1,252	1,267	16,533	1,227	1,392	14,643	895	1,330
Puttalam	8,171	6,450	220	1,501	7,930	52	1,552	6,988	25	1,610
Anuradhapura	8,742	6,847	1,214	681	9,367	973	778	8,277	846	826
Polonnaruwa	4,101	3,685	59	357	4,539	35	358	4,012	37	321
Badulla	7,648	6,922	224	502	7,720	170	450	7,754	166	457
Monaragala	4,491	4,120	259	112	4,562	236	125	5,082	212	94
Ratnapura	9,976	9,724	41	211	9,314	39	224	8,987	69	181
Kegalle	7,733	7,034	119	580	7,766	85	556	7,061	39	673

* - Provisional

Table 2.1 : Marriages registered by District and Marriage Type, 2008 - 2016 (Cont.)

District	2011*				2012*				2013*			
	Total	General	Kandyan	Muslim	Total	General	Kandyan	Muslim	Total	General	Kandyan	Muslim
Sri Lanka	200,314	177,693	2,432	20,189	198,710	177,069	1,651	19,990	180,760	159,751	1,010	19,999
Colombo	20,397	17,773	-	2,624	19,104	16,676	-	2,428	19,206	16,357	-	2,849
Gampaha	20,472	19,316	-	1,156	19,856	18,829	-	1,027	17,713	16,913	-	800
Kalutara	11,196	10,004	-	1,192	11,316	10,055	-	1,261	10,492	9,318	-	1,174
Kandy	14,005	11,607	350	2,048	14,517	12,108	178	2,231	12,706	10,537	79	2,090
Matale	5,090	4,383	170	537	5,146	4,573	65	508	4,401	3,922	20	459
Nuwara Eliya	7,564	7,375	29	160	7,292	7,082	6	204	6,180	6,010	2	168
Galle	10,848	10,396	-	452	10,361	9,937	-	424	9,684	9,234	-	450
Matara	8,195	7,944	-	251	8,101	7,800	-	301	7,493	7,220	-	273
Hambantota	6,996	6,867	-	129	6,950	6,805	-	145	6,047	5,922	-	125
Jaffna	6,150	6,139	-	11	6,367	6,353	-	14	5,720	5,712	-	8
Mannar	820	723	-	97	724	602	-	122	713	498	-	215
Vavuniya	1,057	938	35	84	1,611	1,440	77	94	1,324	1,216	21	87
Mullativu	954	952	-	2	1,066	1,058	-	8	1,049	1,043	-	6
Kilinochchi	1,383	1,383	-	-	1,132	1,132	-	-	1,045	1,045	-	-
Batticaloa	5,454	4,093	-	1,361	5,567	4,074	-	1,493	5,274	3,870	-	1,404
Ampara	6,738	3,861	25	2,852	7,103	4,120	14	2,969	6,458	3,360	7	3,091
Trincomalee	3,565	1,911	8	1,646	3,319	1,836	-	1,483	3,208	1,531	-	1,677
Kurunegala	16,489	14,401	749	1,339	15,995	14,347	472	1,176	14,589	13,027	279	1,283
Puttalam	8,566	6,873	89	1,604	8,900	7,237	45	1,618	7,921	6,409	8	1,504
Anuradhapura	9,475	8,044	669	762	9,416	7,952	640	824	7,914	6,778	461	675
Polonnaruwa	4,036	3,664	5	367	4,103	3,753	-	350	3,489	3,193	2	294
Badulla	8,373	7,753	146	474	8,159	7,636	90	433	7,353	6,814	103	436
Monaragala	4,915	4,683	93	139	5,242	5,117	60	65	4,422	4,310	27	85
Ratnapura	9,766	9,551	11	204	9,503	9,364	-	139	9,290	9,069	-	221
Kegalle	7,810	7,059	53	698	7,860	7,183	4	673	7,069	6,443	1	625

* - Provisional

Table 2.1 : Marriages registered by District and Marriage Type, 2008 - 2016 (Cont.)

District	2014*				2015*				2016*			
	Total	General	Kandyan	Muslim	Total	General	Kandyan	Muslim	Total	General	Kandyan	Muslim
Sri Lanka	175,728	155,717	822	19,189	175,939	155,132	839	19,968	173,990	152,033	491	21,466
Colombo	18,301	15,836	-	2,465	18,253	15,798	-	2,455	18,163	15,726	-	2,437
Gampaha	17,836	16,870	-	966	17,524	16,565	-	959	18,043	16,842	-	1,201
Kalutara	10,278	9,076	-	1,202	10,092	8,972	-	1,120	10,253	9,112	-	1,141
Kandy	12,299	10,258	65	1,976	12,369	10,268	72	2,029	11,964	9,798	53	2,113
Matale	4,550	4,031	15	504	4,320	3,817	43	460	4,338	3,819	24	495
Nuwara Eliya	6,168	5,981	-	187	6,374	6,199	-	175	6,190	5,982	-	208
Galle	9,583	9,172	-	411	9,474	9,060	-	414	8,845	8,379	-	466
Matara	7,369	7,095	-	274	7,235	6,931	-	304	6,737	6,477	-	260
Hambantota	5,989	5,855	-	134	5,992	5,859	-	133	5,588	5,449	-	139
Jaffna	4,729	4,712	-	17	4,617	4,614	-	3	5,018	5,018	-	-
Mannar	814	591	-	223	879	616	-	263	949	645	-	304
Vavuniya	1,318	1,207	1	110	1,250	1,113	-	137	1,386	1,188	1	197
Mullaitivu	1,065	1,054	-	11	852	835	-	17	895	879	-	16
Kilinochchi	913	913	-	-	943	943	-	-	907	907	-	-
Batticaloa	5,507	4,088	-	1,419	5,002	3,562	-	1,440	5,766	4,084	-	1,682
Ampara	6,404	3,375	2	3,027	6,914	3,709	8	3,197	6,639	3,364	1	3,274
Trincomalee	3,145	1,874	-	1,271	3,697	2,001	-	1,696	3,884	2,016	-	1,868
Kurunegala	13,701	12,276	240	1,185	13,913	12,497	175	1,241	13,451	11,862	119	1,470
Puttalam	7,804	6,306	5	1,493	7,802	6,288	1	1,513	7,787	6,237	-	1,550
Anuradhapura	7,644	6,497	462	685	8,201	6,929	511	761	7,748	6,621	252	875
Polonnaruwa	3,437	3,162	1	274	3,450	3,151	5	294	3,308	2,938	1	369
Badulla	7,056	6,576	29	451	6,802	6,400	13	389	6,891	6,389	23	479
Monaragala	4,230	4,138	2	90	4,357	4,247	10	100	4,088	3,985	17	86
Ratnapura	8,955	8,734	-	221	8,914	8,691	-	223	8,782	8,585	-	197
Kegalle	6,633	6,040	-	593	6,713	6,067	1	645	6,370	5,731	-	639

* - Provisional

BIRTHS

Table 3.1 : Live Births registered by District and Sex, 2008 - 2016

District	2008 ^(b)			2009			2010			2011		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
Sri Lanka	373,575	191,296	182,279	368,304	188,279	180,025	363,881	186,274	177,607	362,044	185,452	176,592
Colombo	61,331	31,590	29,741	58,069	29,602	28,467	55,474	28,611	26,863	55,832	28,671	27,161
Gampaha	28,233	14,468	13,765	27,690	14,171	13,519	26,885	13,607	13,278	26,984	13,594	13,390
Kalutara	17,500	9,018	8,482	16,662	8,587	8,075	16,186	8,287	7,899	16,684	8,522	8,162
Kandy	30,610	15,822	14,788	30,161	15,374	14,787	29,457	15,026	14,431	29,458	14,994	14,464
Matale	10,454	5,326	5,128	10,619	5,468	5,151	10,023	5,118	4,905	10,469	5,439	5,030
Nuwara Eliya	10,823	5,558	5,265	10,857	5,702	5,155	9,784	5,012	4,772	10,424	5,353	5,071
Galle	20,956	10,607	10,349	19,967	10,340	9,627	18,830	9,639	9,191	19,430	9,962	9,468
Matara	14,592	7,423	7,169	14,705	7,526	7,179	14,031	7,045	6,986	12,252	6,249	6,003
Hambantota	9,724	4,953	4,771	9,268	4,725	4,543	8,771	4,407	4,364	8,890	4,557	4,333
Jaffna	7,844	3,960	3,884	7,726	3,960	3,766	9,978	4,977	5,001	10,026	5,083	4,943
Mannar	1,171	617	554	1,287	658	629	1,651	864	787	1,467	726	741
Vavuniya	3,130	1,599	1,531	4,558	2,326	2,232	6,351	3,305	3,046	4,320	2,135	2,185
Mullativu	..	..	..	638	341	297	1,269	662	607	1,077	570	507
Kilinochchi	..	..	..	655	326	329	3,811	1,971	1,840	3,306	1,743	1,563
Batticaloa	11,108	5,573	5,535	10,478	5,352	5,126	10,217	5,209	5,008	9,831	5,077	4,754
Ampara	14,506	7,498	7,008	14,006	7,081	6,925	14,059	7,317	6,742	14,155	7,273	6,882
Trincomalee	8,512	4,432	4,080	8,416	4,369	4,047	8,112	4,184	3,928	8,840	4,569	4,271
Kurunegala	27,039	13,715	13,324	27,070	13,831	13,239	26,219	13,599	12,620	25,571	13,162	12,409
Puttalam	15,056	7,699	7,357	14,560	7,508	7,052	13,999	7,188	6,811	14,457	7,501	6,956
Anuradhapura	16,325	8,322	8,003	16,271	8,206	8,065	16,007	8,211	7,796	15,846	8,054	7,792
Polonnaruwa	7,395	3,775	3,620	7,524	3,844	3,680	7,480	3,861	3,619	7,561	3,897	3,664
Badulla	17,613	8,984	8,629	17,707	9,026	8,681	17,528	8,911	8,617	16,760	8,607	8,153
Monaragala	8,072	4,194	3,878	7,031	3,549	3,482	6,831	3,465	3,366	7,082	3,661	3,421
Ratnapura	20,379	10,340	10,039	21,109	10,705	10,404	20,037	10,199	9,838	20,923	10,705	10,218
Kegalle	11,202	5,823	5,379	11,270	5,702	5,568	10,891	5,599	5,292	10,399	5,348	5,051

Note: (a). District level figures are based on the place of occurrence.

(b). Births registered in Kilinochchi and Mullativu districts in 2008 have not reported.

Table 3.1 : Live Births registered by District and Sex, 2008 - 2016 (Cont.)

District	2012			2013			2014*			2015*			2016*		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
Sri Lanka	359,959	183,975	175,984	365,762	187,671	178,091	349,715	177,840	171,875	334,821	169,918	164,903	331,073	169,177	161,896
Colombo	55,485	28,389	27,096	55,821	28,772	27,049	53,742	26,939	26,803	50,894	25,574	25,320	49,993	25,858	24,135
Gampaha	26,407	13,462	12,945	26,631	13,752	12,879	25,039	12,723	12,316	24,271	12,320	11,951	23,957	12,053	11,904
Kalutara	16,271	8,225	8,046	16,675	8,537	8,138	15,674	8,058	7,616	15,289	7,826	7,463	14,251	7,179	7,072
Kandy	29,327	14,993	14,334	30,863	15,795	15,068	29,798	15,184	14,614	28,099	14,365	13,734	26,587	13,647	12,940
Matale	10,291	5,316	4,975	10,178	5,225	4,953	10,150	5,279	4,871	9,342	4,729	4,613	9,244	4,664	4,580
Nuwaraeliya	11,428	5,826	5,602	11,410	5,751	5,659	9,431	4,829	4,602	9,090	4,647	4,443	9,799	5,029	4,770
Galle	19,076	9,874	9,202	19,520	9,992	9,528	19,345	9,745	9,600	19,220	9,686	9,534	18,905	9,622	9,283
Matara	14,620	7,344	7,276	12,692	6,558	6,134	11,964	6,100	5,864	11,224	5,780	5,444	11,075	5,746	5,329
Hambantota	9,990	5,110	4,880	10,577	5,461	5,116	11,117	5,664	5,453	10,750	5,442	5,308	10,732	5,463	5,269
Jaffna	9,019	4,631	4,388	9,882	5,009	4,873	8,540	4,592	3,948	7,855	3,989	3,866	8,264	4,380	3,884
Mannar	1,764	884	880	1,740	880	860	1,348	686	662	1,677	858	819	1,744	915	829
Vavuniya	3,440	1,792	1,648	4,146	2,141	2,005	4,053	2,080	1,973	3,690	1,795	1,895	3,416	1,707	1,709
Mullativu	1,288	667	621	921	481	440	987	486	501	1,120	550	570	874	439	435
Kilinochchi	2,716	1,432	1,284	3,060	1,576	1,484	2,264	1,164	1,100	2,026	1,024	1,002	2,447	1,213	1,234
Batticaloa	9,658	4,946	4,712	10,496	5,351	5,145	9,552	4,880	4,672	9,210	4,740	4,470	9,167	4,618	4,549
Ampara	13,700	6,953	6,747	14,074	7,271	6,803	13,345	6,725	6,620	13,297	6,773	6,524	13,538	6,950	6,588
Trincomalee	8,109	4,232	3,877	7,830	4,096	3,734	8,254	4,182	4,072	7,790	4,001	3,789	7,829	4,037	3,792
Kurunegala	26,169	13,405	12,764	25,146	12,912	12,234	23,834	12,211	11,623	23,231	11,884	11,347	23,307	11,955	11,352
Puttalam	14,261	7,301	6,960	15,385	7,895	7,490	14,116	7,175	6,941	13,720	7,004	6,716	13,307	6,743	6,564
Anuradhapura	16,044	8,160	7,884	16,685	8,549	8,136	15,430	7,762	7,668	15,376	7,852	7,524	15,423	7,898	7,525
Polonnaruwa	7,304	3,770	3,534	7,523	3,831	3,692	7,245	3,674	3,571	7,038	3,545	3,493	7,132	3,725	3,407
Badulla	16,890	8,609	8,281	16,740	8,574	8,166	16,928	8,616	8,312	15,076	7,610	7,466	15,817	8,044	7,773
Monaragala	6,910	3,474	3,436	7,205	3,716	3,489	7,269	3,637	3,632	7,065	3,557	3,508	6,707	3,421	3,286
Ratnapura	19,254	9,779	9,475	20,327	10,299	10,028	20,005	10,144	9,861	18,866	9,576	9,290	18,155	9,181	8,974
Kegalle	10,538	5,401	5,137	10,235	5,247	4,988	10,285	5,305	4,980	9,605	4,791	4,814	9,403	4,690	4,713

* - Provisional

Note: (a). District level figures are based on the place of occurrence.

Table 3.2 : Live Births registered by District of Mother's Usual Residence and Sex of Child, 2008-2013

District	2008 ^(a)			2009			2010		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Sri Lanka	373,575	191,296	182,279	368,304	188,279	180,025	363,881	186,274	177,607
Colombo	40,740	21,185	19,555	39,218	20,080	19,138	37,567	19,393	18,174
Gampaha	36,708	18,730	17,978	35,316	17,984	17,332	34,240	17,315	16,925
Kalutara	21,262	10,873	10,389	19,918	10,235	9,683	19,093	9,852	9,241
Kandy	26,837	13,838	12,999	26,200	13,330	12,870	25,558	13,105	12,453
Matale	9,688	4,968	4,720	9,388	4,848	4,540	9,296	4,736	4,560
Nuwaraeliya	14,451	7,482	6,969	14,922	7,785	7,137	13,327	6,841	6,486
Galle	19,808	10,060	9,748	19,281	9,943	9,338	17,933	9,166	8,767
Matara	15,451	7,820	7,631	14,945	7,690	7,255	14,377	7,274	7,103
Hambantota	11,391	5,825	5,566	11,319	5,749	5,570	11,152	5,588	5,564
Jaffna	8,379	4,252	4,127	9,028	4,668	4,360	10,852	5,465	5,387
Mannar	1,383	728	655	1,507	759	748	2,027	1,058	969
Vavuniya	2,068	1,039	1,029	2,667	1,357	1,310	3,466	1,783	1,683
Mullativu	82	41	41	583	300	283	2,132	1,127	1,005
Kilinochehi	210	107	103	1,080	527	553	4,397	2,234	2,163
Batticaloa	11,471	5,760	5,711	10,727	5,464	5,263	10,602	5,410	5,192
Ampara	14,648	7,574	7,074	14,287	7,251	7,036	14,166	7,330	6,836
Trincomalee	8,797	4,574	4,223	8,672	4,501	4,171	8,124	4,193	3,931
Kurunegala	29,332	14,938	14,394	28,816	14,702	14,114	27,753	14,353	13,400
Puttalam	15,339	7,877	7,462	14,931	7,675	7,256	14,106	7,278	6,828
Anuradhapura	17,598	8,969	8,629	17,845	9,046	8,799	18,070	9,256	8,814
Polonnaruwa	7,542	3,847	3,695	7,865	4,018	3,847	7,843	4,004	3,839
Badulla	16,029	8,130	7,899	15,813	8,091	7,722	15,440	7,893	7,547
Monaragala	9,740	5,041	4,699	8,997	4,533	4,464	9,062	4,552	4,510
Ratnapura	20,648	10,425	10,223	21,028	10,692	10,336	19,318	9,896	9,422
Kegalle	13,961	7,207	6,754	13,948	7,049	6,899	13,961	7,166	6,795
Abroad	12	6	6	3	2	1	19	6	13

Note: (a). Births registered in Kilinochehi and Mullativu districts in 2008 have not reported.

Table 3.2 : Live Births registered by District of Mother's Usual Residence and Sex of Child, 2008-2013 (Cont.)

District	2011			2012			2013		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Sri Lanka	362,044	185,452	176,592	359,959	183,975	175,984	365,762	187,671	178,091
Colombo	39,440	20,373	19,067	35,123	18,032	17,091	35,100	18,165	16,935
Gampaha	32,694	16,444	16,250	33,309	16,912	16,397	33,891	17,497	16,394
Kalutara	19,029	9,744	9,285	19,294	9,711	9,583	19,774	10,125	9,649
Kandy	25,606	13,006	12,600	26,267	13,534	12,733	27,234	13,958	13,276
Matale	9,248	4,818	4,430	9,673	5,008	4,665	9,416	4,830	4,586
Nuwareliya	14,246	7,249	6,997	14,907	7,544	7,363	15,125	7,642	7,483
Galle	18,129	9,302	8,827	18,124	9,353	8,771	18,252	9,307	8,945
Matara	13,320	6,777	6,543	15,366	7,814	7,552	14,039	7,243	6,796
Hambantota	10,839	5,565	5,274	11,895	6,033	5,862	12,020	6,184	5,836
Jaffna	10,727	5,463	5,264	8,854	4,521	4,333	9,801	4,953	4,848
Mannar	1,739	872	867	1,889	954	935	1,826	915	911
Vavuniya	2,543	1,253	1,290	3,042	1,586	1,456	4,243	2,189	2,054
Mullativu	1,532	801	731	1,754	926	828	1,528	802	726
Kilinochehi	3,328	1,713	1,615	2,538	1,333	1,205	2,589	1,345	1,244
Batticaloa	10,246	5,295	4,951	9,908	5,058	4,850	10,812	5,539	5,273
Ampara	13,910	7,153	6,757	13,497	6,867	6,630	13,850	7,138	6,712
Trincomalee	9,160	4,715	4,445	8,455	4,402	4,053	7,992	4,177	3,815
Kurunegala	27,406	14,058	13,348	28,908	14,788	14,120	28,210	14,542	13,668
Puttalam	14,702	7,631	7,071	14,177	7,314	6,863	14,815	7,571	7,244
Anuradhapura	18,154	9,251	8,903	17,699	9,042	8,657	18,171	9,343	8,828
Polonnaruwa	8,055	4,150	3,905	7,701	3,945	3,756	7,999	4,036	3,963
Badulla	15,433	7,943	7,490	15,329	7,857	7,472	15,164	7,751	7,413
Monaragala	8,860	4,601	4,259	9,139	4,600	4,539	9,734	4,984	4,750
Ratnapura	19,924	10,169	9,755	18,928	9,614	9,314	19,986	10,198	9,788
Kegalle	13,755	7,096	6,659	14,165	7,214	6,951	14,169	7,224	6,945
Abroad	19	10	9	18	13	5	22	13	9

Table 3.3 : Live Births registered by District, Sector and Sex - 2008

District	Total			Urban			Rural			Estate		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
Sri Lanka	373,575	191,296	182,279	260,136	133,380	126,756	112,118	57,223	54,895	1,321	693	628
Colombo	61,331	31,590	29,741	57,945	29,800	28,145	3,377	1,787	1,590	9	3	6
Gampaha	28,233	14,468	13,765	12,149	6,267	5,882	16,084	8,201	7,883	-	-	-
Kalutara	17,500	9,018	8,482	17,009	8,779	8,230	464	226	238	27	13	14
Kandy	30,610	15,822	14,788	27,654	14,273	13,381	2,785	1,454	1,331	171	95	76
Matale	10,454	5,326	5,128	5,868	2,971	2,897	4,504	2,311	2,193	82	44	38
Nuwaraeliya	10,823	5,558	5,265	6,558	3,391	3,167	3,721	1,891	1,830	544	276	268
Galle	20,956	10,607	10,349	15,061	7,671	7,390	5,884	2,930	2,954	11	6	5
Matara	14,592	7,423	7,169	10,604	5,388	5,216	3,975	2,030	1,945	13	5	8
Hambantota	9,724	4,953	4,771	7,729	3,940	3,789	1,995	1,013	982	-	-	-
Jaffna	7,844	3,960	3,884	6,004	3,047	2,957	1,840	913	927	-	-	-
Mannar	1,171	617	554	720	400	320	451	217	234	-	-	-
Vavuniya	3,130	1,599	1,531	2,624	1,350	1,274	506	249	257	-	-	-
Mullativu (c)	-	-	-	-	-	-	-	-	-	-	-	-
Kilinochchi (c)	-	-	-	-	-	-	-	-	-	-	-	-
Batticaloa	11,108	5,573	5,535	6,120	3,106	3,014	4,988	2,467	2,521	-	-	-
Ampara	14,506	7,498	7,008	8,759	4,548	4,211	5,747	2,950	2,797	-	-	-
Trincomalee	8,512	4,432	4,080	3,310	1,720	1,590	5,202	2,712	2,490	-	-	-
Kurunegala	27,039	13,715	13,324	19,867	10,068	9,799	7,169	3,645	3,524	3	2	1
Puttalam	15,056	7,699	7,357	11,171	5,688	5,483	3,885	2,011	1,874	-	-	-
Anuradhapura	16,325	8,322	8,003	11,336	5,778	5,558	4,989	2,544	2,445	-	-	-
Polonnaruwa	7,395	3,775	3,620	-	-	-	7,395	3,775	3,620	-	-	-
Badulla	17,613	8,984	8,629	8,043	4,115	3,928	9,278	4,708	4,570	292	161	131
Monaragala	8,072	4,194	3,878	-	-	-	7,985	4,146	3,839	87	48	39
Ratnapura	20,379	10,340	10,039	15,842	8,079	7,763	4,490	2,242	2,248	47	19	28
Kegalle	11,202	5,823	5,379	5,763	3,001	2,762	5,404	2,801	2,603	35	21	14

Note: (a). Estates are defined in the Medical Wants Ordinance.

(b). No urban sectors in Mullativu, Kilinochchi, Polonnaruwa and Monaragala.

(c). Births registered in Kilinochchi and Mullativu districts in 2008 have not reported.

Table 3.3 : Live Births registered by District, Sector and Sex - 2010

District	Total		Urban		Rural		Estate	
	Total	Male	Total	Male	Total	Male	Total	Male
Sri Lanka	363,881	186,274	177,607	129,907	108,983	55,867	947	500
Colombo	55,474	28,611	26,863	27,186	2,642	1,421	4	4
Gampaha	26,885	13,607	13,278	5,793	15,444	7,814	-	-
Kalutara	16,186	8,287	7,899	8,148	277	134	14	5
Kandy	29,457	15,026	14,431	13,785	2,252	1,189	103	52
Matale	10,023	5,118	4,905	2,795	4,491	2,301	32	22
Nuwaraeliya	9,784	5,012	4,772	3,373	2,881	1,507	259	132
Galle	18,830	9,639	9,191	6,261	6,601	3,371	13	7
Matara	14,031	7,045	6,986	5,480	3,043	1,561	13	4
Hambantota	8,771	4,407	4,364	3,706	1,421	701	-	-
Jaffna	9,978	4,977	5,001	3,943	2,093	1,034	-	-
Mannar	1,651	864	787	560	593	304	-	-
Vavuniya	6,351	3,305	3,046	2,300	1,911	1,005	-	-
Mullativu	1,269	662	607	-	1,269	662	-	-
Kilinochchi	3,811	1,971	1,840	-	3,811	1,971	-	-
Batticaloa	10,217	5,209	5,008	3,245	3,862	1,964	-	-
Ampara	14,059	7,317	6,742	4,532	5,302	2,785	-	-
Trincomalee	8,112	4,184	3,928	1,906	4,354	2,278	-	-
Kurunegala	26,219	13,599	12,620	10,141	6,641	3,457	1	1
Puttalam	13,999	7,188	6,811	5,619	3,068	1,569	-	-
Anuradhapura	16,007	8,211	7,796	6,108	4,185	2,103	-	-
Polonnaruwa	7,480	3,861	3,619	-	7,480	3,861	-	-
Badulla	17,528	8,911	8,617	4,204	9,051	4,565	264	142
Monaragala	6,831	3,465	3,366	-	6,728	3,410	103	55
Ratnapura	20,037	10,199	9,838	7,911	4,355	2,248	78	40
Kegalle	10,891	5,599	5,292	2,911	5,228	2,652	63	36

Note: (a). Estates are defined in the Medical Warrants Ordinance.

(b). No urban sectors in Mullativu, Kilinochchi, Polonnaruwa and Monaragala.

Table 3.3 : Live Births registered by District, Sector and Sex - 2011

District	Total		Urban		Rural		Estate	
	Total	Male	Total	Male	Total	Male	Total	Male
Sri Lanka	362,044	185,452	176,592	131,159	105,229	53,974	616	319
Colombo	55,832	28,671	27,161	27,258	2,719	1,404	13	9
Gampaha	26,984	13,594	13,390	5,956	15,279	7,638	-	-
Kalutara	16,684	8,522	8,162	8,377	284	141	15	4
Kandy	29,458	14,994	14,464	14,097	1,699	878	44	19
Matale	10,469	5,439	5,030	3,028	4,586	2,403	12	8
Nuwaraeliya	10,424	5,353	5,071	3,802	2,764	1,433	224	118
Galle	19,430	9,962	9,468	6,624	6,437	3,331	14	7
Matara	12,252	6,249	6,003	4,627	3,160	1,621	6	1
Hambantota	8,890	4,557	4,333	3,991	1,090	566	-	-
Jaffna	10,026	5,083	4,943	4,160	1,783	923	-	-
Mannar	1,467	726	741	509	467	217	-	-
Vavuniya	4,320	2,135	2,185	1,630	1,020	505	-	-
Mullativu	1,077	570	507	-	1,077	570	-	-
Kilinochchi	3,306	1,743	1,563	-	3,306	1,743	-	-
Batticaloa	9,831	5,077	4,754	3,484	3,075	1,593	-	-
Ampara	14,155	7,273	6,882	4,793	4,923	2,480	-	-
Trincomalee	8,840	4,569	4,271	2,185	4,695	2,384	-	-
Kurunegala	25,571	13,162	12,409	9,801	6,565	3,361	1	-
Puttalam	14,457	7,501	6,956	5,775	3,322	1,726	-	-
Anuradhapura	15,846	8,054	7,792	5,776	4,476	2,278	-	-
Polonnaruwa	7,561	3,897	3,664	-	7,561	3,897	-	-
Badulla	16,760	8,607	8,153	4,019	8,652	4,477	208	111
Monaragala	7,082	3,661	3,421	-	7,055	3,643	27	18
Ratnapura	20,923	10,705	10,218	8,260	4,755	2,428	32	17
Kegalle	10,399	5,348	5,051	3,007	4,479	2,334	20	7

Note: (a). Estates are defined in the Medical Warrants Ordinance.

(b). No urban sectors in Mullativu, Kilinochchi, Polonnaruwa and Monaragala.

Table 3.3 : Live Births registered by District, Sector and Sex - 2012

District	Total			Urban			Rural			Estate		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
Sri Lanka	359,959	183,975	175,984	255,646	130,501	125,145	103,872	53,268	50,604	441	206	235
Colombo	55,485	28,389	27,096	52,639	26,971	25,668	2,841	1,416	1,425	5	2	3
Gampaha	26,407	13,462	12,945	12,158	6,286	5,872	14,249	7,176	7,073	-	-	-
Kalutara	16,271	8,225	8,046	16,011	8,085	7,926	249	132	117	11	8	3
Kandy	29,327	14,993	14,334	27,601	14,122	13,479	1,695	856	839	31	15	16
Matale	10,291	5,316	4,975	6,150	3,144	3,006	4,126	2,167	1,959	15	5	10
Nuwaraeliya	11,428	5,826	5,602	8,445	4,321	4,124	2,775	1,406	1,369	208	99	109
Galle	19,076	9,874	9,202	12,431	6,420	6,011	6,639	3,452	3,187	6	2	4
Matara	14,620	7,344	7,276	11,632	5,849	5,783	2,978	1,490	1,488	10	5	5
Hambantota	9,990	5,110	4,880	8,850	4,534	4,316	1,140	576	564	-	-	-
Jaffna	9,019	4,631	4,388	7,664	3,935	3,729	1,355	696	659	-	-	-
Mannar	1,764	884	880	1,367	681	686	397	203	194	-	-	-
Vavuniya	3,440	1,792	1,648	2,600	1,336	1,264	840	456	384	-	-	-
Mullativu	1,288	667	621	-	-	-	1,288	667	621	-	-	-
Kilinochchi	2,716	1,432	1,284	-	-	-	2,716	1,432	1,284	-	-	-
Batticaloa	9,658	4,946	4,712	6,631	3,376	3,255	3,027	1,570	1,457	-	-	-
Ampara	13,700	6,953	6,747	8,279	4,181	4,098	5,421	2,772	2,649	-	-	-
Trincomalee	8,109	4,232	3,877	3,471	1,827	1,644	4,638	2,405	2,233	-	-	-
Kurunegala	26,169	13,405	12,764	19,505	9,979	9,526	6,663	3,426	3,237	1	-	1
Puttalam	14,261	7,301	6,960	11,255	5,779	5,476	3,006	1,522	1,484	-	-	-
Anuradhapura	16,044	8,160	7,884	10,608	5,355	5,253	5,436	2,805	2,631	-	-	-
Polonnaruwa	7,304	3,770	3,534	-	-	-	7,304	3,770	3,534	-	-	-
Badulla	16,890	8,609	8,281	8,361	4,245	4,116	8,435	4,326	4,109	94	38	56
Monaragala	6,910	3,474	3,436	-	-	-	6,895	3,469	3,426	15	5	10
Ratnapura	19,254	9,779	9,475	14,789	7,468	7,321	4,443	2,299	2,144	22	12	10
Kegalle	10,538	5,401	5,137	5,199	2,607	2,592	5,316	2,779	2,537	23	15	8

Note: (a). Estates are defined in the Medical Wants Ordinance.

(b). No urban sectors in Mullativu, Kilinochchi, Polonnaruwa and Monaragala.

Table 3.3 : Live Births registered by District, Sector and Sex - 2013

District	Total		Urban		Rural		Estate	
	Total	Male	Female	Total	Male	Female	Total	Male
Sri Lanka	365,762	187,671	178,091	258,823	132,781	126,042	502	229
Colombo	55,821	28,772	27,049	52,532	27,115	25,417	10	4
Gampaha	26,631	13,752	12,879	12,217	6,294	5,923	-	-
Kalutara	16,675	8,537	8,138	16,424	8,406	8,018	6	4
Kandy	30,863	15,795	15,068	28,976	14,813	14,163	55	26
Matale	10,178	5,225	4,953	5,913	3,005	2,908	5	1
Nuwareliya	11,410	5,751	5,659	8,365	4,193	4,172	240	109
Galle	19,520	9,992	9,528	12,434	6,346	6,088	4	3
Matara	12,692	6,558	6,134	10,300	5,310	4,990	6	4
Hambantota	10,577	5,461	5,116	9,325	4,838	4,487	-	-
Jaffna	9,882	5,009	4,873	7,596	3,840	3,756	-	-
Mannar	1,740	880	860	1,371	689	682	-	-
Vavuniya	4,146	2,141	2,005	3,100	1,604	1,496	-	-
Mullativu	921	481	440	-	-	-	-	-
Kilinochchi	3,060	1,576	1,484	-	-	-	-	-
Batticaloa	10,496	5,351	5,145	7,125	3,658	3,467	-	-
Ampara	14,074	7,271	6,803	8,292	4,296	3,996	-	-
Trincomalee	7,830	4,096	3,734	3,782	2,007	1,775	-	-
Kurunegala	25,146	12,912	12,234	18,646	9,539	9,107	-	-
Puttalam	15,385	7,895	7,490	12,075	6,220	5,855	-	-
Anuradhapura	16,685	8,549	8,136	11,000	5,652	5,348	-	-
Polonnaruwa	7,523	3,831	3,692	-	-	-	-	-
Badulla	16,740	8,574	8,166	8,582	4,375	4,207	121	50
Monaragala	7,205	3,716	3,489	-	-	-	2	2
Ratnapura	20,327	10,299	10,028	15,268	7,741	7,527	22	11
Kegalle	10,235	5,247	4,988	5,500	2,840	2,660	31	15

Note: (a). Estates are defined in the Medical Wants Ordinance.

(b). No urban sectors in Mullativu, Kilinochchi, Polonnaruwa and Monaragala.

Table 3.4 : Live Births registered by District, Live Birth order and Sex - 2008 (Part-1)

District	Total		1st		2nd		3rd	
	Total	Male	Female	Total	Male	Female	Total	Male
Sri Lanka	373,575	191,296	182,279	161,354	83,016	78,338	58,772	30,033
Colombo	61,331	31,590	29,741	28,777	14,874	13,903	8,195	4,212
Gampaha	28,233	14,468	13,765	12,646	6,523	6,123	4,181	2,114
Kalutara	17,500	9,018	8,482	7,883	4,078	3,805	2,760	1,429
Kandy	30,610	15,822	14,788	12,552	6,512	6,040	5,389	2,769
Matale	10,454	5,326	5,128	4,542	2,335	2,207	1,498	778
Nuwareliya	10,823	5,558	5,265	4,444	2,252	2,192	2,041	1,070
Galle	20,956	10,607	10,349	9,285	4,726	4,559	3,229	1,631
Matara	14,592	7,423	7,169	6,243	3,156	3,087	2,417	1,223
Hambantota	9,724	4,953	4,771	4,095	2,105	1,990	1,612	822
Jaffna	7,844	3,960	3,884	3,048	1,566	1,482	1,370	667
Mannar	1,171	617	554	459	253	206	197	95
Vavuniya	3,130	1,599	1,531	1,402	718	684	478	252
Mullativu(b)	-	-	-	-	-	-	-	-
Kilinochchi (b)	-	-	-	-	-	-	-	-
Batticaloa	11,108	5,573	5,535	4,508	2,290	2,218	1,952	964
Ampara	14,506	7,498	7,008	5,418	2,798	2,620	2,632	1,352
Trincomalee	8,512	4,432	4,080	2,951	1,502	1,449	1,650	852
Kurunegala	27,039	13,715	13,324	11,731	6,028	5,703	3,845	1,921
Puttalam	15,056	7,699	7,357	6,205	3,112	3,093	2,556	1,345
Anuradhapura	16,325	8,322	8,003	6,871	3,538	3,333	2,648	1,349
Polonnaruwa	7395	3775	3620	3311	1709	1602	1021	526
Badulla	17613	8984	8629	7376	3773	3603	3033	1541
Monaragala	8072	4194	3878	3269	1728	1541	1270	648
Ratnapura	20379	10340	10039	9732	5043	4689	2818	1441
Kegalle	11202	5823	5379	4606	2397	2209	1980	1032

Note: (a). District level figures are based on the place of occurrence.

(b). Births registered in Kilinochchi and Mullativu districts in 2008 have not reported.

Table 3.4 : Live Births registered by District, Live Birth order and Sex - 2008 (Part-2)

District	4th			5th			6th			7 & above		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
Sri Lanka	16,264	8,321	7,943	4,830	2,489	2,341	1,548	834	714	815	413	402
Colombo	1,737	889	848	461	253	208	138	75	63	39	18	21
Gampaha	973	508	465	175	93	82	47	33	14	24	13	11
Kalutara	651	329	322	155	83	72	50	21	29	30	19	11
Kandy	1,132	576	556	292	165	127	84	45	39	39	18	21
Matale	346	159	187	80	39	41	17	6	11	18	7	11
Nuwaraeliya	543	284	259	112	55	57	2	2	-	-	-	-
Galle	917	455	462	257	136	121	86	49	37	48	31	17
Matara	774	396	378	208	104	104	51	21	30	30	19	11
Hambantota	524	277	247	164	84	80	43	22	21	18	8	10
Jaffna	656	322	334	300	135	165	97	58	39	50	26	24
Mannar	97	57	40	51	22	29	14	6	8	5	2	3
Vavuniya	165	85	80	79	45	34	21	11	10	16	6	10
Mullativu (a)	-	-	-	-	-	-	-	-	-	-	-	-
Kilinochehi (a)	-	-	-	-	-	-	-	-	-	-	-	-
Batticaloa	893	468	425	379	178	201	161	78	83	82	45	37
Ampara	1,296	662	634	500	267	233	198	113	85	144	62	82
Trincomalee	905	469	436	287	159	128	177	101	76	97	47	50
Kurunegala	791	388	403	181	93	88	59	26	33	19	8	11
Puttalam	761	397	364	327	171	156	121	62	59	65	41	24
Anuradhapura	551	283	268	135	65	70	49	29	20	21	12	9
Polonnaruwa	206	104	102	47	29	18	16	8	8	8	5	3
Badulla	697	370	327	151	86	65	29	15	14	12	7	5
Monaragala	376	208	168	149	65	84	36	20	16	17	5	12
Ratnapura	809	400	409	242	111	131	35	21	14	25	10	15
Cegalle	464	235	229	98	51	47	17	12	5	8	4	4

Note: (a). District level figures are based on the place of occurrence.

(b). Births registered in Kilinochchi and Mullativu districts in 2008 have not reported.

Table 3.4 : Live Births registered by District, Live Birth order and Sex - 2009 (Part-1)

District	Total			1st			2nd			3rd		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
Sri Lanka	368,304	188,279	180,025	166,458	85,315	81,143	122,548	62,626	59,922	57,133	29,079	28,054
Colombo	58,069	29,602	28,467	28,031	14,384	13,647	19,914	10,113	9,801	7,813	3,957	3,856
Gampaha	27,690	14,171	13,519	12,662	6,476	6,186	10,161	5,229	4,932	3,834	1,954	1,880
Kalutara	16,662	8,587	8,075	7,410	3,865	3,545	5,746	2,960	2,786	2,683	1,346	1,337
Kandy	30,161	15,374	14,787	13,131	6,731	6,400	10,482	5,395	5,087	5,042	2,503	2,539
Matale	10,619	5,468	5,151	4,780	2,480	2,300	3,875	1,963	1,912	1,561	814	747
Nuwareliya	10,857	5,702	5,155	4,781	2,480	2,301	3,192	1,675	1,517	2,201	1,170	1,031
Galle	19,967	10,340	9,627	9,562	5,033	4,529	6,280	3,218	3,062	2,989	1,505	1,484
Matara	14,705	7,526	7,179	6,633	3,427	3,206	4,796	2,451	2,345	2,334	1,205	1,129
Hambantota	9,268	4,725	4,543	3,942	2,016	1,926	3,168	1,630	1,538	1,505	754	751
Jaffna	7,726	3,960	3,766	2,964	1,527	1,437	2,237	1,134	1,103	1,417	729	688
Mannar	1,287	658	629	531	282	249	402	198	204	210	112	98
Vavuniya	4,558	2,326	2,232	1,700	859	841	1,353	697	656	909	466	443
Mullativu	638	341	297	285	160	125	183	95	88	111	53	58
Kilinochchi	655	326	329	313	157	156	167	89	78	100	50	50
Batticaloa	10,478	5,352	5,126	4,198	2,175	2,023	3,042	1,543	1,499	1,826	916	910
Ampara	14,006	7,081	6,925	5,524	2,831	2,693	4,328	2,148	2,180	2,412	1,222	1,190
Trincomalee	8,416	4,369	4,047	2,952	1,561	1,391	2,244	1,171	1,073	1,766	867	899
Kurunegala	27,070	13,831	13,239	12,715	6,464	6,251	9,561	4,908	4,653	3,791	1,957	1,834
Puttalam	14,560	7,508	7,052	6,570	3,389	3,181	4,419	2,273	2,146	2,342	1,193	1,149
Anuradhapura	16,271	8,206	8,065	7,921	3,954	3,967	5,191	2,675	2,516	2,420	1,204	1,216
Polonnaruwa	7524	3844	3680	3536	1811	1725	2660	1348	1312	1068	561	507
Badulla	17707	9026	8681	8298	4198	4100	5541	2815	2726	2942	1534	1408
Monaragala	7031	3549	3482	2809	1420	1389	2564	1306	1258	1228	608	620
Ratnapura	21109	10705	10404	10487	5256	5231	6925	3508	3417	2768	1438	1330
Kegalle	11270	5702	5568	4723	2379	2344	4117	2084	2033	1861	961	900

Note: (a). District level figures are based on the place of occurrence.

Table 3.4 : Live Births registered by District, Live Birth order and Sex - 2009 (Part-2)

District	4th			5th			6th			7 & above		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
Sri Lanka	15,492	7,917	7,575	4,538	2,245	2,293	1,415	740	675	720	357	363
Colombo	1,769	901	868	384	174	210	113	56	57	45	17	28
Gampaha	792	404	388	185	79	106	38	20	18	18	9	9
Kalutara	647	331	316	144	69	75	27	14	13	5	2	3
Kandy	1,151	560	591	273	144	129	56	31	25	26	10	16
Matale	319	170	149	62	31	31	16	6	10	6	4	2
Nuwaraeliya	527	286	241	111	65	46	30	18	12	15	8	7
Galle	812	410	402	215	111	104	79	49	30	30	14	16
Matara	687	327	360	175	76	99	50	23	27	30	17	13
Hambantota	491	245	246	110	52	58	36	21	15	16	7	9
Jaffna	657	332	325	319	179	140	91	40	51	41	19	22
Mannar	82	42	40	43	17	26	15	6	9	4	1	3
Vavuniya	362	192	170	166	78	88	44	21	23	24	13	11
Mullativu	43	23	20	13	8	5	3	2	1	-	-	-
Kilinochehi	49	18	31	19	9	10	5	3	2	2	-	2
Batticaloa	812	431	381	360	163	197	149	78	71	91	46	45
Ampara	1,112	562	550	376	193	183	144	68	76	110	57	53
Trincomalee	811	433	378	345	181	164	187	97	90	111	59	52
Kurunegala	766	386	380	181	87	94	46	25	21	10	4	6
Puttalam	788	432	356	286	136	150	101	58	43	54	27	27
Anuradhapura	511	261	250	175	81	94	35	23	12	18	8	10
Polonnaruwa	197	92	105	46	25	21	15	7	8	2	0	2
Badulla	696	353	343	179	96	83	34	22	12	17	8	9
Monaragala	305	153	152	84	35	49	29	18	11	12	9	3
Ratnapura	666	358	308	187	107	80	51	23	28	25	15	10
Kegalle	440	215	225	100	49	51	21	11	10	8	3	5

Note: (a). District level figures are based on the place of occurrence.

Table 3.4 : Live Births registered by District, Live Birth order and Sex - 2010 (Part-1)

District	Total			1st		2nd		3rd	
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Sri Lanka	363,881	186,274	177,607	167,113	85,588	81,525	121,074	61,940	59,134
Colombo	55,474	28,611	26,863	26,684	13,788	12,896	19,337	9,936	9,401
Gampaha	26,885	13,607	13,278	14,097	7,135	6,962	8,576	4,362	4,214
Kalutara	16,186	8,287	7,899	7,248	3,728	3,520	5,520	2,783	2,737
Kandy	29,457	15,026	14,431	14,031	7,169	6,862	9,197	4,673	4,524
Matale	10,023	5,118	4,905	4,538	2,336	2,202	3,447	1,770	1,677
Nuwaraeliya	9,784	5,012	4,772	4,117	2,078	2,039	3,113	1,622	1,491
Galle	18,830	9,639	9,191	8,914	4,613	4,301	6,079	3,087	2,992
Matara	14,031	7,045	6,986	6,849	3,361	3,488	4,419	2,239	2,180
Hambantota	8,771	4,407	4,364	3,768	1,890	1,878	2,974	1,510	1,464
Jaffna	9,978	4,977	5,001	4,068	2,046	2,022	3,128	1,529	1,599
Mannar	1,651	864	787	669	359	310	576	302	274
Vavuniya	6,351	3,305	3,046	2,766	1,416	1,350	2,338	1,247	1,091
Mullativu	1,269	662	607	440	236	204	403	212	191
Kilinochchi	3,811	1,971	1,840	1,313	680	633	1,353	716	637
Batticaloa	10,217	5,209	5,008	4,029	2,061	1,968	3,114	1,605	1,509
Ampara	14,059	7,317	6,742	5,855	3,025	2,830	4,408	2,314	2,094
Trincomalee	8,112	4,184	3,928	3,218	1,647	1,571	2,252	1,169	1,083
Kurunegala	26,219	13,599	12,620	11,585	6,061	5,524	9,550	4,926	4,624
Puttalam	13,999	7,188	6,811	6,314	3,226	3,088	4,466	2,300	2,166
Anuradhapura	16,007	8,211	7,796	7,347	3,785	3,562	5,852	2,964	2,888
Polonnaruwa	7480	3861	3619	4115	2130	1985	2214	1152	1062
Badulla	17528	8911	8617	8011	4116	3895	5872	2949	2923
Monaragala	6831	3465	3366	3144	1619	1525	2254	1147	1107
Ratnapura	20037	10199	9838	9013	4522	4491	6904	3523	3381
Kegalle	10891	5599	5292	4980	2561	2419	3728	1903	1825

Note: (a). District level figures are based on the place of occurrence.

Table 3.4 : Live Births registered by District, Live Birth order and Sex - 2010 (Part-2)

District	4th			5th			6th			7 & above		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
Sri Lanka	14,408	7,354	7,054	4,416	2,288	2,128	1,145	588	557	593	310	283
Colombo	1,514	778	736	405	188	217	112	64	48	37	18	19
Gampaha	651	320	331	139	72	67	16	5	11	12	6	6
Kalutara	580	290	290	133	67	66	30	18	12	18	3	15
Kandy	1,250	637	613	351	175	176	75	37	38	25	16	9
Matale	323	155	168	86	52	34	17	11	6	1	1	-
Nuwaraeliya	548	283	265	122	66	56	22	8	14	5	5	-
Galle	696	368	328	170	93	77	53	26	27	25	12	13
Matara	550	289	261	146	70	76	47	29	18	24	12	12
Hambantota	405	199	206	97	57	40	21	12	9	5	1	4
Jaffna	685	328	357	287	146	141	59	26	33	29	17	12
Mannar	107	54	53	53	19	34	9	5	4	10	6	4
Vavuniya	303	155	148	160	88	72	37	22	15	25	15	10
Mullativu	127	65	62	42	20	22	7	4	3	7	3	4
Kilinochchi	260	122	138	137	68	69	37	21	16	23	13	10
Batticaloa	739	368	371	372	203	169	114	50	64	82	38	44
Ampara	877	448	429	389	218	171	124	63	61	85	47	38
Trincomalee	659	324	335	231	121	110	90	41	49	54	30	24
Kurunegala	734	377	357	186	104	82	40	23	17	7	2	5
Puttalam	689	369	320	258	139	119	81	37	44	53	30	23
Anuradhapura	450	246	204	100	46	54	26	17	9	10	8	2
Polonnaruwa	170	96	74	44	23	21	9	6	3	5	4	1
Badulla	628	305	323	134	58	76	35	18	17	12	7	5
Monaragala	295	145	150	74	36	38	19	7	12	10	5	5
Ratnapura	733	416	317	197	105	92	40	22	18	17	6	11
Kegalle	435	217	218	103	54	49	25	16	9	12	5	7

Note: (a). District level figures are based on the place of occurrence.

Table 3.4 : Live Births registered by District, Live Birth order and Sex - 2011 (Part-I)

District	Total			1st			2nd			3rd		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
Sri Lanka	362,044	185,452	176,592	166,688	85,407	81,281	120,354	61,373	58,981	56,084	28,900	27,184
Colombo	55,832	28,671	27,161	27,186	14,016	13,170	18,751	9,561	9,190	7,793	4,021	3,772
Gampaha	26,984	13,594	13,390	12,534	6,363	6,171	9,353	4,641	4,712	4,052	2,060	1,992
Kalutara	16,684	8,522	8,162	7,372	3,693	3,679	5,836	3,014	2,822	2,732	1,425	1,307
Kandy	29,458	14,994	14,464	13,708	7,010	6,698	9,842	4,955	4,887	4,551	2,337	2,214
Matale	10,469	5,439	5,030	4,726	2,486	2,240	3,710	1,878	1,832	1,564	835	729
Nuwaraeliya	10,424	5,353	5,071	5,216	2,658	2,558	2,973	1,527	1,446	1,765	930	835
Galle	19,430	9,962	9,468	9,357	4,798	4,559	6,386	3,289	3,097	2,798	1,428	1,370
Matara	12,252	6,249	6,003	5,690	2,888	2,802	4,021	2,069	1,952	1,926	981	945
Hambantota	8,890	4,557	4,333	4,237	2,161	2,076	2,873	1,496	1,377	1,299	670	629
Jaffna	10,026	5,083	4,943	4,413	2,254	2,159	3,041	1,492	1,549	1,697	864	833
Mannar	1,467	726	741	578	286	292	480	240	240	253	125	128
Vavuniya	4,320	2,135	2,185	1,907	930	977	1,289	629	660	740	369	371
Mullativu	1,077	570	507	422	218	204	359	199	160	185	88	97
Kilinochchi	3,306	1,743	1,563	1,385	720	665	808	427	381	630	349	281
Batticaloa	9,831	5,077	4,754	4,056	2,069	1,987	3,020	1,574	1,446	1,640	845	795
Ampara	14,155	7,273	6,882	5,880	3,031	2,849	4,572	2,379	2,193	2,341	1,177	1,164
Trincomalee	8,840	4,569	4,271	3,700	1,911	1,789	2,589	1,296	1,293	1,598	832	766
Kurunegala	25,571	13,162	12,409	11,622	6,004	5,618	9,175	4,652	4,523	3,858	2,007	1,851
Puttalam	14,457	7,501	6,956	6,182	3,206	2,976	4,676	2,436	2,240	2,446	1,258	1,188
Anuradhapura	15,846	8,054	7,792	6,900	3,518	3,382	5,610	2,829	2,781	2,681	1,371	1,310
Polonnaruwa	7561	3897	3664	3644	1862	1782	2614	1352	1262	1087	577	510
Badulla	16760	8607	8153	8127	4166	3961	5283	2707	2576	2659	1370	1289
Monaragala	7082	3661	3421	3161	1647	1514	2497	1283	1214	1071	549	522
Ratnapura	20923	10705	10218	10128	5179	4949	6906	3545	3361	3017	1552	1465
Kegalle	10399	5348	5051	4557	2333	2224	3690	1903	1787	1701	880	821

Note: (a). District level figures are based on the place of occurrence.

Table 3.4 : Live Births registered by District, Live Birth order and Sex - 2011 (Part-2)

District	4th			5th			6th			7 & above		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
Sri Lanka	13,672	7,065	6,607	3,709	1,931	1,778	1,061	538	523	476	238	238
Colombo	1,590	805	785	371	197	174	93	43	50	48	28	20
Gampaha	827	418	409	173	89	84	36	21	15	9	2	7
Kalutara	574	304	270	134	65	69	30	17	13	6	4	2
Kandy	1,068	529	539	231	132	99	41	23	18	17	8	9
Matale	351	182	169	95	46	49	17	9	8	6	3	3
Nuwaraeliya	383	198	185	72	32	40	10	6	4	5	2	3
Galle	672	355	317	156	64	92	42	21	21	19	7	12
Matara	454	228	226	113	61	52	37	18	19	11	4	7
Hambantota	364	171	193	91	46	45	17	10	7	9	3	6
Jaffna	595	330	265	198	113	85	55	24	31	27	6	21
Mannar	93	44	49	44	24	20	13	7	6	6	-	6
Vavuniya	239	124	115	104	60	44	32	16	16	9	7	2
Mullativu	63	42	21	30	15	15	12	4	8	6	4	2
Kilinochchi	317	155	162	105	57	48	44	24	20	17	11	6
Batticaloa	700	385	315	272	135	137	91	47	44	52	22	30
Ampara	866	439	427	300	148	152	124	61	63	72	38	34
Trincomalee	564	304	260	243	145	98	96	48	48	50	33	17
Kurunegala	732	392	340	137	81	56	36	20	16	11	6	5
Puttalam	739	388	351	268	138	130	107	55	52	39	20	19
Anuradhapura	507	264	243	111	54	57	23	14	9	14	4	10
Polonnaruwa	178	88	90	28	12	16	9	5	4	1	1	-
Badulla	540	288	252	124	59	65	23	14	9	4	3	1
Monaragala	273	137	136	62	32	30	13	8	5	5	5	-
Ratnapura	656	324	332	156	79	77	39	15	24	21	11	10
Kegalle	327	171	156	91	47	44	21	8	13	12	6	6

Note: (a). District level figures are based on the place of occurrence.

Table 3.4 : Live Births registered by District, Live Birth order and Sex - 2012 (Part-1)

District	Total		1st		2nd		3rd					
	Total	Male	Female	Total	Male	Female	Total	Male	Female			
Sri Lanka	359,959	183,975	175,984	167,063	85,633	81,430	122,160	62,493	59,667	53,811	27,301	26,510
Colombo	55,485	28,389	27,096	26,488	13,608	12,880	19,379	9,837	9,542	7,458	3,833	3,625
Gampaha	26,407	13,462	12,945	11,634	5,942	5,692	9,928	5,090	4,838	3,898	1,975	1,923
Kalutara	16,271	8,225	8,046	7,120	3,644	3,476	5,857	2,952	2,905	2,603	1,290	1,313
Kandy	29,327	14,993	14,334	15,255	7,850	7,405	8,775	4,454	4,321	4,055	2,071	1,984
Matale	10,291	5,316	4,975	4,525	2,356	2,169	3,765	1,951	1,814	1,605	795	810
Nuwaraeliya	11,428	5,826	5,602	4,910	2,477	2,433	3,836	1,978	1,858	2,102	1,091	1,011
Galle	19,076	9,874	9,202	9,051	4,697	4,354	6,310	3,261	3,049	2,847	1,469	1,378
Matara	14,620	7,344	7,276	6,703	3,326	3,377	4,986	2,556	2,430	2,200	1,095	1,105
Hambantota	9,990	5,110	4,880	4,418	2,267	2,151	3,486	1,807	1,679	1,590	787	803
Jaffna	9,019	4,631	4,388	4,410	2,283	2,127	2,570	1,318	1,252	1,374	706	668
Mannar	1,764	884	880	782	378	404	512	258	254	286	151	135
Vavuniya	3,440	1,792	1,648	1,504	819	685	1,080	558	522	575	281	294
Mullativu	1,288	667	621	477	236	241	424	222	202	229	124	105
Kilinochchi	2,716	1,432	1,284	1,093	587	506	845	446	399	459	232	227
Batticaloa	9,658	4,946	4,712	4,156	2,087	2,069	2,956	1,570	1,386	1,574	824	750
Ampara	13,700	6,953	6,747	5,655	2,866	2,789	4,553	2,318	2,235	2,327	1,165	1,162
Trincomalee	8,109	4,232	3,877	5,142	2,721	2,421	1,613	845	768	856	418	438
Kurunegala	26,169	13,405	12,764	11,868	6,073	5,795	9,650	4,947	4,703	3,798	1,957	1,841
Puttalam	14,261	7,301	6,960	6,069	3,130	2,939	4,871	2,482	2,389	2,392	1,205	1,187
Anuradhapura	16,044	8,160	7,884	6,833	3,525	3,308	5,923	2,996	2,927	2,675	1,324	1,351
Polonnaruwa	7304	3770	3534	3408	1759	1649	2583	1369	1214	1069	517	552
Badulla	16890	8609	8281	8216	4177	4039	5510	2809	2701	2529	1291	1238
Monaragala	6910	3474	3436	3136	1582	1554	2394	1219	1175	1073	533	540
Ratnapura	19254	9779	9475	9625	4882	4743	6531	3294	3237	2570	1330	1240
Kegalle	10538	5401	5137	4585	2361	2224	3823	1956	1867	1667	837	830

Note: (a). District level figures are based on the place of occurrence.

Table 3.4 : Live Births registered by District, Live Birth order and Sex - 2012 (Part-2)

District	4th			5th			6th			7 & above		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
Sri Lanka	12,572	6,425	6,147	3,182	1,553	1,629	801	402	399	370	168	202
Colombo	1,674	860	814	358	185	173	84	45	39	44	21	23
Gampaha	781	380	401	114	55	59	39	16	23	13	4	9
Kalutara	513	258	255	133	62	71	32	13	19	13	6	7
Kandy	980	500	480	217	96	121	34	16	18	11	6	5
Matale	328	179	149	52	24	28	11	7	4	5	4	1
Nuwaraeliya	469	238	231	95	35	60	12	5	7	4	2	2
Galle	642	338	304	164	82	82	39	18	21	23	9	14
Matara	577	281	296	118	65	53	26	16	10	10	5	5
Hambantota	382	189	193	92	44	48	20	14	6	2	2	-
Jaffna	447	220	227	176	87	89	31	14	17	11	3	8
Mannar	114	54	60	42	20	22	18	14	4	10	9	1
Vavuniya	184	89	95	75	37	38	13	7	6	9	1	8
Mullativu	106	60	46	37	18	19	12	5	7	3	2	1
Kilinochchi	199	106	93	93	44	49	18	10	8	9	7	2
Batticaloa	621	313	308	225	103	122	76	25	51	50	24	26
Ampara	749	406	343	292	143	149	77	30	47	47	25	22
Trincomalee	327	160	167	115	63	52	35	17	18	21	8	13
Kurunegala	640	320	320	167	85	82	37	21	16	9	2	7
Puttalam	595	313	282	217	113	104	79	47	32	38	11	27
Anuradhapura	481	248	233	90	41	49	32	23	9	10	3	7
Polonnaruwa	192	102	90	40	19	21	8	3	5	4	1	3
Badulla	508	265	243	106	54	52	16	10	6	5	3	2
Monaragala	233	113	120	53	18	35	13	5	8	8	4	4
Ratnapura	490	255	235	13	6	7	21	10	11	4	2	2
Kegalle	340	178	162	98	54	44	18	11	7	7	4	3

Note: (a). District level figures are based on the place of occurrence.

Table 3.4 : Live Births registered by District, Live Birth order and Sex - 2013 (Part-2)

District	4th			5th			6th			7 & above		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
Sri Lanka	13,388	6,870	6,518	3,395	1,787	1,608	732	385	347	306	166	140
Colombo	1,466	738	728	356	181	175	76	38	38	36	21	15
Gampaha	617	322	295	119	62	57	2	1	1	-	-	-
Kalutara	585	304	281	122	64	58	17	10	7	5	2	3
Kandy	1,220	601	619	287	137	150	50	27	23	20	13	7
Matale	332	170	162	69	32	37	11	5	6	1	-	1
Nuwareliya	482	244	238	71	32	39	-	-	-	-	-	-
Galle	599	317	282	141	75	66	30	11	19	10	2	8
Matara	439	209	230	118	67	51	21	10	11	8	3	5
Hambantota	424	238	186	90	50	40	14	10	4	5	4	1
Jaffna	512	243	269	171	93	78	29	15	14	8	3	5
Mannar	104	56	48	38	21	17	11	6	5	10	4	6
Vavuniya	656	357	299	97	50	47	18	7	11	3	2	1
Mullativu	38	23	15	17	9	8	4	4	-	1	1	-
Kilinochchi	270	131	139	124	63	61	23	17	6	11	7	4
Batticaloa	658	336	322	276	153	123	68	35	33	26	19	7
Ampara	706	360	346	288	162	126	91	55	36	57	37	20
Trincomalee	354	178	176	135	72	63	51	29	22	39	18	21
Kurunegala	754	408	346	158	84	74	36	18	18	8	2	6
Puttalam	673	344	329	212	113	99	80	39	41	31	15	16
Anuradhapura	493	258	235	114	62	52	24	16	8	4	2	2
Polonnaruwa	183	92	91	23	14	9	1	1	-	2	-	2
Badulla	591	301	290	101	52	49	19	8	11	5	3	2
Monaragala	239	138	101	55	24	31	11	4	7	3	1	2
Ratnapura	619	297	322	108	61	47	22	9	13	8	6	2
Kegalle	374	205	169	105	54	51	23	10	13	5	1	4

Note: (a). District level figures are based on the place of occurrence.

Table 3.5 : Live Births registered by District and Mother's Ethnic Group - 2008

District	All Ethnic Groups	Sinhalese	Sri Lankan Tamil	Indian-Tamil	Sri Lanka-Moors	Burgher	Malay	Other
Sri Lanka	373,575	271,371	37,093	16,876	46,812	645	628	150
Colombo	61,331	47,319	5,076	751	7,574	190	315	106
Gampaha	28,233	25,655	746	136	1,443	147	86	20
Kalutara	17,500	14,539	518	336	2,099	1	6	1
Kandy	30,610	20,741	1,378	3,295	5,122	39	26	9
Matale	10,454	7,965	527	564	1,392	1	5	-
Nuwaraeliya	10,823	3,119	469	6,893	321	15	2	4
Galle	20,956	19,476	268	131	1,077	1	1	2
Matara	14,592	13,674	214	233	469	-	2	-
Hambantota	9,724	9,276	49	6	239	1	153	-
Jaffna	7,844	4	7,808	8	23	1	-	-
Mannar	1,171	10	1,027	7	127	-	-	-
Vavuniya	3,130	229	2,631	10	260	-	-	-
Mullativu(b)	-	-	-	-	-	-	-	-
Kilinochchi (b)	-	-	-	-	-	-	-	-
Batticaloa	11,108	21	7,478	7	3,580	22	-	-
Ampara	14,506	4,781	2,580	14	7,113	15	3	-
Trincomalee	8,512	1,772	2,263	91	4,380	6	-	-
Kurunegala	27,039	24,041	373	37	2,488	88	9	3
Puttalam	15,056	10,085	935	25	3,989	21	1	-
Anuradhapura	16,325	14,672	109	27	1,515	1	-	1
Polonnaruwa	7,395	6,404	134	27	826	3	1	-
Badulla	17,613	13,089	627	2,875	1,002	3	15	2
Monaragala	8,072	7,542	221	94	212	2	1	-
Ratnapura	20,379	17,638	1,428	822	472	19	-	-
Kegalle	11,202	9,319	234	487	1,089	69	2	2

Note: (a). District level figures are based on the place of occurrence.

(b). Births registered in Kilinochchi and Mullativu districts in 2008 have not reported.

Table 3.5 : Live Births registered by District and Mother's Ethnic Group - 2009

District	All Ethnic Groups	Sinhalese	Sri lankan Tamil	Indian-Tamil	Sri lanka-Moors	Burgher	Malay	Other
Sri Lanka	368,304	265,229	38,995	17,318	45,371	442	697	252
Colombo	58,069	44,950	4,568	931	6,963	184	320	153
Gampaha	27,690	24,878	854	155	1,554	111	106	32
Kalutara	16,662	13,954	518	244	1,929	6	9	2
Kandy	30,161	20,608	1,398	3,139	4,914	34	42	26
Matale	10,619	8,151	535	521	1,396	3	11	2
Nuwareliya	10,857	2,845	331	7,331	343	5	2	-
Galle	19,967	18,560	286	128	990	2	1	-
Matara	14,705	13,711	229	229	534	2	-	-
Hambantota	9,268	8,856	46	6	202	1	156	1
Jaffna	7,726	2	7,705	5	14	-	-	-
Mannar	1,287	4	1,107	7	169	-	-	-
Vavuniya	4,558	253	4,200	2	102	-	-	1
Mullativu	638	-	638	-	-	-	-	-
Kilinochchi	655	-	655	-	-	-	-	-
Batticaloa	10,478	17	6,962	11	3,467	21	-	-
Ampara	14,006	4,705	2,526	15	6,747	13	-	-
Trincomalee	8,416	1,819	2,279	28	4,281	6	3	-
Kurunegala	27,070	23,959	414	65	2,612	7	11	2
Puttalam	14,560	9,493	974	36	4,016	14	20	7
Anuradhapura	16,271	14,740	100	23	1,390	17	-	1
Polonnaruwa	7,524	6,530	148	12	831	-	-	3
Badulla	17,707	13,023	593	3,095	959	8	15	14
Monaragala	7,031	6,512	227	79	212	-	-	1
Ratnapura	21,109	18,456	1,508	647	488	6	-	4
Kegalle	11,270	9,203	194	609	1,258	2	1	3

Note: (a). District level figures are based on the place of occurrence.

Table 3.5 : Live Births registered by District and Mother's Ethnic Group - 2010

District	All Ethnic Groups	Sinhalese	Sri Lanka-Tamil	Indian-Tamil	Sri Lanka-Moors	Burgher	Malay	Other
Sri Lanka	363,881	255,697	46,288	16,544	43,926	449	582	395
Colombo	55,474	42,575	4,279	1,008	6,836	278	249	249
Gampaha	26,885	24,397	691	151	1,461	65	100	20
Kalutara	16,186	13,488	465	346	1,878	6	3	-
Kandy	29,457	19,936	1,488	3,260	4,693	19	40	21
Matale	10,023	7,679	607	436	1,294	-	1	6
Nuwaraeliya	9,784	2,603	424	6,434	306	6	4	7
Galle	18,830	17,595	268	111	847	3	1	5
Matara	14,031	13,054	258	213	502	2	1	1
Hambantota	8,771	8,393	59	11	186	1	117	4
Jaffna	9,978	3	9,956	3	16	-	-	-
Mannar	1,651	6	1,521	4	120	-	-	-
Vavuniya	6,351	402	5,612	14	321	1	-	1
Mullativu	1,269	-	1,268	-	-	1	-	-
Kilinochchi	3,811	2	3,805	1	2	-	1	-
Batticaloa	10,217	32	6,640	11	3,494	39	-	1
Ampara	14,059	4,759	2,675	12	6,612	1	-	-
Trincomalee	8,112	1,869	2,118	73	4,042	8	2	-
Kurunegala	26,219	23,239	318	35	2,600	7	15	5
Puttalam	13,999	8,929	968	46	3,983	8	36	29
Anuradhapura	16,007	14,614	105	9	1,248	2	4	25
Polonnaruwa	7,480	6,690	116	3	669	1	-	1
Badulla	17,528	12,985	678	2,910	951	-	1	3
Monaragala	6,831	6,298	221	91	220	-	1	-
Ratnapura	20,037	17,199	1,534	835	448	1	4	16
Kegalle	10,891	8,950	214	527	1,197	-	2	1

Note: (a). District level figures are based on the place of occurrence.

Table 3.5 : Live Births registered by District and Mother's Ethnic Group - 2011

District	All Ethnic Groups	Sinhalese	Sri Lanka-Tamil	Indian-Tamil	Sri Lanka-Moors	Burgher	Malay	Other
Sri Lanka	362,044	256,310	43,442	17,016	43,841	419	656	360
Colombo	55,832	42,947	4,269	1,273	6,692	205	296	150
Gampaha	26,984	24,255	790	180	1,528	101	90	40
Kalutara	16,684	13,782	409	347	2,126	6	9	5
Kandy	29,458	19,999	1,495	3,221	4,679	12	25	27
Matale	10,469	7,978	548	479	1,452	2	7	3
Nuwareliya	10,424	2,647	506	6,891	369	2	6	3
Galle	19,430	18,007	276	100	1,035	2	5	5
Matara	12,252	11,491	221	198	336	2	-	4
Hambantota	8,890	8,519	53	7	161	2	146	2
Jaffna	10,026	6	9,984	2	34	-	-	-
Mannar	1,467	3	1,215	8	241	-	-	-
Vavuniya	4,320	489	3,567	13	251	-	-	-
Mullativu	1,077	2	1,074	-	1	-	-	-
Kilinochchi	3,306	-	3,291	13	2	-	-	-
Batticaloa	9,831	32	6,374	14	3,363	47	1	-
Ampara	14,155	5,007	2,760	16	6,357	12	2	1
Trincomalee	8,840	2,059	2,514	34	4,205	5	7	16
Kurunegala	25,571	22,526	379	31	2,575	4	21	35
Puttalam	14,457	9,450	981	87	3,876	12	31	20
Anuradhapura	15,846	14,445	87	13	1,279	1	3	18
Polonnaruwa	7,561	6,624	133	2	798	-	2	2
Badulla	16,760	12,224	643	2,938	932	1	4	18
Monaragala	7,082	6,690	168	44	177	1	1	1
Ratnapura	20,923	18,203	1,535	714	463	2	-	6
Kegalle	10,399	8,925	170	391	909	-	-	4

Note: (a). District level figures are based on the place of occurrence.

Table 3.5 : Live Births registered by District and Mother's Ethnic Group - 2012

District	All Ethnic Groups	Sinhalese	Sri Lanka-Tamil	Indian-Tamil	Sri Lanka-Moors	Burgher	Malay	Other
Sri Lanka	359,959	257,330	39,449	17,785	44,044	405	613	333
Colombo	55,485	42,611	4,055	1,296	6,946	196	324	57
Gampaha	26,407	23,690	783	179	1,566	91	64	34
Kalutara	16,271	13,488	313	480	1,977	4	4	5
Kandy	29,327	19,845	1,303	3,218	4,903	14	22	22
Matale	10,291	7,818	584	488	1,387	1	3	10
Nuwareliya	11,428	3,198	464	7,396	352	7	4	7
Galle	19,076	17,750	247	74	996	2	2	5
Matara	14,620	13,807	200	179	432	2	-	-
Hambantota	9,990	9,675	47	11	135	-	118	4
Jaffna	9,019	1	8,970	9	38	-	-	1
Mannar	1,764	11	1,404	3	346	-	-	-
Vavuniya	3,440	566	2,621	6	247	-	-	-
Mullativu	1,288	30	1,207	25	26	-	-	-
Kilinochchi	2,716	4	2,710	-	2	-	-	-
Batticaloa	9,658	31	6,237	20	3,325	42	-	3
Ampara	13,700	4,901	2,456	34	6,298	8	1	2
Trincomalee	8,109	1,826	2,060	14	4,204	4	-	1
Kurunegala	26,169	23,234	413	41	2,379	4	32	66
Puttalam	14,261	9,411	934	93	3,764	9	28	22
Anuradhapura	16,044	14,585	95	33	1,297	4	4	26
Polonnaruwa	7,304	6,531	80	5	687	-	1	-
Badulla	16,890	12,293	475	3,093	975	2	1	51
Monaragala	6,910	6,497	159	39	213	-	2	-
Ratnapura	19,254	16,834	1,447	576	372	10	3	12
Kegalle	10,538	8,693	185	473	1,177	5	-	5

Note: (a). District level figures are based on the place of occurrence.

Table 3.5 : Live Births registered by District and Mother's Ethnic Group - 2013

District	All Ethnic Groups	Sinhalese	Sri Lanka-Tamil	Indian-Tamil	Sri Lanka-Moors	Burgher	Malay	Other
Sri Lanka	365,762	261,156	41,401	17,994	43,592	418	692	509
Colombo	55,821	42,716	4,281	1,124	6,761	199	438	302
Gampaha	26,631	23,802	759	223	1,644	88	72	43
Kalutara	16,675	13,898	253	579	1,912	8	8	17
Kandy	30,863	20,865	1,361	3,631	4,953	9	22	22
Matale	10,178	7,667	568	512	1,417	2	8	4
Nuwareliya	11,410	3,270	357	7,453	321	1	5	3
Galle	19,520	18,043	267	126	1,081	1	2	-
Matara	12,692	12,399	89	112	91	1	-	-
Hambantota	10,577	10,293	37	7	127	2	104	7
Jaffna	9,882	13	9,804	6	52	4	-	3
Mannar	1,740	8	1,380	3	349	-	-	-
Vavuniya	4,146	592	3,302	8	242	-	1	1
Mullativu	921	17	901	-	3	-	-	-
Kilinochehi	3,060	3	3,044	4	9	-	-	-
Batticaloa	10,496	32	6,942	33	3,437	52	-	-
Ampara	14,074	5,069	2,508	60	6,421	15	-	1
Trincomalee	7,830	1,847	1,974	29	3,966	11	1	2
Kurunegala	25,146	22,286	367	30	2,414	9	11	29
Puttalam	15,385	10,344	956	90	3,951	11	13	20
Anuradhapura	16,685	15,225	91	16	1,325	2	2	24
Polonnaruwa	7,523	6,901	88	7	526	-	-	1
Badulla	16,740	12,454	503	2,750	1,008	-	-	25
Monaragala	7,205	7,003	89	19	94	-	-	-
Ratnapura	20,327	17,867	1,294	719	439	1	3	4
Kegalle	10,235	8,542	186	453	1,049	2	2	1

Note: (a). District level figures are based on the place of occurrence.

Table 3.6 : Live Births registered by District and Age of Mother - 2008

District	All ages	Less than 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 & above
Sri Lanka	373,575	74	19,710	78,392	124,512	93,172	45,162	11,413	1,091	49
Colombo	61,331	7	2,072	10,321	21,005	17,429	8,500	1,861	126	10
Gampaha	28,233	7	1,094	5,478	9,988	7,398	3,389	807	69	3
Kalutara	17,500	1	968	3,469	6,018	4,342	2,153	498	47	4
Kandy	30,610	5	1,179	6,114	10,396	7,940	3,851	1,033	87	5
Matale	10,454	1	574	2,289	3,584	2,484	1,233	268	17	4
Nuwareliya	10,823	-	450	3,029	3,971	2,315	825	212	17	4
Galle	20,956	1	1,107	4,096	6,345	5,470	3,031	816	89	1
Matara	14,592	1	692	2,816	4,400	3,739	2,229	659	56	-
Hambantota	9,724	-	567	2,139	2,983	2,259	1,348	396	32	-
Jaffna	7,844	3	451	1,621	2,552	1,991	926	252	48	-
Mannar	1,171	1	58	277	415	284	98	33	5	-
Vavuniya	3,130	-	183	651	1,074	740	355	115	12	-
Mullativu (b)	-	-	-	-	-	-	-	-	-	-
Kilinochchi (b)	-	-	-	-	-	-	-	-	-	-
Batticaloa	11,108	4	1,110	2,512	3,326	2,368	1,274	439	74	1
Ampara	14,506	6	940	3,238	4,553	3,469	1,724	517	54	5
Trincomalee	8,512	5	754	2,080	2,655	1,828	894	258	36	2
Kurunegala	27,039	7	1,270	5,528	9,185	6,934	3,266	781	67	1
Puttalam	15,056	9	1,270	3,930	5,117	3,089	1,306	303	32	-
Anuradhapura	16,325	2	1,163	3,781	5,676	3,842	1,556	288	17	-
Polonnaruwa	7,395	4	459	1,716	2,552	1,741	730	174	18	1
Badulla	17,613	2	917	4,289	5,826	4,164	1,884	466	62	3
Monaragala	8,072	2	613	2,143	2,556	1,713	813	209	21	2
Ratnapura	20,379	5	1,390	4,760	6,645	4,641	2,295	571	72	-
Kegalle	11,202	1	429	2,115	3,690	2,992	1,482	457	33	3

Note: (a). District level figures are based on the place of occurrence.

(b). Births registered in Kilinochchi and Mullativu districts in 2008 have not reported.

Table 3.6 : Live Births registered by District and Age of Mother - 2009

District	All ages	Less than 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 & above
Sri Lanka	368,304	132	19,241	76,446	121,089	93,886	44,794	11,428	1,230	58
Colombo	58,069	23	1,717	9,357	19,423	17,221	8,246	1,869	198	15
Gampaha	27,690	8	1,021	5,049	9,627	7,502	3,499	893	85	6
Kalutara	16,662	6	863	3,401	5,534	4,228	2,091	486	53	-
Kandy	30,161	3	1,218	5,792	10,159	7,949	3,932	1,021	87	-
Matale	10,619	3	616	2,364	3,505	2,641	1,187	291	11	1
Nuwaraeliya	10,857	6	515	2,941	3,893	2,391	812	237	62	-
Galle	19,967	7	1,069	3,902	6,219	5,049	2,812	828	80	1
Matara	14,705	-	721	2,833	4,389	3,793	2,276	620	71	2
Hambantota	9,268	6	502	2,037	2,886	2,210	1,228	351	45	3
Jaffna	7,726	1	362	1,444	2,458	2,159	988	273	38	3
Mannar	1,287	1	81	264	441	324	139	32	5	-
Vavuniya	4,558	-	252	955	1,456	1,220	513	142	19	1
Mullativu	638	2	43	133	198	179	64	15	4	-
Kilinochchi	655	-	49	134	228	164	60	18	2	-
Batticaloa	10,478	9	992	2,390	3,080	2,379	1,173	375	72	8
Ampara	14,006	6	965	3,135	4,438	3,348	1,606	465	42	1
Trincomalee	8,416	10	738	1,953	2,609	1,885	917	266	37	1
Kurunegala	27,070	6	1,228	5,493	9,105	7,123	3,282	780	53	-
Puttalam	14,560	4	1,259	3,880	4,712	3,116	1,273	293	23	-
Anuradhapura	16,271	1	1,206	3,894	5,466	3,813	1,598	271	22	-
Polonnaruwa	7,524	1	495	1,790	2,536	1,723	780	178	21	-
Badulla	17,707	12	1,012	4,462	5,810	4,083	1,796	471	55	6
Monaragala	7,031	3	503	1,800	2,270	1,642	622	171	16	4
Ratnapura	21,109	11	1,370	4,971	7,003	4,760	2,275	636	82	1
Kegalle	11,270	3	444	2,072	3,644	2,984	1,625	446	47	5

Note: (a). District level figures are based on the place of occurrence.

Table 3.6 : Live Births registered by District and Age of Mother - 2010

District	All ages	Less than 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 & above
Sri Lanka	363,881	66	19,975	74,181	117,862	95,957	43,676	10,943	1,153	68
Colombo	55,474	8	1,795	9,069	18,176	16,841	7,584	1,789	189	23
Gampaha	26,885	-	1,148	4,835	9,132	7,574	3,328	806	62	-
Kalutara	16,186	4	896	3,206	5,132	4,347	2,053	494	54	-
Kandy	29,457	6	1,237	5,719	9,713	8,105	3,598	963	107	9
Matale	10,023	1	574	2,158	3,291	2,556	1,120	291	31	1
Nuwareliya	9,784	2	431	2,343	3,662	2,375	771	177	23	-
Galle	18,830	1	999	3,558	5,821	4,997	2,629	756	69	-
Matara	14,031	4	714	2,731	4,071	3,665	2,142	627	75	2
Hambantota	8,771	3	518	1,809	2,761	2,255	1,074	312	38	1
Jaffna	9,978	2	480	2,011	3,246	2,704	1,211	292	28	4
Mannar	1,651	1	98	364	528	440	176	34	8	2
Vavuniya	6,351	3	485	1,407	2,000	1,564	695	170	24	3
Mullativu	1,269	1	79	327	394	307	117	39	5	-
Kilinochchi	3,811	1	270	915	1,265	896	373	76	12	3
Batticaloa	10,217	4	957	2,215	2,991	2,416	1,221	361	49	3
Ampara	14,059	1	969	3,075	4,532	3,384	1,604	458	34	2
Trincomalee	8,112	3	730	1,828	2,475	1,886	907	245	32	6
Kurunegala	26,219	-	1,269	5,240	8,595	6,995	3,313	744	63	-
Puttalam	13,999	3	1,228	3,495	4,626	3,114	1,236	263	34	-
Anuradhapura	16,007	2	1,240	3,710	5,156	4,023	1,532	314	30	-
Polonnaruwa	7,480	-	523	1,715	2,478	1,838	762	154	10	-
Badulla	17,528	8	1,079	4,217	5,664	4,263	1,788	461	42	6
Monaragala	6,831	2	485	1,811	2,176	1,512	663	154	28	-
Ratnapura	20,037	3	1,316	4,481	6,546	4,808	2,270	545	68	-
Kegalle	10,891	3	455	1,942	3,431	3,092	1,509	418	38	3

Note: (a). District level figures are based on the place of occurrence.

Table 3.6 : Live Births registered by District and Age of Mother - 2011

District	All ages	Less than 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 & above
Sri Lanka	362,044	109	19,075	73,841	114,314	99,080	43,285	11,229	1,041	70
Colombo	55,832	18	1,855	8,977	17,990	17,369	7,631	1,833	149	10
Gampaha	26,984	12	1,172	4,608	8,750	8,084	3,336	916	98	8
Kalutara	16,684	8	834	3,369	5,006	4,704	2,131	584	46	2
Kandy	29,458	10	1,107	5,652	9,230	8,543	3,773	1,049	89	5
Matale	10,469	3	583	2,311	3,296	2,766	1,183	302	24	1
Nuwareliya	10,424	3	537	2,618	3,730	2,556	776	189	14	1
Galle	19,430	2	995	3,767	5,750	5,434	2,654	780	47	1
Matara	12,252	2	607	2,329	3,639	3,303	1,761	548	63	-
Hambantota	8,890	2	510	1,886	2,727	2,342	1,085	303	33	2
Jaffna	10,026	-	449	2,021	3,137	2,870	1,231	292	21	5
Mannar	1,467	1	61	287	511	421	150	32	4	-
Vavuniya	4,320	1	269	925	1,363	1,129	490	129	14	-
Mullativu	1,077	-	65	256	333	275	110	34	4	-
Kilinochchi	3,306	5	269	820	1,003	785	321	84	18	1
Batticaloa	9,831	1	854	2,213	2,821	2,364	1,178	350	44	6
Ampara	14,155	8	884	3,166	4,520	3,393	1,664	466	51	3
Trincomalee	8,840	7	802	2,129	2,534	2,108	925	280	51	4
Kurunegala	25,571	-	1,197	4,887	8,276	7,195	3,220	727	69	-
Puttalam	14,457	1	1,216	3,607	4,733	3,296	1,295	275	34	-
Anuradhapura	15,846	-	1,056	3,629	4,910	4,311	1,570	342	28	-
Polonnaruwa	7,561	2	488	1,739	2,443	1,931	769	176	13	-
Badulla	16,760	6	952	4,183	5,477	4,032	1,642	419	41	8
Monaragala	7,082	6	517	1,772	2,236	1,697	678	156	19	1
Ratnapura	20,923	8	1,399	4,772	6,733	5,116	2,296	556	35	8
Kegalle	10,399	3	397	1,918	3,166	3,056	1,416	407	32	4

Note: (a). District level figures are based on the place of occurrence.

Table 3.6 : Live Births registered by District and Age of Mother - 2012

District	All ages	Less than 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 & above
Sri Lanka	359,959	118	17,790	72,694	111,542	101,894	43,630	11,225	1,012	54
Colombo	55,485	10	1,830	8,930	17,656	17,559	7,589	1,758	137	16
Gampaha	26,407	8	1,091	4,532	8,280	8,121	3,390	896	86	3
Kalutara	16,271	5	775	3,069	4,923	4,839	2,031	576	53	-
Kandy	29,327	6	1,114	5,535	9,145	8,660	3,751	1,025	90	1
Matale	10,291	4	511	2,112	3,187	2,955	1,221	274	27	-
Nuwaraeliya	11,428	3	523	2,739	4,051	2,868	998	221	20	5
Galle	19,076	11	840	3,589	5,757	5,356	2,675	777	71	-
Matara	14,620	2	670	2,761	4,262	4,092	2,143	621	69	-
Hambantota	9,990	4	513	2,068	3,032	2,749	1,232	356	33	3
Jaffna	9,019	3	393	1,788	2,729	2,720	1,085	269	30	2
Mannar	1,764	-	80	367	557	499	200	53	8	-
Vavuniya	3,440	5	209	781	1,062	911	378	84	9	1
Mullativu	1,288	2	95	342	390	320	110	24	5	-
Kilinochchi	2,716	-	178	672	853	704	235	69	4	1
Batticaloa	9,658	10	818	2,284	2,671	2,349	1,139	334	44	9
Ampara	13,700	9	826	3,123	4,185	3,503	1,586	424	44	-
Trincomalee	8,109	11	726	1,908	2,337	2,005	872	230	18	2
Kurunegala	26,169	-	1,124	5,091	8,194	7,489	3,348	860	63	-
Puttalam	14,261	-	1,092	3,439	4,590	3,494	1,295	317	34	-
Anuradhapura	16,044	10	991	3,723	4,836	4,434	1,674	352	23	1
Polonnaruwa	7,304	-	416	1,704	2,279	1,962	758	167	18	-
Badulla	16,890	7	971	4,019	5,399	4,298	1,722	439	30	5
Monaragala	6,910	2	469	1,754	2,108	1,649	736	172	19	1
Ratnapura	19,254	6	1,134	4,289	5,989	5,219	2,062	508	43	4
Kegalle	10,538	-	401	2,075	3,070	3,139	1,400	419	34	-

Note: (a). District level figures are based on the place of occurrence.

Table 3.6 : Live Births registered by District and Age of Mother - 2013

District	All ages	Less than 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 & above
Sri Lanka	365,762	94	16,777	73,641	112,466	104,838	46,082	10,787	1,017	60
Colombo	55,821	17	1,822	8,975	17,739	17,614	7,700	1,770	172	12
Gampaha	26,631	15	972	4,603	8,323	8,229	3,534	865	82	8
Kalutara	16,675	7	735	3,213	4,918	5,036	2,217	506	43	-
Kandy	30,863	9	1,060	5,867	9,497	9,245	4,144	952	83	6
Matale	10,178	-	453	2,123	3,128	2,888	1,279	278	24	5
Nuwaraeliya	11,410	-	477	2,676	3,989	2,969	1,060	214	23	2
Galle	19,520	3	825	3,586	5,958	5,706	2,677	710	55	-
Matara	12,692	5	484	2,382	3,664	3,660	1,909	527	61	-
Hambantota	10,577	5	515	2,103	3,165	3,077	1,336	345	27	4
Jaffna	9,882	1	402	1,932	3,053	2,921	1,298	255	18	2
Mannar	1,740	-	73	380	558	436	232	52	9	-
Vavuniya	4,146	-	230	1,034	1,213	1,112	455	86	16	-
Mullativu	921	-	74	242	299	207	80	13	6	-
Kilinochchi	3,060	-	161	734	916	856	325	61	7	-
Batticaloa	10,496	6	906	2,537	2,877	2,565	1,224	341	36	4
Ampara	14,074	1	778	3,099	4,407	3,660	1,675	405	47	2
Trincomalee	7,830	8	622	1,909	2,249	1,942	830	244	25	1
Kurunegala	25,146	-	1,079	4,760	7,627	7,491	3,399	732	58	-
Puttalam	15,385	-	1,087	3,784	4,768	3,813	1,547	352	34	-
Anuradhapura	16,685	5	884	3,805	4,993	4,637	1,958	374	28	1
Polonnaruwa	7,523	-	462	1,729	2,397	1,953	794	169	19	-
Badulla	16,740	7	808	3,881	5,387	4,400	1,805	419	30	3
Monaragala	7,205	1	431	1,786	2,204	1,836	755	167	20	5
Ramapura	20,327	4	1,065	4,591	6,121	5,522	2,364	594	61	5
Kegalle	10,235	-	372	1,910	3,016	3,063	1,485	356	33	-

Note: (a). District level figures are based on the place of occurrence.

Table 3.7 : Live Births registered by Ethnic Group and Age of Mother - 2008

Ethnic Group	All Ages	Less than 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 & above
All Ethnic Groups	373,575	74	19,710	78,392	124,512	93,172	45,162	11,413	1,091	49
Sinhalese	271,371	42	13,283	53,857	90,878	70,281	34,015	8,255	728	32
Sri lanka-Tamil	37,093	15	2,866	8,505	12,135	8,385	3,903	1,117	161	6
Indian-Tamil	16,876	3	884	4,714	6,099	3,514	1,273	342	42	5
Sri lanka-Moors	46,812	14	2,596	10,998	14,949	10,658	5,790	1,644	157	6
Burgher	645	-	34	148	206	158	71	26	2	-
Malays	628	-	42	139	200	130	92	24	1	-
Other	150	-	5	31	45	46	18	5	-	-

Note: (a) Births registered in Kilinochchi and Mullativu districts in 2008 have not reported.

Table 3.7 : Live Births registered by Ethnic Group and Age of Mother - 2009

Ethnic Group	All Ages	Less than 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 & above
All Ethnic Groups	368,304	132	19,241	76,446	121,089	93,886	44,794	11,428	1,230	58
Sinhalese	265,229	81	12,808	52,376	87,881	69,707	33,345	8,206	795	30
Sri lanka-Tamil	38,995	24	2,782	8,520	12,511	9,484	4,259	1,210	187	18
Indian-Tamil	17,318	8	922	4,532	6,197	3,786	1,409	376	86	2
Sri lanka-Moors	45,371	19	2,661	10,709	14,071	10,566	5,599	1,581	158	7
Burgher	442	-	15	88	161	112	53	11	2	-
Malays	697	-	42	183	194	160	83	33	1	1
Other	252	-	11	38	74	71	46	11	1	-

Table 3.7 : Live Births registered by Ethnic Group and Age of Mother - 2010

Ethnic Group	All Ages	Less than 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 & above
All Ethnic Groups	363,881	66	19,975	74,181	117,862	95,957	43,676	10,943	1,153	68
Sinhalese	255,697	36	12,969	49,361	82,933	69,742	32,014	7,807	800	35
Sri lanka-Tamil	46,288	14	3,294	10,299	14,959	11,323	4,946	1,265	163	25
Indian-Tamil	16,544	10	889	4,018	6,116	3,796	1,320	360	32	3
Sri lanka-Moors	43,926	6	2,741	10,195	13,404	10,742	5,225	1,451	157	5
Burgher	449	-	20	97	162	101	48	20	1	-
Malays	582	-	42	135	156	152	72	25	-	-
Other	395	-	20	76	132	101	51	15	-	-

Table 3.7 : Live Births registered by Ethnic Group and Age of Mother - 2011

Ethnic Group	All Ages	Less than 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 & above
All Ethnic Groups	362,044	109	19,075	73,841	114,314	99,080	43,285	11,229	1,041	70
Sinhalese	256,310	63	12,541	48,955	81,248	72,740	31,924	8,080	722	37
Sri lanka-Tamil	43,442	16	2,952	9,560	13,668	11,148	4,638	1,286	148	26
Indian-Tamil	17,016	8	909	4,121	5,978	4,201	1,418	352	28	1
Sri lanka-Moors	43,841	22	2,601	10,908	12,980	10,624	5,112	1,452	137	5
Burgher	419	-	18	79	156	105	45	15	1	-
Malays	656	-	37	149	179	178	92	20	1	-
Other	360	-	17	69	105	84	56	24	4	1

Table 3.7 : Live Births registered by Ethnic Group and Age of Mother - 2012

Ethnic Group	All Ages	Less than 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 & above
All Ethnic Groups	359,959	118	17,790	72,694	111,542	101,894	43,630	11,225	1,012	54
Sinhalese	257,330	59	11,694	48,269	79,997	75,656	32,604	8,276	753	22
Sri lanka-Tamil	39,449	33	2,536	8,772	11,984	10,678	4,247	1,048	128	23
Indian-Tamil	17,785	6	910	4,193	6,239	4,475	1,568	363	27	4
Sri lanka-Moors	44,044	20	2,582	11,202	12,886	10,728	5,033	1,489	99	5
Burgher	405	-	17	63	137	128	51	8	1	-
Malays	613	-	34	129	183	155	83	26	3	-
Other	333	-	17	66	116	74	44	15	1	-

Table 3.7 : Live Births registered by Ethnic Group and Age of Mother - 2013

Ethnic Group	All Ages	Less than 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 & above
All Ethnic Groups	365,762	94	16,777	73,641	112,466	104,838	46,082	10,787	1,017	60
Sinhalese	261,156	65	11,001	48,316	80,468	78,108	34,408	8,020	735	35
Sri lanka-Tamil	41,401	13	2,497	9,347	12,670	11,115	4,612	1,017	119	11
Indian-Tamil	17,994	3	788	4,271	6,175	4,687	1,695	334	34	7
Sri lanka-Moors	43,592	12	2,411	11,358	12,641	10,524	5,170	1,349	120	7
Burgher	418	-	16	84	134	110	50	22	2	-
Malays	692	-	43	183	216	142	82	21	5	-
Other	509	1	21	82	162	152	65	24	2	-

DEATHS

Table 4.1 : Deaths registered by District and Sex, 2007 - 2016

District	2007			2008			2009			2010		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
Sri Lanka	118,992	71,174	47,818	123,814	73,690	50,124	127,776	76,094	51,682	130,337	75,818	54,519
Colombo	20,730	12,322	8,408	21,636	12,661	8,975	20,555	11,909	8,646	21,355	12,182	9,173
Gampaha	10,599	6,175	4,424	12,025	7,079	4,946	11,327	6,557	4,770	11,679	6,691	4,988
Kalutara	6,750	3,913	2,837	7,258	4,101	3,157	6,863	3,856	3,007	6,939	3,823	3,116
Kandy	9,856	5,716	4,140	9,753	5,752	4,001	10,600	6,125	4,475	10,920	6,310	4,610
Matale	2,568	1,586	982	2,683	1,670	1,013	2,689	1,571	1,118	2,741	1,610	1,131
Nuwaraeliya	3,866	2,138	1,728	3,903	2,123	1,780	3,883	2,194	1,689	3,837	2,183	1,654
Galle	7,475	4,358	3,117	7,932	4,504	3,428	7,709	4,363	3,346	7,607	4,251	3,356
Matara	4,723	2,660	2,063	5,210	2,858	2,352	5,030	2,804	2,226	4,698	2,630	2,068
Hambantota	2,493	1,443	1,050	2,722	1,619	1,103	2,759	1,564	1,195	2,689	1,541	1,148
Jaffna	4,224	2,737	1,487	3,559	2,163	1,396	3,505	2,042	1,463	3,878	2,204	1,674
Mannar	390	276	114	607	505	102	364	241	123	320	193	127
Vavuniya	1,179	877	302	1,104	792	312	2,186	1,234	952	1,122	689	433
Mullaitivu(b)	474	333	141	79	79	-	5,406	4,207	1,199	8,053	5,155	2,898
Kilinochchi(b)	621	396	225	171	171	-	923	887	36	542	374	168
Batticaloa	2,762	1,781	981	2,453	1,525	928	2,371	1,422	949	2,351	1,440	911
Ampara	2,655	1,620	1,035	2,762	1,729	1,033	2,838	1,735	1,103	2,742	1,574	1,168
Trincomalee	1,676	1,112	564	1,583	974	609	1,487	875	612	1,384	789	595
Kurunegala	9,663	5,737	3,926	10,136	5,960	4,176	9,781	5,820	3,961	10,177	5,936	4,241
Puttalam	3,612	2,200	1,412	3,847	2,342	1,505	3,597	2,139	1,458	3,704	2,136	1,568
Anuradhapura	4,294	2,720	1,574	4,824	3,212	1,612	4,919	3,241	1,678	4,635	2,888	1,747
Polonnaruwa	1,824	1,156	668	1,981	1,237	744	1,897	1,225	672	1,864	1,145	719
Badulla	4,708	2,800	1,908	4,767	2,875	1,892	4,541	2,747	1,794	4,786	2,844	1,942
Monaragala	1,551	982	569	1,664	1,071	593	1,758	1,120	638	1,680	993	687
Ratnapura	5,561	3,375	2,186	6,083	3,686	2,397	5,979	3,452	2,527	5,913	3,497	2,416
Kegalle	4,738	2,761	1,977	5,072	3,002	2,070	4,809	2,764	2,045	4,721	2,740	1,981

Note: (a). District level figures are based on the place of occurrence.

(b). Deaths registered in Kilinochchi and Mullaitivu districts in 2008 have not reported .

Table 4.1 : Deaths registered by District and Sex, 2007 - 2016 (Cont.)

District	2011*			2012*			2013		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Sri Lanka	123,263	71,334	51,929	122,792	70,487	52,305	127,183	72,410	54,773
Colombo	20,668	11,601	9,067	20,638	11,624	9,014	21,483	12,133	9,350
Gampaha	11,438	6,488	4,950	11,760	6,634	5,126	12,502	6,874	5,628
Kalutara	6,746	3,787	2,959	7,009	3,850	3,159	7,315	4,033	3,282
Kandy	10,510	5,932	4,578	10,654	6,016	4,638	10,824	6,063	4,761
Matale	2,754	1,636	1,118	2,817	1,597	1,220	2,783	1,676	1,107
Nuwaraeliya	3,676	2,054	1,622	3,591	2,034	1,557	4,019	2,225	1,794
Galle	7,461	4,284	3,177	7,627	4,280	3,347	7,731	4,368	3,363
Matara	4,879	2,722	2,157	4,999	2,767	2,232	4,874	2,669	2,205
Hambantota	2,709	1,507	1,202	2,831	1,625	1,206	2,901	1,649	1,252
Jaffna	3,929	2,256	1,673	4,126	2,399	1,727	4,292	2,420	1,872
Mannar	335	196	139	351	237	114	417	272	145
Vavuniya	905	592	313	877	544	333	898	578	320
Mullaitivu	2,009	1,310	699	775	510	265	693	448	245
Kilinochchi	324	215	109	313	207	106	392	257	135
Batticaloa	2,858	1,781	1,077	2,987	1,982	1,005	2,561	1,582	979
Ampara	2,791	1,652	1,139	2,903	1,717	1,186	2,779	1,655	1,124
Trincomalee	1,477	842	635	1,414	879	535	1,529	925	604
Kurunegala	10,246	5,944	4,302	9,558	5,482	4,076	10,333	5,943	4,390
Puttalam	3,740	2,213	1,527	3,649	2,098	1,551	3,773	2,160	1,613
Anuradhapura	4,776	2,983	1,793	4,695	2,843	1,852	4,663	2,811	1,852
Polonnaruwa	1,937	1,222	715	1,858	1,170	688	2,035	1,280	755
Badulla	4,832	2,923	1,909	4,810	2,827	1,983	5,106	2,910	2,196
Monaragala	1,746	1,097	649	1,764	1,117	647	1,816	966	850
Ratnapura	5,858	3,407	2,451	6,063	3,362	2,701	6,400	3,658	2,742
Kegalle	4,659	2,690	1,969	4,723	2,686	2,037	5,064	2,855	2,209

Note: (a). District level figures are based on the place of occurrence.

Table 4.1 : Deaths registered by District and Sex, 2007 - 2016 (Cont.)

District	2014*			2015*			2016*		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Sri Lanka	127,758	71,364	56,394	131,614	74,040	57,574	130,765	73,056	57,709
Colombo	20,980	11,224	9,756	21,776	11,865	9,911	22,395	12,331	10,064
Gampaha	12,711	7,096	5,615	13,315	7,354	5,961	13,382	7,292	6,090
Kalutara	7,391	3,993	3,398	7,821	4,302	3,519	7,404	4,023	3,381
Kandy	11,024	6,138	4,886	10,920	6,104	4,816	10,701	5,831	4,870
Matale	3,002	1,679	1,323	3,000	1,670	1,330	2,889	1,706	1,183
Nuwaraeliya	3,850	2,038	1,812	3,968	2,182	1,786	3,887	2,131	1,756
Galle	7,933	4,387	3,546	8,424	4,746	3,678	7,957	4,242	3,715
Matara	5,020	2,728	2,292	5,284	2,918	2,366	5,109	2,709	2,400
Hambantota	2,876	1,602	1,274	3,053	1,684	1,369	2,958	1,636	1,322
Jaffna	4,353	2,418	1,935	4,263	2,420	1,843	4,526	2,505	2,021
Mannar	389	243	146	396	238	158	424	249	175
Vavuniya	903	528	375	873	534	339	802	500	302
Mullaitivu	480	306	174	440	301	139	445	293	152
Kilinochchi	337	215	122	367	222	145	454	303	151
Batticaloa	2,568	1,526	1,042	2,637	1,450	1,187	3,133	2,027	1,106
Ampara	2,791	1,675	1,116	2,921	1,714	1,207	2,940	1,775	1,165
Trincomalee	1,499	844	655	1,630	961	669	1,689	967	722
Kurunegala	10,426	5,891	4,535	10,669	6,099	4,570	10,147	5,662	4,485
Puttalam	3,717	2,167	1,550	3,848	2,224	1,624	3,878	2,180	1,698
Anuradhapura	4,769	2,794	1,975	5,206	3,166	2,040	4,596	2,722	1,874
Polonnaruwa	2,106	1,229	877	2,009	1,202	807	2,020	1,227	793
Badulla	5,387	3,041	2,346	5,221	2,978	2,243	5,331	3,065	2,266
Monaragala	1,823	1,093	730	1,915	1,120	795	2,012	1,187	825
Ratnapura	6,298	3,643	2,655	6,472	3,679	2,793	6,539	3,705	2,834
Kegalle	5,125	2,866	2,259	5,186	2,907	2,279	5,147	2,788	2,359

* - Provisional

Note: (a). District level figures are based on the place of occurrence.

Table 4.2 : Deaths registered by District of Usual Residence and Sex, 2007,2008,2009,2010,2013

District	2007			2008			2009			2010			2013		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
Sri Lanka	118,992	71,174	47,818	123,814	73,690	50,124	127,776	76,094	51,682	130,337	75,818	54,519	127,183	72,410	54,773
Colombo	14,796	8,498	6,298	15,312	8,560	6,752	14,989	8,442	6,547	15,494	8,495	6,999	15,906	8,666	7,240
Gampaha	12,161	7,142	5,019	13,781	8,188	5,593	13,022	7,602	5,420	13,345	7,742	5,603	13,843	7,695	6,148
Kalutara	7,677	4,514	3,163	8,227	4,702	3,525	7,870	4,559	3,311	7,870	4,367	3,503	8,167	4,533	3,634
Kandy	8,607	4,925	3,682	8,253	4,781	3,472	9,466	5,544	3,922	9,810	5,617	4,193	9,160	5,068	4,092
Matale	2,863	1,801	1,062	2,953	1,879	1,074	3,081	1,870	1,211	2,920	1,708	1,212	3,005	1,800	1,205
Nuwaraeliya	4,599	2,631	1,968	4,708	2,655	2,053	4,531	2,629	1,902	4,486	2,599	1,887	4,855	2,755	2,100
Galle	7,290	4,236	3,054	7,607	4,319	3,288	7,448	4,285	3,163	7,164	3,959	3,205	7,274	4,090	3,184
Matara	5,048	2,927	2,121	5,663	3,186	2,477	5,583	3,204	2,379	5,098	2,885	2,213	5,335	2,953	2,382
Hambantota	2,939	1,727	1,212	3,232	1,952	1,280	3,438	2,021	1,417	3,191	1,837	1,354	3,365	1,934	1,431
Jaffna	3,837	2,322	1,515	3,566	2,148	1,418	3,752	2,154	1,598	4,600	2,671	1,929	4,250	2,388	1,862
Mannar	333	215	118	319	200	119	391	220	171	627	381	246	466	295	171
Vavuniya	976	660	316	925	627	298	1,439	909	530	1,396	855	541	993	634	359
Mullaitivu(a)	452	311	141	43	23	20	1,953	1,249	704	3,536	2,252	1,284	486	324	162
Kilinochchi(a)	676	431	245	56	35	21	1,803	1,061	742	3,683	2,365	1,318	582	377	205
Batticaloa	2,708	1,720	988	2,495	1,544	951	2,438	1,454	984	2,413	1,477	936	2,555	1,572	983
Ampara	2,908	1,793	1,115	2,992	1,880	1,112	3,240	2,054	1,186	2,830	1,648	1,182	2,934	1,752	1,182
Trincomalee	1,787	1,160	627	1,718	1,047	671	1,596	928	668	1,593	920	673	1,702	1,019	683
Kurunegala	10,254	6,186	4,068	10,826	6,510	4,316	10,519	6,391	4,128	10,698	6,300	4,398	10,868	6,300	4,568
Puttalam	4,111	2,534	1,577	4,366	2,703	1,663	4,113	2,511	1,602	4,090	2,378	1,712	4,147	2,411	1,736
Anuradhapura	4,542	2,914	1,628	4,872	3,197	1,675	5,149	3,422	1,727	4,777	2,986	1,791	4,796	2,889	1,907
Polonnaruwa	2,009	1,275	734	2,212	1,414	798	2,234	1,493	741	1,992	1,227	765	2,268	1,439	829
Badulla	4,792	2,891	1,901	4,849	2,959	1,890	4,615	2,865	1,750	4,698	2,796	1,902	5,075	2,915	2,160
Monaragala	1,833	1,187	646	2,048	1,347	701	2,387	1,636	751	2,022	1,227	795	2,146	1,175	971
Ratnapura	6,072	3,700	2,372	6,762	4,135	2,627	6,660	3,989	2,671	6,409	3,830	2,579	6,893	3,955	2,938
Kegalle	5,496	3,279	2,217	5,986	3,662	2,324	5,722	3,412	2,310	5,467	3,206	2,261	6,092	3,460	2,632
Abroad	8	7	1	6	5	1	19	17	2	11	8	3	20	11	9
Not Stated	218	188	30	37	32	5	318	173	145	117	82	35	-	-	-

Note: (a). Deaths registered in Kilinochchi and Mullaitivu districts in 2008 have not reported .

Table 4.3 : Deaths registered by District, Sector and Sex - 2007

District	Total			Urban			Rural			Estate ^(a)		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
Sri Lanka	118,992	71,174	47,818	51,816	32,191	19,625	63,809	37,230	26,579	3,367	1,753	1,614
Colombo	20,730	12,322	8,408	17,317	10,435	6,882	3,404	1,883	1,521	9	4	5
Gampaha	10,599	6,175	4,424	2,919	1,758	1,161	7,680	4,417	3,263	-	-	-
Kalutara	6,750	3,913	2,837	2,776	1,801	975	3,868	2,057	1,811	106	55	51
Kandy	9,856	5,716	4,140	5,657	3,524	2,133	3,941	2,070	1,871	258	122	136
Matale	2,568	1,586	982	830	541	289	1,662	1,009	653	76	36	40
Nuwaraeliya	3,866	2,138	1,728	774	460	314	1,365	778	587	1,727	900	827
Galle	7,475	4,358	3,117	3,077	1,948	1,129	4,375	2,398	1,977	23	12	11
Matara	4,723	2,660	2,063	1,563	950	613	3,138	1,698	1,440	22	12	10
Hambantota	2,493	1,443	1,050	623	402	221	1,870	1,041	829	-	-	-
Jaffna	4,224	2,737	1,487	1,781	1,112	669	2,443	1,625	818	-	-	-
Mannar	390	276	114	118	77	41	272	199	73	-	-	-
Vavuniya	1,179	877	302	452	307	145	727	570	157	-	-	-
Mullaitivu	474	333	141	-	-	-	474	333	141	-	-	-
Kilinochehi	621	396	225	-	-	-	621	396	225	-	-	-
Batticaloa	2,762	1,781	981	1,219	771	448	1,543	1,010	533	-	-	-
Ampara	2,655	1,620	1,035	866	540	326	1,789	1,080	709	-	-	-
Trincomalee	1,676	1,112	564	494	300	194	1,182	812	370	-	-	-
Kurunegala	9,663	5,737	3,926	3,572	2,279	1,293	6,082	3,452	2,630	9	6	3
Puttalam	3,612	2,200	1,412	1,205	776	429	2,407	1,424	983	-	-	-
Anuradhapura	4,294	2,720	1,574	1,856	1,221	635	2,438	1,499	939	-	-	-
Polonnaruwa	1,824	1,156	668	-	-	-	1,824	1,156	668	-	-	-
Badulla	4,708	2,800	1,908	1,581	1,010	571	2,470	1,454	1,016	657	336	321
Monaragala	1,551	982	569	-	-	-	1,542	978	564	9	4	5
Ratnapura	5,561	3,375	2,186	2,215	1,393	822	3,058	1,818	1,240	288	164	124
Kegalle	4,738	2,761	1,977	921	586	335	3,634	2,073	1,561	183	102	81

Note: (a) Estate scheduled under the medical wants Ordinance.

Table 4.3 : Deaths registered by District, Sector and Sex - 2009

District	Total			Urban			Rural			Estate ^(a)		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
Sri Lanka	127,776	76,094	51,682	53,983	32,834	21,149	70,544	41,560	28,984	3,249	1,700	1,549
Colombo	20,555	11,909	8,646	17,006	9,976	7,030	3,529	1,923	1,606	20	10	10
Gampaha	11,327	6,557	4,770	3,473	2,100	1,373	7,854	4,457	3,397	-	-	-
Kalutara	6,863	3,856	3,007	2,820	1,726	1,094	3,897	2,058	1,839	146	72	74
Kandy	10,600	6,125	4,475	6,373	3,914	2,459	3,893	2,041	1,852	334	170	164
Matale	2,689	1,571	1,118	789	457	332	1,842	1,083	759	58	31	27
Nuwareliya	3,883	2,194	1,689	811	508	303	1,422	816	606	1,650	870	780
Galle	7,709	4,363	3,346	3,150	1,928	1,222	4,517	2,410	2,107	42	25	17
Matara	5,030	2,804	2,226	1,755	1,052	703	3,242	1,734	1,508	33	18	15
Hambantota	2,759	1,564	1,195	664	390	274	2,095	1,174	921	-	-	-
Jaffna	3,505	2,042	1,463	1,759	1,008	751	1,746	1,034	712	-	-	-
Mannar	364	241	123	174	112	62	190	129	61	-	-	-
Vavuniya	2,186	1,234	952	1,080	621	459	1,106	613	493	-	-	-
Mullaitivu	5,406	4,207	1,199	-	-	-	5,406	4,207	1,199	-	-	-
Kilinochchi	923	887	36	-	-	-	923	887	36	-	-	-
Batticaloa	2,371	1,422	949	1,059	636	423	1,312	786	526	-	-	-
Ampara	2,838	1,735	1,103	1,016	648	368	1,822	1,087	735	-	-	-
Trincomalee	1,487	875	612	444	269	175	1,043	606	437	-	-	-
Kurunegala	9,781	5,820	3,961	3,377	2,138	1,239	6,402	3,680	2,722	2	2	-
Puttalam	3,597	2,139	1,458	1,219	772	447	2,378	1,367	1,011	-	-	-
Anuradhapura	4,919	3,241	1,678	2,226	1,573	653	2,693	1,668	1,025	-	-	-
Polonnaruwa	1,897	1,225	672	-	-	-	1,897	1,225	672	-	-	-
Badulla	4,541	2,747	1,794	1,379	899	480	2,634	1,583	1,051	528	265	263
Monaragala	1,758	1,120	638	-	-	-	1,741	1,110	631	17	10	7
Ratnapura	5,979	3,452	2,527	2,367	1,448	919	3,376	1,874	1,502	236	130	106
Kegalle	4,809	2,764	2,045	1,042	659	383	3,584	2,008	1,576	183	97	86

Note: (a) Estate scheduled under the medical wants Ordinance.

Table 4.3 : Deaths registered by District, Sector and Sex - 2010

District	Total			Urban			Rural			Estate ^(a)		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
Sri Lanka	130,337	75,818	54,519	54,585	32,841	21,744	72,510	41,277	31,233	3,242	1,700	1,542
Colombo	21,355	12,182	9,173	17,496	10,131	7,365	3,832	2,037	1,795	27	14	13
Gampaha	11,679	6,691	4,988	3,446	2,036	1,410	8,233	4,655	3,578	-	-	-
Kalutara	6,939	3,823	3,116	2,893	1,731	1,162	3,936	2,031	1,905	110	61	49
Kandy	10,920	6,310	4,610	6,456	3,965	2,491	4,064	2,141	1,923	400	204	196
Matale	2,741	1,610	1,131	722	461	261	1,948	1,123	825	71	26	45
Nuwaraeliya	3,837	2,183	1,654	793	500	293	1,421	816	605	1,623	867	756
Galle	7,607	4,251	3,356	3,185	1,931	1,254	4,391	2,304	2,087	31	16	15
Matara	4,698	2,630	2,068	1,686	1,000	686	2,977	1,610	1,367	35	20	15
Hambantota	2,689	1,541	1,148	686	407	279	2,003	1,134	869	-	-	-
Jaffna	3,878	2,204	1,674	2,055	1,200	855	1,823	1,004	819	-	-	-
Mannar	320	193	127	151	88	63	169	105	64	-	-	-
Vavuniya	1,122	689	433	574	377	197	548	312	236	-	-	-
Mullaitivu	8,053	5,155	2,898	-	-	-	8,053	5,155	2,898	-	-	-
Kilinochchi	542	374	168	-	-	-	542	374	168	-	-	-
Batticaloa	2,351	1,440	911	1,059	654	405	1,292	786	506	-	-	-
Ampara	2,742	1,574	1,168	1,057	626	431	1,685	948	737	-	-	-
Trincomalee	1,384	789	595	385	246	139	999	543	456	-	-	-
Kurunegala	10,177	5,936	4,241	3,898	2,441	1,457	6,270	3,490	2,780	9	5	4
Puttalam	3,704	2,136	1,568	1,247	749	498	2,457	1,387	1,070	-	-	-
Anuradhapura	4,635	2,888	1,747	2,085	1,363	722	2,550	1,525	1,025	-	-	-
Polonnaruwa	1,864	1,145	719	-	-	-	1,864	1,145	719	-	-	-
Badulla	4,786	2,844	1,942	1,467	922	545	2,858	1,693	1,165	461	229	232
Monaragala	1,680	993	687	-	-	-	1,671	990	681	9	3	6
Ratnapura	5,913	3,497	2,416	2,304	1,409	895	3,317	1,929	1,388	292	159	133
Kegalle	4,721	2,740	1,981	940	604	336	3,607	2,040	1,567	174	96	78

Note: (a) Estate scheduled under the medical wants Ordinance.

Table 4.3 : Deaths registered by District, Sector and Sex - 2013

District	Total			Urban			Rural			Estate ^(a)		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
Sri Lanka	127,183	72,410	54,773	54,041	32,074	21,967	69,903	38,705	31,198	3,239	1,631	1,608
Colombo	21,483	12,133	9,350	17,086	9,865	7,221	4,376	2,254	2,122	21	14	7
Gampaha	12,502	6,874	5,628	3,616	2,063	1,553	8,886	4,811	4,075	-	-	-
Kalutara	7,315	4,033	3,282	3,067	1,853	1,214	4,174	2,136	2,038	74	44	30
Kandy	10,824	6,063	4,761	6,174	3,646	2,528	4,303	2,238	2,065	347	179	168
Matale	2,783	1,676	1,107	828	530	298	1,915	1,130	785	40	16	24
Nuwaraeliya	4,019	2,225	1,794	799	504	295	1,494	847	647	1,726	874	852
Galle	7,731	4,368	3,363	3,069	1,846	1,223	4,639	2,511	2,128	23	11	12
Matara	4,874	2,669	2,205	1,667	993	674	3,183	1,666	1,517	24	10	14
Hambantota	2,901	1,649	1,252	834	500	334	2,067	1,149	918	-	-	-
Jaffna	4,292	2,420	1,872	2,176	1,255	921	2,116	1,165	951	-	-	-
Mannar	417	272	145	178	114	64	239	158	81	-	-	-
Vavuniya	898	578	320	418	272	146	480	306	174	-	-	-
Mullaitivu	693	448	245	-	-	-	693	448	245	-	-	-
Kilinochehi	392	257	135	-	-	-	392	257	135	-	-	-
Batticaloa	2,561	1,582	979	919	553	366	1,642	1,029	613	-	-	-
Ampara	2,779	1,655	1,124	936	583	353	1,843	1,072	771	-	-	-
Trincomalee	1,529	925	604	488	297	191	1,041	628	413	-	-	-
Kurunegala	10,333	5,943	4,390	3,752	2,285	1,467	6,572	3,654	2,918	9	4	5
Puttalam	3,773	2,160	1,613	1,194	738	456	2,579	1,422	1,157	-	-	-
Anuradhapura	4,663	2,811	1,852	2,037	1,272	765	2,626	1,539	1,087	-	-	-
Polonnaruwa	2,035	1,280	755	-	-	-	2,035	1,280	755	-	-	-
Badulla	5,106	2,910	2,196	1,552	904	648	3,036	1,749	1,287	518	257	261
Monaragala	1,816	966	850	-	-	-	1,816	966	850	-	-	-
Ratnapura	6,400	3,658	2,742	2,433	1,472	961	3,737	2,075	1,662	230	111	119
Kegalle	5,064	2,855	2,209	818	529	289	4,019	2,215	1,804	227	111	116

Note: (a) Estate scheduled under the medical wants Ordinance.

Table 4.4 : Deaths registered by District, Ethnic Group and Sex - 2007 (Part-1)

District	All Ethnic Groups			Sinhalese			Sri Lanka Tamil			Indian Tamil		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
Sri Lanka	118,992	71,174	47,818	91,161	54,513	36,648	13,977	8,684	5,293	5,687	3,218	2,469
Colombo	20,730	12,322	8,408	16,417	9,820	6,597	2,105	1,228	877	283	173	110
Gampaha	10,599	6,175	4,424	9,885	5,730	4,155	354	225	129	40	31	9
Kalutara	6,750	3,913	2,837	6,180	3,572	2,608	108	79	29	135	79	56
Kandy	9,856	5,716	4,140	7,340	4,257	3,083	610	371	239	934	539	395
Matale	2,568	1,586	982	2,080	1,294	786	161	112	49	154	81	73
Nuwaraeliya	3,866	2,138	1,728	1,300	737	563	166	103	63	2,348	1,269	1,079
Galle	7,475	4,358	3,117	7,202	4,190	3,012	72	45	27	29	16	13
Matara	4,723	2,660	2,063	4,546	2,564	1,982	58	34	24	28	14	14
Hambantota	2,493	1,443	1,050	2,423	1,401	1,022	22	14	8	4	2	2
Jaffna	4,224	2,737	1,487	490	485	5	3,698	2,232	1,466	36	20	16
Mannar	390	276	114	64	63	1	301	196	105	9	5	4
Vavuniya	1,179	877	302	320	287	33	816	561	255	6	4	2
Mullaitivu	474	333	141	7	7	-	465	325	140	2	1	1
Kilinochchi	621	396	225	25	25	-	596	371	225	-	-	-
Batticaloa	2,762	1,781	981	124	119	5	2,017	1,280	737	40	30	10
Ampara	2,655	1,620	1,035	910	583	327	510	326	184	61	43	18
Trincomalee	1,676	1,112	564	448	321	127	658	424	234	26	18	8
Kurunegala	9,663	5,737	3,926	9,114	5,400	3,714	113	73	40	18	6	12
Puttalam	3,612	2,200	1,412	2,780	1,734	1,046	246	140	106	72	42	30
Anuradhapura	4,294	2,720	1,574	3,901	2,482	1,419	119	72	47	4	4	-
Polonnaruwa	1,824	1,156	668	1,680	1,067	613	31	19	12	12	8	4
Badulla	4,708	2,800	1,908	3,312	1,995	1,317	319	192	127	905	517	388
Monaragala	1,551	982	569	1,462	927	535	49	34	15	14	5	9
Ratnapura	5,561	3,375	2,186	4,909	2,986	1,923	303	188	115	269	150	119
Kegalle	4,738	2,761	1,977	4,242	2,467	1,775	80	40	40	258	161	97

Note: (a). District level figures are based on the place of occurrence.

Table 4.4 : Deaths registered by District, Ethnic Group and Sex - 2007 (Part-2)

District	Sri Lanka Moor			Burgher			Malay			Other			Not Stated		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
Sri Lanka	7,741	4,516	3,225	202	107	95	111	56	55	80	57	23	33	23	10
Colombo	1,635	935	700	136	74	62	70	32	38	64	45	19	20	15	5
Gampaha	296	177	119	16	8	8	6	3	3	-	-	-	2	1	1
Kalutara	326	182	144	-	-	-	-	-	-	-	-	-	1	1	-
Kandy	955	541	414	4	2	2	5	1	4	4	4	-	4	1	3
Matale	169	98	71	3	-	3	1	1	-	-	-	-	-	-	-
Nuwaraeliya	52	29	23	-	-	-	-	-	-	-	-	-	-	-	-
Galle	163	98	65	2	2	-	1	1	-	4	4	-	2	2	-
Matara	90	48	42	1	-	1	-	-	-	-	-	-	-	-	-
Hambantota	29	13	16	-	-	-	15	13	2	-	-	-	-	-	-
Jaffna	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mannar	15	11	4	-	-	-	1	1	-	-	-	-	-	-	-
Vavuniya	37	25	12	-	-	-	-	-	-	-	-	-	-	-	-
Mullaitivu	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kilinochchi	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Batticaloa	581	352	229	-	-	-	-	-	-	-	-	-	-	-	-
Ampara	1,167	666	501	7	2	5	-	-	-	-	-	-	-	-	-
Trincomalee	536	343	193	8	6	2	-	-	-	-	-	-	-	-	-
Kurunegala	405	253	152	6	2	4	7	3	4	-	-	-	-	-	-
Puttalam	505	278	227	7	5	2	2	1	1	-	-	-	-	-	-
Anuradhapura	266	159	107	4	3	1	-	-	-	-	-	-	-	-	-
Polonnaruwa	101	62	39	-	-	-	-	-	-	-	-	-	-	-	-
Badulla	161	95	66	4	-	4	3	-	3	4	1	3	-	-	-
Monaragala	23	13	10	2	2	-	-	-	-	-	-	-	1	1	-
Ratnapura	73	46	27	-	-	-	-	-	-	4	3	1	3	2	1
Kegalle	156	92	64	2	1	1	-	-	-	-	-	-	-	-	-

Note: (a). District level figures are based on the place of occurrence.

Table 4.4 : Deaths registered by District, Ethnic Group and Sex - 2008 (Part-1)

District	All Ethnic Groups			Sinhalese			Sri Lanka Tamil			Indian Tamil		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
Sri Lanka	123,814	73,690	50,124	97,671	58,208	39,463	12,337	7,574	4,763	5,486	3,148	2,338
Colombo	21,636	12,661	8,975	17,401	10,256	7,145	2,030	1,185	845	236	140	96
Gampaha	12,025	7,079	4,946	11,192	6,557	4,635	373	241	132	39	28	11
Kalutara	7,258	4,101	3,157	6,578	3,683	2,895	136	83	53	207	136	71
Kandy	9,753	5,752	4,001	7,383	4,395	2,988	721	429	292	711	409	302
Matale	2,683	1,670	1,013	2,156	1,339	817	191	132	59	159	96	63
Nuwaraeliya	3,903	2,123	1,780	1,348	740	608	176	100	76	2,305	1,241	1,064
Galle	7,932	4,504	3,428	7,674	4,361	3,313	79	50	29	31	16	15
Matara	5,210	2,858	2,352	4,999	2,745	2,254	83	49	34	38	24	14
Hambantota	2,722	1,619	1,103	2,645	1,572	1,073	18	13	5	2	2	-
Jaffna	3,559	2,163	1,396	95	90	5	3,442	2,059	1,383	21	13	8
Mannar	607	505	102	315	314	1	267	174	93	6	2	4
Vavuniya	1,104	792	312	190	179	11	894	600	294	2	1	1
Mullaitivu(b)	79	79	-	79	79	-	-	-	-	-	-	-
Kilinochchi(b)	171	171	-	171	171	-	-	-	-	-	-	-
Batticaloa	2,453	1,525	928	53	51	2	1,804	1,120	684	17	11	6
Ampara	2,762	1,729	1,033	1,036	704	332	529	332	197	47	36	11
Trincomalee	1,583	974	609	486	323	163	542	320	222	51	33	18
Kurunegala	10,136	5,960	4,176	9,558	5,610	3,948	128	89	39	9	4	5
Puttalam	3,847	2,342	1,505	2,905	1,765	1,140	337	202	135	6	5	1
Anuradhapura	4,824	3,212	1,612	4,507	3,009	1,498	81	52	29	10	7	3
Polonnaruwa	1,981	1,237	744	1,807	1,133	674	40	25	15	7	7	-
Badulla	4,767	2,875	1,892	3,335	2,018	1,317	218	149	69	1,021	598	423
Monaragala	1,664	1,071	593	1,570	1,006	564	49	35	14	17	9	8
Ratnapura	6,083	3,686	2,397	5,573	3,365	2,208	131	87	44	356	219	137
Kegalle	5,072	3,002	2,070	4,615	2,743	1,872	68	48	20	188	111	77

Note: (a). District level figures are based on the place of occurrence.

(b). Deaths registered in Kilinochchi and Mullaitivu districts in 2008 have not reported .

Table 4.4 : Deaths registered by District, Ethnic Group and Sex - 2008 (Part-2)

District	Sri Lanka Moor			Burgher			Malay			Other			Not Stated		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
Sri Lanka	7,794	4,461	3,333	340	189	151	118	59	59	48	34	14	20	17	3
Colombo	1,644	904	740	209	113	96	91	44	47	23	17	6	2	2	-
Gampaha	357	214	143	46	26	20	13	9	4	5	4	1	-	-	-
Kalutara	331	195	136	2	1	1	-	-	-	-	-	-	4	3	1
Kandy	911	504	407	21	12	9	4	1	3	2	2	-	-	-	-
Matale	170	97	73	4	3	1	-	-	-	-	-	-	3	3	-
Nuwaraeliya	71	41	30	2	1	1	-	-	-	1	-	1	-	-	-
Galle	134	68	66	4	3	1	2	1	1	6	4	2	2	1	1
Matara	88	39	49	1	1	-	-	-	-	-	-	-	1	-	1
Hambantota	43	26	17	14	6	8	-	-	-	-	-	-	-	-	-
Jaffna	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Mannar	19	15	4	-	-	-	-	-	-	-	-	-	-	-	-
Vavuniya	18	12	6	-	-	-	-	-	-	-	-	-	-	-	-
Mullaitivu(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kilinochchi(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Batticaloa	571	339	232	6	4	2	-	-	-	2	-	2	-	-	-
Ampara	1,145	654	491	4	2	2	-	-	-	1	1	-	-	-	-
Trincomalee	497	293	204	6	4	2	-	-	-	1	1	-	-	-	-
Kurunegala	427	246	181	2	1	1	3	2	1	2	1	1	7	7	-
Puttalam	588	361	227	5	4	1	2	1	1	3	3	-	1	1	-
Anuradhapura	226	144	82	-	-	-	-	-	-	-	-	-	-	-	-
Polonnaruwa	127	72	55	-	-	-	-	-	-	-	-	-	-	-	-
Badulla	183	106	77	7	3	4	1	-	1	2	1	1	-	-	-
Monaragala	28	21	7	-	-	-	-	-	-	-	-	-	-	-	-
Ratnapura	14	9	5	7	5	2	2	1	1	-	-	-	-	-	-
Kegalle	201	100	101	-	-	-	-	-	-	-	-	-	-	-	-

Note: (a). District level figures are based on the place of occurrence.
(b). Deaths registered in Kilinochchi and Mullaitivu districts in 2008 have not reported.

Table 4.4 : Deaths registered by District, Ethnic Group and Sex - 2009 (Part-1)

District	All Ethnic Groups			Sinhalese			Sri Lanka Tamil			Indian Tamil		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
Sri Lanka	127,776	76,094	51,682	97,189	58,258	38,931	16,881	10,007	6,874	4,996	2,865	2,131
Colombo	20,555	11,909	8,646	16,131	9,373	6,758	2,148	1,250	898	188	113	75
Gampaha	11,327	6,557	4,770	10,556	6,091	4,465	293	181	112	35	26	9
Kalutara	6,863	3,856	3,007	6,215	3,506	2,709	113	70	43	174	100	74
Kandy	10,600	6,125	4,475	8,101	4,688	3,413	832	483	349	622	344	278
Matale	2,689	1,571	1,118	2,201	1,307	894	165	86	79	160	89	71
Nuwaraeliya	3,883	2,194	1,689	1,678	934	744	166	92	74	2,007	1,148	859
Galle	7,709	4,363	3,346	7,365	4,155	3,210	103	66	37	34	17	17
Matara	5,030	2,804	2,226	4,825	2,691	2,134	64	38	26	50	27	23
Hambantota	2,759	1,564	1,195	2,672	1,513	1,159	20	15	5	1	1	-
Jaffna	3,505	2,042	1,463	114	108	6	3,331	1,899	1,432	55	32	23
Mannar	364	241	123	75	74	1	258	151	107	13	6	7
Vavuniya	2,186	1,234	952	147	115	32	1,986	1,089	897	5	3	2
Mullaitivu	5,406	4,207	1,199	2,022	2,021	1	3,382	2,184	1,198	-	-	-
Kilinochchi	923	887	36	803	803	-	119	83	36	-	-	-
Batticaloa	2,371	1,422	949	27	23	4	1,710	1,028	682	21	11	10
Ampara	2,838	1,735	1,103	1,065	705	360	526	311	215	57	36	21
Trincomalee	1,487	875	612	438	296	142	491	272	219	35	25	10
Kurunegala	9,781	5,820	3,961	9,301	5,541	3,760	120	80	40	10	2	8
Puttalam	3,597	2,139	1,458	2,707	1,629	1,078	270	160	110	28	15	13
Anuradhapura	4,919	3,241	1,678	4,467	2,968	1,499	169	92	77	6	4	2
Polonnaruwa	1,897	1,225	672	1,732	1,118	614	44	28	16	1	1	-
Badulla	4,541	2,747	1,794	3,264	2,001	1,263	162	90	72	935	559	376
Monaragala	1,758	1,120	638	1,665	1,054	611	38	28	10	23	13	10
Ratnapura	5,979	3,452	2,527	5,284	3,052	2,232	289	176	113	316	173	143
Kegalle	4,809	2,764	2,045	4,334	2,492	1,842	82	55	27	220	120	100

Note: (a). District level figures are based on the place of occurrence.

Table 4.4 : Deaths registered by District, Ethnic Group and Sex - 2009 (Part-2)

District	Sri Lanka Moor		Burgher		Malay		Other		Not Stated	
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
Sri Lanka	8,052	4,573	3,479	312	184	128	117	83	34	58
Colombo	1,742	983	759	152	78	74	54	39	15	32
Gampaha	320	176	144	68	47	21	19	14	5	-
Kalutara	341	167	174	8	4	4	7	7	-	-
Kandy	1,010	589	421	19	11	8	6	6	-	2
Matale	160	87	73	3	2	1	-	-	-	-
Nuwareliya	29	18	11	1	1	-	2	1	1	-
Galle	198	118	80	1	1	-	7	5	2	-
Matara	90	47	43	1	1	-	-	-	-	-
Hambantota	46	23	23	13	8	5	5	2	3	-
Jaffna	5	3	2	-	-	-	-	-	-	-
Mannar	18	10	8	-	-	-	-	-	-	-
Vavuniya	48	27	21	-	-	-	-	-	-	-
Mullaitivu	2	2	-	-	-	-	-	-	-	-
Kilinochchi	1	1	-	-	-	-	-	-	-	-
Batticaloa	603	353	250	10	7	3	-	-	-	-
Ampara	1,184	679	505	4	3	1	1	1	-	-
Trincomalee	520	279	241	-	-	-	2	2	-	-
Kurunegala	343	193	150	2	2	-	3	1	2	-
Puttalam	579	325	254	8	6	2	1	-	1	1
Anuradhapura	266	170	96	8	5	3	1	1	-	1
Polonnaruwa	117	76	41	-	-	-	3	2	1	-
Badulla	173	94	79	1	-	1	3	1	2	-
Monaragala	31	25	6	-	-	-	1	-	1	-
Ratnapura	56	34	22	11	6	5	1	-	1	22
Kegalle	170	94	76	2	2	-	1	1	-	-

Note: (a). District level figures are based on the place of occurrence.

Table 4.4 : Deaths registered by District, Ethnic Group and Sex - 2010 (Part-1)

District	All Ethnic Groups			Sinhalese			Sri Lanka Tamil			Indian Tamil		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
Sri Lanka	130,337	75,818	54,519	94,871	55,016	39,855	21,270	12,859	8,411	5,302	3,039	2,263
Colombo	21,355	12,182	9,173	16,749	9,675	7,074	2,221	1,258	963	176	107	69
Gampaha	11,679	6,691	4,988	10,807	6,190	4,617	379	219	160	39	25	14
Kalutara	6,939	3,823	3,116	6,330	3,475	2,855	121	64	57	144	90	54
Kandy	10,920	6,310	4,610	8,385	4,824	3,561	874	542	332	717	409	308
Matale	2,741	1,610	1,131	2,203	1,300	903	166	103	63	168	85	83
Nuwaraeliya	3,837	2,183	1,654	1,377	778	599	113	72	41	2,292	1,298	994
Galle	7,607	4,251	3,356	7,261	4,048	3,213	82	56	26	20	15	5
Matara	4,698	2,630	2,068	4,466	2,499	1,967	79	43	36	37	23	14
Hambantota	2,689	1,541	1,148	2,609	1,498	1,111	19	9	10	4	2	2
Jaffna	3,878	2,204	1,674	16	12	4	3,844	2,178	1,666	12	9	3
Mannar	320	193	127	3	3	-	278	161	117	4	4	-
Vavuniya	1,122	689	433	113	83	30	984	595	389	2	1	1
Mullaitivu	8,053	5,155	2,898	85	81	4	7,965	5,071	2,894	1	1	-
Kilinochchi	542	374	168	23	23	-	516	349	167	2	1	1
Batticaloa	2,351	1,440	911	29	23	6	1,636	998	638	43	27	16
Ampara	2,742	1,574	1,168	1,100	693	407	469	258	211	53	35	18
Trincomalee	1,384	789	595	440	284	156	424	222	202	38	16	22
Kurunegala	10,177	5,936	4,241	9,581	5,608	3,973	137	78	59	11	7	4
Puttalam	3,704	2,136	1,568	2,878	1,665	1,213	231	140	91	16	11	5
Anuradhapura	4,635	2,888	1,747	4,229	2,641	1,588	95	65	30	7	5	2
Polonnaruwa	1,864	1,145	719	1,698	1,042	656	36	25	11	3	1	2
Badulla	4,786	2,844	1,942	3,528	2,122	1,406	175	105	70	903	514	389
Monaragala	1,680	993	687	1,591	945	646	42	23	19	19	8	11
Ratnapura	5,913	3,497	2,416	5,134	3,040	2,094	326	192	134	372	218	154
Kegalle	4,721	2,740	1,981	4,236	2,464	1,772	58	33	25	219	127	92

Note: (a). District level figures are based on the place of occurrence.

Table 4.4 : Deaths registered by District, Ethnic Group and Sex - 2010 (Part-2)

District	Sri Lanka Moor			Burgher			Malay			Other			Not Stated		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
Sri Lanka	8,104	4,450	3,654	284	158	126	160	83	77	219	130	89	127	83	44
Colombo	1,829	939	890	166	85	81	100	50	50	82	42	40	32	26	6
Gampaha	359	204	155	51	25	26	25	15	10	19	13	6	-	-	-
Kalutara	329	181	148	4	4	-	1	1	-	7	6	1	3	2	1
Kandy	927	525	402	8	4	4	5	4	1	3	1	2	1	1	-
Matale	180	109	71	1	1	-	2	-	2	21	12	9	-	-	-
Nuwaraeliya	29	19	10	17	13	4	5	2	3	4	1	3	-	-	-
Galle	215	114	101	3	3	-	3	2	1	12	9	3	11	4	7
Matara	109	60	49	2	2	-	1	-	1	1	1	-	3	2	1
Hambantota	28	17	11	-	-	-	7	4	3	20	9	11	2	2	-
Jaffna	4	4	-	-	-	-	-	-	-	1	-	1	1	1	-
Mannar	34	24	10	1	1	-	-	-	-	-	-	-	-	-	-
Vavuniya	22	9	13	-	-	-	-	-	-	1	1	-	-	-	-
Mullaitivu	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-
Kilinochchi	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Batticaloa	632	383	249	9	8	1	1	-	1	1	1	-	-	-	-
Ampara	1,112	584	528	6	3	3	-	-	-	2	1	1	-	-	-
Trincomalee	478	265	213	4	2	2	-	-	-	-	-	-	-	-	-
Kurunegala	427	228	199	1	1	-	2	1	1	18	13	5	-	-	-
Puttalam	565	311	254	7	5	2	4	1	3	3	3	-	-	-	-
Anuradhapura	298	172	126	1	1	-	2	2	-	3	2	1	-	-	-
Polonnaruwa	123	75	48	-	-	-	1	-	1	3	2	1	-	-	-
Badulla	104	57	47	-	-	-	-	-	-	3	1	2	73	45	28
Monaragala	17	9	8	-	-	-	-	-	-	11	8	3	-	-	-
Ratnapura	77	45	32	1	-	1	1	1	-	1	1	-	1	-	1
Kegalle	204	114	90	2	-	2	-	-	-	2	2	-	-	-	-

Note: (a). District level figures are based on the place of occurrence.

Table 4.4 : Deaths registered by District, Ethnic Group and Sex - 2013 (Part-I)

District	All Ethnic Groups			Sinhalese			Sri Lanka Tamil			Indian Tamil		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
Sri Lanka	127,183	72,410	54,773	98,627	55,874	42,753	14,750	8,806	5,944	4,944	2,661	2,283
Colombo	21,483	12,133	9,350	16,933	9,571	7,362	2,187	1,260	927	139	81	58
Gampaha	12,502	6,874	5,628	11,545	6,323	5,222	442	264	178	37	18	19
Kalutara	7,315	4,033	3,282	6,626	3,638	2,988	122	72	50	129	87	42
Kandy	10,824	6,063	4,761	8,084	4,465	3,619	936	570	366	651	376	275
Matale	2,783	1,676	1,107	2,251	1,360	891	141	86	55	182	99	83
Nuwaraeliya	4,019	2,225	1,794	1,510	862	648	295	186	109	2,153	1,136	1,017
Galle	7,731	4,368	3,363	7,442	4,204	3,238	67	37	30	29	15	14
Matara	4,874	2,669	2,205	4,723	2,577	2,146	68	40	28	37	21	16
Hambantota	2,901	1,649	1,252	2,813	1,595	1,218	13	11	2	9	4	5
Jaffna	4,292	2,420	1,872	10	10	-	4,226	2,377	1,849	22	16	6
Mannar	417	272	145	16	12	4	344	221	123	5	5	-
Vavuniya	898	578	320	145	101	44	722	456	266	-	-	-
Mullaitivu	693	448	245	29	21	8	658	423	235	4	2	2
Kilinochchi	392	257	135	3	2	1	387	254	133	-	-	-
Batticaloa	2,561	1,582	979	29	25	4	1,906	1,178	728	14	10	4
Ampara	2,779	1,655	1,124	1,101	697	404	487	304	183	53	26	27
Trincomalee	1,529	925	604	430	275	155	574	347	227	22	10	12
Kurunegala	10,333	5,943	4,390	9,922	5,683	4,239	124	85	39	14	7	7
Puttalam	3,773	2,160	1,613	2,963	1,683	1,280	260	152	108	14	9	5
Anuradhapura	4,663	2,811	1,852	4,301	2,586	1,715	53	36	17	49	24	25
Polonnaruwa	2,035	1,280	755	1,895	1,198	697	30	18	12	3	3	-
Badulla	5,106	2,910	2,196	3,786	2,183	1,603	296	182	114	848	447	401
Monaragala	1,816	966	850	1,743	932	811	46	21	25	5	2	3
Ratnapura	6,400	3,658	2,742	5,812	3,333	2,479	240	150	90	280	134	146
Kegalle	5,064	2,855	2,209	4,515	2,538	1,977	126	76	50	245	129	116

Note: (a). District level figures are based on the place of occurrence.

Table 4.4 : Deaths registered by District, Ethnic Group and Sex - 2013 (Part-2)

District	Sri Lanka Moor			Burgher			Malay			Other			Not Stated		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
Sri Lanka	7,918	4,509	3,409	290	151	139	198	110	88	287	183	104	169	116	53
Colombo	1,837	1,002	835	158	77	81	104	54	50	85	50	35	40	38	2
Gampaha	278	151	127	72	41	31	45	23	22	74	50	24	9	4	5
Kalutara	430	231	199	4	2	2	3	2	1	-	-	-	1	1	-
Kandy	1,095	613	482	14	5	9	8	6	2	15	11	4	21	17	4
Matale	195	123	72	6	5	1	1	-	1	3	-	3	4	3	1
Nuwaraeliya	49	33	16	1	1	-	-	-	-	6	4	2	5	3	2
Galle	178	100	78	-	-	-	1	1	-	11	9	2	3	2	1
Matara	42	29	13	1	-	1	-	-	-	-	-	-	3	2	1
Hambantota	33	17	16	1	1	-	25	17	8	7	4	3	-	-	-
Jaffna	4	2	2	-	-	-	-	-	-	1	-	1	29	15	14
Mannar	52	34	18	-	-	-	-	-	-	-	-	-	-	-	-
Vavuniya	29	20	9	-	-	-	-	-	-	1	1	-	1	-	1
Mullaitivu	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Kilinochchi	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Batticaloa	602	364	238	9	5	4	-	-	-	-	-	-	1	-	1
Ampara	1,132	625	507	6	3	3	-	-	-	-	-	-	-	-	-
Trincomalee	493	288	205	8	4	4	-	-	-	2	1	1	-	-	-
Kurunegala	221	134	87	5	4	1	2	2	-	18	12	6	27	16	11
Puttalam	519	308	211	2	-	2	7	4	3	2	1	1	6	3	3
Anuradhapura	241	153	88	2	2	-	-	-	-	6	4	2	11	6	5
Polonnaruwa	80	42	38	-	-	-	-	-	-	26	18	8	1	1	-
Badulla	172	96	76	-	-	-	-	-	-	2	1	1	2	1	1
Monaragala	19	8	11	-	-	-	1	1	-	1	1	-	1	1	-
Ratnapura	45	29	16	-	-	-	-	-	-	19	9	10	4	3	1
Kegalle	168	104	64	1	1	-	1	-	1	8	7	1	-	-	-

Note: (a). District level figures are based on the place of occurrence.

Table 4.5 : Deaths registered by District, Age and Sex - 2007 (Part-1)

District	Total	Under 1 Week			1 Week and Under 1 Month			1 Month and Under 3 Months			3 Months and Under 6 Months			6 Months and Under 9 Months			9 Months and Under 1 Year		
		T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F
Sri Lanka	118,992	1,681	946	735	671	393	278	381	217	164	288	156	132	211	113	98	94	48	46
Colombo	20,730	350	203	147	203	122	81	126	76	50	101	62	39	62	36	26	27	15	12
Gampaha	10,599	36	22	14	17	9	8	13	8	5	5	1	4	5	3	2	3	2	1
Kalutara	6,750	25	16	9	13	4	9	6	2	4	10	5	5	2	2	-	2	2	-
Kandy	9,856	188	99	89	74	40	34	33	13	20	22	12	10	13	7	6	9	1	8
Matale	2,568	43	26	17	10	8	2	6	5	1	4	2	2	5	3	2	1	1	-
Nuwareliya	3,866	79	37	42	41	25	16	18	10	8	16	9	7	9	5	4	1	1	-
Galle	7,475	107	63	44	39	16	23	24	16	8	19	9	10	9	5	4	5	3	2
Matara	4,723	74	40	34	32	20	12	11	7	4	14	8	6	5	-	5	2	1	1
Hambantota	2,493	22	12	10	9	6	3	2	-	2	5	2	3	2	2	-	-	-	-
Jaffna	4,224	6	3	3	1	1	-	8	6	2	6	3	3	3	2	1	2	2	-
Mannar	390	2	1	1	-	-	-	1	-	1	1	1	-	1	1	-	1	-	1
Vavuniya	1,179	36	19	17	8	5	3	1	-	1	-	-	-	2	2	-	-	-	-
Mullaitivu	474	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kilinochchi	621	1	1	-	-	-	-	-	-	-	1	-	1	1	-	1	1	1	-
Batticaloa	2,762	201	112	89	57	37	20	16	7	9	11	7	4	13	10	3	4	1	3
Ampara	2,655	16	10	6	9	6	3	12	10	2	13	8	5	15	7	8	3	2	1
Trincomalee	1,676	8	6	2	3	3	-	3	1	2	1	-	1	3	2	1	4	1	3
Kurunegala	9,663	179	92	87	33	17	16	16	6	10	14	5	9	13	5	8	5	3	2
Puttalam	3,612	65	35	30	12	6	6	12	7	5	4	2	2	7	3	4	7	2	5
Anuradhapura	4,294	99	61	38	39	22	17	16	6	10	6	2	4	5	1	4	5	4	1
Polonnaruwa	1,824	21	17	4	11	8	3	1	-	1	1	-	1	1	1	-	-	-	-
Badulla	4,708	33	20	13	28	19	9	26	17	9	11	4	7	15	5	10	6	4	2
Monaragala	1,551	10	6	4	1	-	1	5	4	1	4	1	3	5	3	2	-	-	-
Ratnapura	5,561	48	27	21	19	12	7	16	11	5	12	8	4	14	7	7	6	2	4
Kegalle	4,738	32	18	14	12	7	5	9	5	4	7	5	2	1	1	-	-	-	-

Note: (a). District level figures are based on the place of occurrence.

T - Total, M - Male, F - Female

Table 4.5 : Deaths registered by district, age and sex - 2007 (Part-2)

District	Age in Years																	
	1			2			3			4			5-9			10-14		
	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F
Sri Lanka	246	142	104	175	99	76	145	72	73	130	76	54	528	288	240	541	295	246
Colombo	46	24	22	38	20	18	24	13	11	25	11	14	85	51	34	102	62	40
Gampaha	7	2	5	3	3	-	5	4	1	11	6	5	19	6	13	22	14	8
Kalutara	11	8	3	4	3	1	7	3	4	2	2	-	12	5	7	17	10	7
Kandy	18	12	6	12	7	5	6	1	5	9	8	1	40	23	17	37	20	17
Matale	9	5	4	-	-	-	5	3	2	7	4	3	15	6	9	11	5	6
Nuwaraeliya	11	6	5	11	8	3	9	3	6	4	2	2	26	13	13	22	9	13
Galle	17	11	6	7	4	3	8	2	6	4	2	2	38	24	14	34	19	15
Matara	10	6	4	2	2	-	4	1	3	2	-	2	17	8	9	6	4	2
Hambantota	2	2	-	4	3	1	3	2	1	1	-	1	12	8	4	12	4	8
Jaffna	8	5	3	5	3	2	3	1	2	4	4	-	23	14	9	21	11	10
Mannar	1	1	-	-	-	-	-	-	-	1	1	-	3	1	2	4	3	1
Vavuniya	6	3	3	3	2	1	3	1	2	1	1	-	10	4	6	9	4	5
Mullaitivu	5	4	1	1	1	-	3	1	2	2	2	-	3	2	1	4	3	1
Kilinochchi	4	2	2	4	2	2	3	-	3	2	-	2	11	7	4	11	7	4
Batticaloa	16	11	5	13	9	4	9	6	3	5	4	1	35	15	20	37	20	17
Ampara	10	6	4	14	5	9	10	5	5	3	2	1	20	15	5	17	9	8
Trincomalee	4	3	1	6	2	4	2	2	-	4	3	1	9	5	4	13	7	6
Kurunegala	16	3	13	10	4	6	11	6	5	11	7	4	42	23	19	43	25	18
Puttalam	8	4	4	6	4	2	6	3	3	2	-	2	16	8	8	17	7	10
Anuradhapura	9	5	4	10	5	5	6	3	3	9	5	4	11	7	4	21	13	8
Polonnaruwa	1	1	-	3	1	2	2	2	-	3	-	3	6	3	3	10	5	5
Badulla	13	7	6	2	2	-	8	7	1	6	4	2	27	12	15	24	11	13
Monaragala	-	-	-	4	3	1	2	1	1	1	1	-	8	4	4	9	6	3
Ratnapura	10	8	2	10	5	5	5	2	3	5	4	1	28	17	11	26	11	15
Kegalle	4	3	1	3	1	2	1	-	1	6	3	3	12	7	5	12	6	6

Note: (a). District level figures are based on the place of occurrence.

T - Total, M - Male, F - Female

Table 4.5 : Deaths registered by district, age and sex - 2007 (Part-3)

District	Age in Year																	
	15-19			20-24			25-29			30-34			35-39			40-44		
	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F
Sri Lanka	1,226	779	447	2,171	1,643	528	2,344	1,737	607	2,228	1,685	543	2,756	2,071	685	3,495	2,677	818
Colombo	171	115	56	307	219	88	393	275	118	384	272	112	533	380	153	716	518	198
Gampaha	66	52	14	108	79	29	115	85	30	160	125	35	203	161	42	319	277	42
Kalutara	40	24	16	53	45	8	80	60	20	78	65	13	132	100	32	128	101	27
Kandy	76	40	36	118	78	40	138	88	50	129	91	38	194	128	66	271	198	73
Matale	20	12	8	26	15	11	35	28	7	38	27	11	49	40	9	58	46	12
Nuwaraeliya	37	13	24	56	32	24	54	30	24	56	42	14	54	36	18	97	65	32
Galle	71	52	19	110	84	26	111	79	32	104	74	30	146	123	23	176	133	43
Matara	26	20	6	64	39	25	48	30	18	62	45	17	80	60	20	76	57	19
Hambantota	30	18	12	31	21	10	44	27	17	38	31	7	36	29	7	62	46	16
Jaffna	52	38	14	263	249	14	230	204	26	220	180	40	120	93	27	121	81	40
Mannar	6	4	2	34	30	4	29	26	3	27	22	5	23	20	3	10	7	3
Vavuniya	30	26	4	119	112	7	109	100	9	83	79	4	74	64	10	66	56	10
Mullaitivu	35	18	17	57	44	13	43	31	12	28	23	5	19	15	4	18	14	4
Kilinochchi	25	14	11	46	32	14	46	34	12	28	15	13	30	21	9	21	14	7
Batticaloa	66	45	21	118	87	31	146	114	32	102	77	25	101	74	27	111	78	33
Ampara	54	37	17	66	44	22	76	50	26	56	44	12	69	49	20	74	51	23
Trincomalee	43	33	10	89	80	9	75	60	15	66	54	12	66	56	10	58	40	18
Kurunegala	104	61	43	109	69	40	115	85	30	145	113	32	217	153	64	289	238	51
Puttalam	30	18	12	54	39	15	63	47	16	52	40	12	94	75	19	144	115	29
Anuradhapura	53	29	24	86	63	23	112	79	33	86	58	28	123	94	29	161	131	30
Polonnaruwa	21	11	10	36	26	10	45	32	13	39	25	14	44	35	9	73	58	15
Badulla	63	34	29	60	38	22	77	53	24	85	64	21	126	85	41	145	112	33
Monaragala	21	10	11	33	24	9	22	17	5	30	19	11	39	29	10	49	38	11
Ratnapura	64	39	25	94	67	27	94	69	25	79	63	16	123	99	24	149	117	32
Kegalle	22	16	6	34	27	7	44	34	10	53	37	16	61	52	9	103	86	17

Note: (a). District level figures are based on the place of occurrence.

T - Total, M - Male, F - Female

Table 4.5 : Deaths registered by district, age and sex - 2007 (Part-4)

District	45-49			50-54			55-59			60-64			65-69			70-74		
	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F
Sri Lanka	5,081	3,773	1,308	6,603	4,704	1,899	8,621	6,042	2,579	9,339	6,106	3,233	11,076	6,861	4,215	13,837	7,905	5,932
Colombo	1,039	770	269	1,436	998	438	1,750	1,186	564	1,873	1,196	677	2,058	1,264	794	2,209	1,257	952
Gampaha	392	318	74	601	441	160	705	527	178	840	553	287	965	603	362	1,289	726	563
Kalutara	257	199	58	296	212	84	407	290	117	500	352	148	568	349	219	804	458	346
Kandy	439	278	161	538	365	173	773	524	249	810	528	282	990	649	341	1,151	666	485
Matale	90	69	21	117	86	31	194	145	49	195	130	65	239	145	94	319	191	128
Nuwaraeliya	156	95	61	187	109	78	327	209	118	407	223	184	475	270	205	538	299	239
Galle	292	217	75	340	244	96	438	289	149	498	336	162	596	365	231	816	473	343
Matara	142	104	38	158	110	48	195	148	47	252	158	94	356	211	145	508	304	204
Hambantota	87	74	13	105	74	31	149	102	47	111	71	40	161	94	67	264	139	125
Jaffna	146	102	44	228	168	60	330	223	107	316	201	115	384	218	166	486	286	200
Mannar	9	9	-	19	14	5	26	17	9	25	18	7	32	22	10	35	19	16
Vavuniya	72	54	18	61	49	12	74	56	18	66	44	22	76	41	35	92	61	31
Mullativu	22	13	9	25	19	6	45	33	12	29	25	4	35	23	12	34	22	12
Kilinochchi	27	20	7	36	23	13	55	30	25	36	22	14	57	37	20	60	39	21
Batticaloa	144	99	45	140	106	34	167	120	47	211	142	69	208	134	74	271	163	108
Ampara	139	102	37	135	96	39	201	137	64	233	153	80	269	172	97	365	208	157
Trincomalee	98	71	27	111	78	33	146	100	46	139	90	49	166	103	63	155	85	70
Kurunegala	378	296	82	547	408	139	622	477	145	675	466	209	855	530	325	1,227	668	559
Puttalam	191	150	41	248	192	56	315	241	74	317	200	117	357	234	123	419	235	184
Anuradhapura	261	209	52	326	249	77	360	267	93	325	215	110	423	267	156	495	276	219
Polonnaruwa	99	81	18	107	69	38	159	116	43	170	119	51	178	113	65	236	135	101
Badulla	193	141	52	292	196	96	363	245	118	438	279	159	479	296	183	616	355	261
Monaragala	58	37	21	88	65	23	125	91	34	116	73	43	146	98	48	190	111	79
Ratnapura	194	147	47	243	162	81	380	245	135	418	279	139	520	324	196	698	422	276
Kegalle	156	118	38	219	171	48	315	224	91	339	233	106	483	299	184	560	307	253

Note: (a). District level figures are based on the place of occurrence.

T - Total, M - Male, F - Female

Table 4.5 : Deaths registered by District, Age and Sex - 2007 (Part-5)

District	75-79			80-84			85+		
	T	M	F	T	M	F	T	M	F
Sri Lanka	13,775	7,506	6,269	14,393	7,073	7,320	16,956	7,767	9,189
Colombo	2,149	1,163	986	2,135	1,004	1,131	2,388	1,010	1,378
Gampaha	1,355	690	665	1,560	689	871	1,775	769	1,006
Kalutara	953	529	424	1,026	510	516	1,317	557	760
Kandy	1,184	658	526	1,128	542	586	1,456	640	816
Matale	323	191	132	362	188	174	387	205	182
Nuwaraeliya	429	244	185	372	169	203	374	174	200
Galle	972	537	435	1,069	535	534	1,425	643	782
Matara	650	356	294	753	365	388	1,174	556	618
Hambantota	329	170	159	378	202	176	594	304	290
Jaffna	460	230	230	434	241	193	344	168	176
Mannar	46	29	17	32	20	12	22	10	12
Vavuniya	70	29	41	50	30	20	58	35	23
Mullaitivu	29	19	10	18	11	7	19	10	9
Kilinochchi	53	32	21	34	24	10	28	19	9
Batticaloa	202	114	88	192	98	94	166	91	75
Ampara	295	158	137	227	106	121	254	128	126
Trincomalee	148	93	55	134	74	60	122	60	62
Kurunegala	1,107	586	521	1,354	683	671	1,526	708	818
Puttalam	398	183	215	378	174	204	390	176	214
Anuradhapura	428	241	187	378	184	194	441	224	217
Polonnaruwa	179	107	72	195	95	100	183	96	87
Badulla	549	303	246	488	242	246	535	245	290
Monaragala	164	106	58	179	104	75	242	131	111
Ratnapura	668	380	288	761	406	355	877	442	435
Kegalle	635	358	277	756	377	379	859	366	493

Note: (a). District level figures are based on the place of occurrence.
T - Total, M - Male, F - Female

Table 4.5 : Deaths registered by District, Age and Sex - 2008 (Part-1)

District	Total	Under 1 Week			1 Week and Under 1 Month			1 Month and Under 3 Months			3 Months and Under 6 Months			6 Months and Under 9 Months			9 Months and Under 1 Year		
		T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F
Sri Lanka	123,814	1,633	906	727	685	394	291	378	228	150	314	173	141	231	129	102	121	58	63
Colombo	21,636	337	168	169	185	116	69	131	87	44	109	68	41	79	44	35	35	22	13
Gampaha	12,025	74	40	34	14	8	6	4	3	1	3	1	2	8	4	4	2	-	2
Kalutara	7,258	36	20	16	9	4	5	5	3	2	6	1	5	1	-	1	3	1	2
Kandy	9,753	131	79	52	76	41	35	31	16	15	28	18	10	14	12	2	15	8	7
Matale	2,683	30	22	8	16	10	6	9	5	4	10	5	5	2	1	1	4	3	1
Nuwareliya	3,903	74	46	28	31	21	10	18	9	9	10	4	6	15	8	7	3	-	3
Galle	7,932	116	71	45	53	27	26	25	12	13	29	17	12	17	12	5	9	5	4
Matara	5,210	66	38	28	42	19	23	15	8	7	5	3	2	10	6	4	-	-	-
Hambantota	2,722	21	12	9	13	6	7	7	5	2	6	4	2	5	1	4	2	1	1
Jaffna	3,559	5	4	1	5	2	3	7	4	3	2	1	1	4	1	3	4	1	3
Mannar	607	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Vavuniya	1,104	25	16	9	10	4	6	-	-	-	6	2	4	1	1	-	1	1	-
Mullaitivu(b)	79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kilinochchi(b)	171	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Batticaloa	2,453	76	42	34	27	15	12	14	9	5	13	6	7	8	5	3	6	2	4
Ampara	2,762	12	7	5	14	9	5	7	5	2	11	7	4	5	4	1	4	2	2
Trincomalee	1,583	15	7	8	17	9	8	9	3	6	4	2	2	1	1	-	2	1	1
Kurunegala	10,136	287	146	141	39	23	16	19	13	6	21	9	12	9	5	4	9	2	7
Puttalam	3,847	44	26	18	19	12	7	8	6	2	11	6	5	7	4	3	7	4	3
Anuradhapura	4,824	97	50	47	26	17	9	14	8	6	16	7	9	17	9	8	7	2	5
Polonnaruwa	1,981	49	27	22	30	15	15	4	3	1	3	1	2	-	-	-	1	-	1
Badulla	4,767	48	28	20	23	12	11	25	14	11	11	5	6	12	6	6	2	-	2
Monaragala	1,664	6	2	4	-	-	-	6	3	3	2	1	1	3	2	1	-	-	-
Ratnapura	6,083	65	42	23	26	18	8	9	5	4	6	4	2	9	2	7	4	3	1
Kegalle	5,072	19	13	6	9	6	3	11	7	4	2	1	1	4	1	3	1	-	1

Note: (a). District level figures are based on the place of occurrence.

(b). Deaths registered in Kilinochchi and Mullaitivu districts in 2008 have not reported .

T - Total, M - Male, F - Female

Table 4.5 : Deaths registered by District, Age and Sex - 2008 (Part-2)

District	Age in Years																	
	1			2			3			4			5-9			10-14		
	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F
Sri Lanka	324	170	154	194	101	93	134	79	55	118	65	53	473	257	216	527	303	224
Colombo	112	59	53	41	28	13	28	20	8	28	15	13	109	59	50	96	54	42
Gampaha	7	4	3	4	1	3	5	2	3	3	2	1	32	18	14	37	24	13
Kalutara	9	4	5	13	7	6	2	-	2	6	4	2	19	12	7	15	7	8
Kandy	32	21	11	24	12	12	16	7	9	9	3	6	38	17	21	42	28	14
Matale	4	3	1	3	2	1	2	1	1	2	2	-	6	4	2	11	7	4
Nuwaraeliya	17	9	8	5	2	3	10	4	6	1	1	-	17	8	9	18	7	11
Galle	13	7	6	7	4	3	2	-	2	7	4	3	28	13	15	28	13	15
Matara	5	2	3	5	1	4	3	1	2	8	4	4	14	10	4	17	11	6
Hambantota	1	1	-	7	4	3	5	3	2	3	2	1	4	2	2	7	5	2
Jaffna	7	2	5	4	2	2	5	2	3	3	2	1	15	11	4	21	13	8
Mannar	-	-	-	2	-	2	-	-	-	1	-	1	3	2	1	9	8	1
Vavuniya	4	4	-	5	2	3	2	2	-	1	1	-	5	3	2	10	6	4
Mullaitivu(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kilinochchi(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Batticaloa	15	6	9	16	8	8	6	5	1	4	3	1	16	7	9	21	14	7
Ampara	9	4	5	4	3	1	8	5	3	4	1	3	21	8	13	24	15	9
Trincomalee	10	7	3	4	1	3	4	2	2	2	1	1	14	8	6	15	4	11
Kurunegala	18	6	12	5	3	2	3	3	-	7	3	4	20	14	6	28	13	15
Puttalam	7	5	2	6	1	5	6	4	2	3	1	2	10	4	6	18	11	7
Anuradhapura	12	4	8	12	6	6	8	5	3	3	2	1	18	12	6	26	13	13
Polonnaruwa	6	3	3	5	2	3	7	7	-	2	1	1	8	5	3	9	4	5
Badulla	12	8	4	6	4	2	4	2	2	7	5	2	25	11	14	28	18	10
Monaragala	6	3	3	4	2	2	1	-	1	7	4	3	12	7	5	12	8	4
Ratnapura	13	6	7	9	5	4	6	3	3	6	3	3	29	17	12	23	14	9
Kegalle	5	2	3	3	1	2	1	1	-	1	1	-	10	5	5	12	6	6

Note: (a). District level figures are based on the place of occurrence.

(b). Deaths registered in Kilinochchi and Mullaitivu districts in 2008 have not reported .

T - Total, M - Male, F - Female

Table 4.5 : Deaths registered by District, Age and Sex - 2008 (Part-3)

District	Age in Year																	
	15-19			20-24			25-29			30-34			35-39			40-44		
	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F
Sri Lanka	1,312	879	433	2,043	1,569	474	2,199	1,666	533	2,112	1,560	552	2,515	1,859	656	3,540	2,670	870
Colombo	219	145	74	321	240	81	386	276	110	405	273	132	475	339	136	709	516	193
Gampaha	78	54	24	103	76	27	159	124	35	155	122	33	194	154	40	349	285	64
Kalutara	54	37	17	63	44	19	78	62	16	86	71	15	126	92	34	143	113	30
Kandy	101	58	43	116	82	34	120	79	41	148	94	54	175	117	58	245	176	69
Matale	28	16	12	38	26	12	39	25	14	35	26	9	42	35	7	70	58	12
Nuwaraeliya	21	13	8	44	27	17	39	18	21	43	29	14	59	43	16	98	65	33
Galle	69	42	27	82	55	27	97	75	22	107	71	36	124	92	32	197	154	43
Matara	34	22	12	57	40	17	53	32	21	74	45	29	64	43	21	92	64	28
Hambantota	29	17	12	38	24	14	42	27	15	41	35	6	57	45	12	60	44	16
Jaffna	49	40	9	106	83	23	88	70	18	90	70	20	68	48	20	104	78	26
Mannar	53	52	1	137	133	4	105	98	7	49	44	5	24	21	3	19	17	2
Vavuniya	39	29	10	88	79	9	89	80	9	43	37	6	51	43	8	46	37	9
Mullaitivu(b)	8	8	-	37	37	-	19	19	-	9	9	-	5	5	-	1	1	-
Kilinochchi(b)	15	15	-	77	77	-	46	46	-	23	23	-	8	8	-	1	1	-
Batticaloa	63	35	28	64	43	21	93	70	23	71	53	18	80	60	20	100	70	30
Ampara	50	35	15	63	50	13	75	59	16	57	50	7	71	46	25	92	61	31
Trincomalee	26	20	6	46	37	9	39	32	7	44	35	9	60	45	15	60	38	22
Kurunegala	62	36	26	91	64	27	96	68	28	133	102	31	189	149	40	289	232	57
Puttalam	31	25	6	44	33	11	66	46	20	71	52	19	88	72	16	146	122	24
Anuradhapura	94	73	21	174	155	19	188	166	22	135	111	24	143	116	27	193	152	41
Polonnaruwa	30	17	13	39	28	11	40	26	14	40	31	9	52	35	17	55	40	15
Badulla	51	30	21	56	30	26	54	37	17	72	52	20	105	68	37	152	107	45
Monaragala	29	20	9	37	30	7	35	25	10	40	25	15	49	30	19	56	43	13
Ratnapura	62	33	29	89	51	38	111	77	34	91	64	27	127	92	35	158	121	37
Kegalle	17	7	10	33	25	8	42	29	13	50	36	14	79	61	18	105	75	30

Note: (a). District level figures are based on the place of occurrence.

(b). Deaths registered in Kilinochchi and Mullaitivu districts in 2008 have not reported.

T - Total, M - Male, F - Female

Table 4.5 : Deaths registered by District, Age and Sex - 2008 (Part-4)

District	45-49			50-54			55-59			60-64			65-69			70-74		
	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F
Sri Lanka	5,149	3,809	1,340	6,879	4,999	1,880	8,597	6,052	2,545	10,087	6,740	3,347	11,431	7,044	4,387	14,912	8,437	6,475
Colombo	1,091	789	302	1,464	1,010	454	1,749	1,177	572	2,043	1,335	708	2,128	1,278	850	2,359	1,350	1,009
Gampaha	503	402	101	652	501	151	804	582	222	966	667	299	1,145	700	445	1,459	822	637
Kalutara	228	176	52	296	227	69	431	301	130	548	358	190	664	408	256	867	486	381
Kandy	424	300	124	567	377	190	801	565	236	882	585	297	1,025	671	354	1,303	742	561
Matale	110	86	24	170	138	32	198	144	54	200	146	54	263	176	87	332	185	147
Nuwaraeliya	143	100	43	217	125	92	307	178	129	441	263	178	467	246	221	549	283	266
Galle	257	194	63	353	246	107	403	275	128	536	340	196	652	405	247	921	520	401
Matara	124	86	38	199	139	60	230	158	72	298	191	107	330	195	135	585	323	262
Hambantota	94	67	27	102	73	29	132	94	38	155	109	46	175	111	64	309	183	126
Jaffna	148	107	41	184	141	43	264	190	74	312	199	113	354	203	151	467	247	220
Mannar	19	15	4	16	10	6	24	21	3	15	10	5	31	22	9	30	18	12
Vavuniya	72	52	20	73	55	18	90	73	17	73	51	22	84	49	35	87	50	37
Mullaitivu	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kilinochchi	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Batticaloa	113	70	43	149	103	46	203	143	60	207	146	61	226	141	85	285	162	123
Anpara	136	88	48	153	103	50	199	139	60	277	197	80	272	165	107	378	222	156
Trincomalee	91	75	16	84	57	27	118	83	35	138	79	59	147	91	56	201	121	80
Kurunegala	384	295	89	590	456	134	666	476	190	712	480	232	876	529	347	1,262	719	543
Puttalam	213	172	41	264	205	59	318	232	86	322	221	101	356	221	135	463	247	216
Anuradhapura	264	194	70	358	276	82	368	285	83	375	279	96	398	253	145	529	310	219
Polonnaruwa	91	65	26	129	101	28	151	114	37	182	132	50	199	123	76	230	129	101
Badulla	191	129	62	290	220	70	346	243	103	439	307	132	528	329	199	636	354	282
Monaragala	91	70	21	82	67	15	125	100	25	130	89	41	127	87	40	204	131	73
Ratnapura	190	146	44	292	218	74	378	262	116	482	308	174	506	314	192	826	478	348
Kegalle	171	130	41	195	151	44	292	217	75	354	248	106	478	327	151	630	355	275

Note: (a). District level figures are based on the place of occurrence.

(b). Deaths registered in Kilinochchi and Mullaitivu districts in 2008 have not reported .

T - Total, M - Male, F - Female

Table 4.5 : Deaths registered by District, Age and Sex - 2008 (Part-5)

District	75-79			80-84			85+			Not Stated		
	T	M	F	T	M	F	T	M	F	T	M	F
Sri Lanka	14,766	7,803	6,963	15,413	7,616	7,797	17,688	8,091	9,597	39	33	6
Colombo	2,267	1,135	1,132	2,153	990	1,163	2,556	1,048	1,508	21	20	1
Gampaha	1,553	791	762	1,688	799	889	2,024	893	1,131	-	-	-
Kalutara	974	504	470	1,150	522	628	1,420	633	787	6	4	2
Kandy	1,120	620	500	1,167	551	616	1,103	473	630	-	-	-
Matale	332	175	157	347	179	168	380	190	190	-	-	-
Nuwaraeliya	484	263	221	395	194	201	377	157	220	-	-	-
Galle	1,031	567	464	1,164	590	574	1,605	693	912	-	-	-
Matara	748	407	341	859	419	440	1,271	590	681	2	1	1
Hambantota	358	201	157	425	233	192	624	310	314	-	-	-
Jaffna	461	243	218	441	225	216	341	174	167	-	-	-
Kilinochchi	-	-	-	-	-	-	-	-	-	-	-	-
Mannar	24	14	10	17	6	11	28	14	14	-	-	-
Vavuniya	76	44	32	76	46	30	47	25	22	-	-	-
Mullaitivu	-	-	-	-	-	-	-	-	-	-	-	-
Batticaloa	246	143	103	187	97	90	144	67	77	-	-	-
Ampara	321	187	134	258	142	116	237	115	122	-	-	-
Trincomalee	159	80	79	138	78	60	135	57	78	-	-	-
Kurunegala	1,269	623	646	1,486	744	742	1,561	742	819	5	5	-
Puttalam	460	233	227	430	184	246	428	192	236	1	1	-
Anuradhapura	427	227	200	443	230	213	479	250	229	-	-	-
Polonnaruwa	213	119	94	177	94	83	229	115	114	-	-	-
Badulla	549	296	253	513	279	234	582	281	301	-	-	-
Monaragala	192	110	82	182	99	83	226	113	113	-	-	-
Ratnapura	797	436	361	846	465	381	919	497	422	4	2	2
Kegalle	705	385	320	871	450	421	972	462	510	-	-	-

Note: (a). District level figures are based on the place of occurrence.

(b). Deaths registered in Kilinochchi and Mullaitivu districts in 2008 have not reported.

T - Total, M - Male, F - Female

Table 4.5 : Deaths registered by District, Age and Sex - 2009 (Part-I)

District	Total	Under 1 Week			1 Week and Under 1 Month			1 Month and Under 3 Months			3 Months and Under 6 Months			6 Months and Under 9 Months			9 Months and Under 1 Year		
		T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F
Sri Lanka	127,776	1,677	977	700	688	384	304	408	209	199	363	191	172	261	136	125	169	91	78
Colombo	20,555	342	211	131	151	85	66	129	63	66	124	58	66	75	37	38	55	30	25
Gampaha	11,327	69	43	26	21	10	11	15	9	6	8	3	5	12	2	10	3	2	1
Kalutara	6,863	52	29	23	18	10	8	10	5	5	7	3	4	3	2	1	3	1	2
Kandy	10,600	213	129	84	96	55	41	39	23	16	30	17	13	21	12	9	15	8	7
Matale	2,689	44	23	21	6	4	2	3	3	-	5	2	3	4	3	1	7	2	5
Nuwaraeliya	3,883	76	41	35	32	11	21	3	2	1	3	2	1	1	-	1	-	-	-
Galle	7,709	90	48	42	39	24	15	33	21	12	19	11	8	20	11	9	12	6	6
Matara	5,030	61	37	24	42	22	20	10	4	6	9	5	4	9	7	2	1	-	1
Hambantota	2,759	20	13	7	14	7	7	6	2	4	6	3	3	2	2	-	3	-	3
Jaffna	3,505	30	17	13	6	5	1	6	-	6	8	5	3	8	7	1	1	1	-
Mannar	364	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-
Vavuniya	2,186	44	17	27	21	7	14	17	11	6	26	18	8	31	17	14	24	14	10
Mullaitivu	5,406	-	-	-	2	2	-	3	2	1	5	1	4	4	1	3	2	2	-
Kilinochchi	923	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Batticaloa	2,371	116	66	50	32	21	11	6	2	4	9	2	7	11	6	5	8	5	3
Ampara	2,838	17	7	10	10	7	3	6	5	1	6	4	2	3	2	1	1	-	1
Trincomalee	1,487	16	9	7	7	4	3	7	3	4	1	1	-	6	5	1	1	-	1
Kurunegala	9,781	161	91	70	49	29	20	20	11	9	14	7	7	11	7	4	5	3	2
Puttalam	3,597	51	32	19	13	7	6	10	6	4	7	6	1	5	2	3	6	5	1
Anuradhapura	4,919	96	59	37	33	18	15	32	12	20	20	12	8	12	4	8	7	4	3
Polonnaruwa	1,897	25	17	8	15	10	5	9	3	6	6	5	1	1	1	-	3	1	2
Badulla	4,541	35	16	19	25	14	11	14	9	5	20	11	9	8	3	5	5	3	2
Monaragala	1,758	10	8	2	5	2	3	5	2	3	10	4	6	5	2	3	1	1	-
Ratnapura	5,979	69	42	27	38	21	17	16	6	10	15	10	5	5	1	4	3	2	1
Kegalle	4,809	40	22	18	12	8	4	9	5	4	5	1	4	3	2	1	2	1	1

Note: (a). District level figures are based on the place of occurrence.

T - Total, M - Male, F - Female

Table 4.5 : Deaths registered by District, Age and Sex - 2009 (Part-2)

District	Age in Years																	
	1			2			3			4			5-9			10-14		
	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F
Sri Lanka	322	173	149	225	106	119	178	96	82	153	92	61	704	376	328	713	351	362
Colombo	74	42	32	39	23	16	35	19	16	33	18	15	122	56	66	112	52	60
Gampaha	11	5	6	6	1	5	3	3	-	3	1	2	15	6	9	33	19	14
Kalutara	10	6	4	8	5	3	3	1	2	3	2	1	22	13	9	21	13	8
Kandy	29	14	15	16	11	5	16	9	7	9	6	3	64	42	22	63	35	28
Matale	4	1	3	2	-	2	3	2	1	3	3	-	12	3	9	13	6	7
Nuwaraeliya	8	5	3	6	2	4	8	5	3	1	1	-	17	9	8	22	13	9
Galle	18	12	6	10	7	3	8	5	3	5	5	-	26	14	12	30	15	15
Matara	8	4	4	4	2	2	4	4	-	7	2	5	15	8	7	11	4	7
Hambantota	5	-	5	6	3	3	5	3	2	2	-	2	9	5	4	12	4	8
Jaffna	6	4	2	8	4	4	3	2	1	5	3	2	24	15	9	15	7	8
Mannar	1	-	1	1	1	-	-	-	-	-	-	-	1	1	-	2	1	1
Vavuniya	43	22	21	19	7	12	15	7	8	17	8	9	40	20	20	32	14	18
Mullativu	27	15	12	20	8	12	24	14	10	12	6	6	132	70	62	147	67	80
Kilinochchi	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	4	1	3
Batticaloa	6	4	2	8	2	6	4	2	2	8	5	3	32	21	11	29	15	14
Ampara	9	3	6	12	3	9	10	4	6	6	4	2	17	4	13	18	9	9
Trincomalee	4	2	2	7	3	4	5	1	4	4	3	1	9	3	6	8	5	3
Kurunegala	14	9	5	10	5	5	2	1	1	6	6	-	30	17	13	28	12	16
Puttalam	3	1	2	10	6	4	5	3	2	7	7	-	17	8	9	18	9	9
Anuradhapura	12	5	7	13	3	10	8	4	4	9	6	3	24	14	10	28	16	12
Polonnaruwa	8	6	2	2	1	1	-	-	-	3	3	-	7	5	2	4	4	-
Badulla	12	8	4	12	5	7	8	2	6	4	-	4	29	17	12	13	6	7
Monaragala	7	4	3	2	2	-	2	2	-	1	-	1	13	10	3	11	4	7
Ratnapura	1	-	1	3	2	1	5	1	4	2	2	-	20	14	6	24	12	12
Kegalle	2	1	1	-	-	-	1	1	-	3	1	2	7	1	6	15	8	7

Note: (a). District level figures are based on the place of occurrence.

T - Total, M - Male, F - Female

Table 4.5 : Deaths registered by District, Age and Sex - 2009 (Part-4)

District	45-49			50-54			55-59			60-64			65-69			70-74		
	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F
Sri Lanka	5,282	3,829	1,453	6,863	4,816	2,047	9,142	6,206	2,936	10,589	6,903	3,686	12,190	7,436	4,754	14,406	8,194	6,212
Colombo	975	684	291	1,318	937	381	1,725	1,144	581	2,039	1,342	697	2,092	1,294	798	2,220	1,234	986
Gampaha	465	368	97	607	451	156	843	579	264	973	655	318	1,167	742	425	1,309	738	571
Kalutara	209	163	46	278	206	72	432	288	144	578	362	216	642	375	267	824	482	342
Kandy	447	312	135	672	438	234	850	555	295	945	595	350	1,121	691	430	1,216	726	490
Matale	101	73	28	147	107	40	202	135	67	214	143	71	252	158	94	360	200	160
Nuwaraeliya	154	96	58	230	155	75	315	199	116	418	254	164	520	283	237	558	313	245
Galle	262	200	62	330	219	111	464	323	141	545	344	201	640	389	251	925	518	407
Matara	153	116	37	190	132	58	240	174	66	311	190	121	346	196	150	538	321	217
Hambantota	70	53	17	116	80	36	137	91	46	142	87	55	183	117	66	286	175	111
Jaffna	129	82	47	161	105	56	245	156	89	350	224	126	395	241	154	435	237	198
Mannar	10	2	8	19	11	8	22	16	6	23	15	8	32	18	14	43	29	14
Vavuniya	92	54	38	105	60	45	166	92	74	192	122	70	215	107	108	253	154	99
Mullaitivu	211	127	84	168	105	63	216	141	75	158	108	50	126	79	47	115	67	48
Kilinochchi	6	4	2	4	3	1	5	3	2	3	2	1	4	2	2	6	6	-
Batticaloa	120	67	53	125	85	40	163	105	58	183	117	66	245	161	84	267	148	119
Ampara	127	86	41	161	113	48	254	185	69	268	188	80	350	221	129	379	219	160
Trincomalee	76	47	29	100	71	29	106	73	33	121	81	40	177	98	79	184	104	80
Kurunegala	451	359	92	531	397	134	669	504	165	768	506	262	894	543	351	1,130	614	516
Puttalam	191	154	37	204	137	67	322	234	88	369	245	124	399	236	163	430	248	182
Anuradhapura	229	183	46	348	262	86	418	307	111	454	337	117	417	269	148	538	297	241
Polonnaruwa	87	67	20	142	102	40	176	125	51	170	115	55	182	113	69	215	144	71
Badulla	228	162	66	274	201	73	344	228	116	396	263	133	521	325	196	602	336	266
Monaragala	86	69	17	102	70	32	131	92	39	126	87	39	177	118	59	203	126	77
Ratnapura	236	170	66	308	205	103	374	243	131	493	292	201	584	351	233	739	391	348
Kegalle	167	131	36	223	164	59	323	214	109	350	229	121	509	309	200	631	367	264

Note: (a). District level figures are based on the place of occurrence.

T - Total, M - Male, F - Female

Table 4.5 : Deaths registered by district, age and sex - 2009 (Part-5)

District	75-79			80-84			85+			Not Stated		
	T	M	F	T	M	F	T	M	F	T	M	F
Sri Lanka	15,074	7,929	7,145	14,272	6,995	7,277	16,875	7,547	9,328	30	26	4
Colombo	2,123	1,136	987	2,073	944	1,129	2,465	983	1,482	8	7	1
Gampaha	1,481	743	738	1,525	676	849	1,747	741	1,006	-	-	-
Kalutara	952	480	472	1,014	465	549	1,280	564	716	7	7	-
Kandy	1,266	645	621	1,106	553	553	1,247	536	711	2	2	-
Matale	348	185	163	348	176	172	378	181	197	-	-	-
Nuwaraeliya	513	270	243	346	181	165	329	156	173	-	-	-
Galle	1,088	557	531	1,108	561	547	1,425	624	801	2	2	-
Matara	688	376	312	865	443	422	1,190	536	654	1	1	-
Hambantota	413	217	196	438	222	216	672	329	343	-	-	-
Jaffna	471	239	232	399	207	192	362	175	187	-	-	-
Mannar	32	15	17	43	25	18	19	9	10	-	-	-
Vavuniya	215	107	108	149	76	73	128	75	53	-	-	-
Mullaitivu	88	49	39	69	38	31	42	25	17	-	-	-
Kilinochchi	8	4	4	4	1	3	4	3	1	-	-	-
Batticaloa	253	148	105	189	99	90	175	86	89	-	-	-
Ampara	322	177	145	257	120	137	281	144	137	-	-	-
Trincomalee	201	108	93	124	64	60	109	49	60	-	-	-
Kurunegala	1,290	660	630	1,263	629	634	1,522	730	792	-	-	-
Puttalam	395	210	185	355	157	198	364	122	242	4	3	1
Anuradhapura	489	264	225	395	220	175	425	195	230	1	-	1
Polonnaruwa	199	111	88	185	93	92	227	120	107	2	2	-
Badulla	536	297	239	453	246	207	496	239	257	3	2	1
Monaragala	215	124	91	187	97	90	244	133	111	-	-	-
Ratnapura	806	445	361	729	385	344	890	421	469	-	-	-
Kegalle	682	362	320	648	317	331	854	371	483	-	-	-

Note: (a). District level figures are based on the place of occurrence.

T - Total, M - Male, F - Female

Table 4.5 : Deaths registered by district, age and sex - 2010 (Part-1)

District	Total	Under 1 Week			1 Week and Under 1 Month			1 Month and Under 3 Months			3 Months and Under 6 Months			6 Months and Under 9 Months			9 Months and Under 1 Year		
		T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F
Sri Lanka	130,337	1,795	999	796	761	409	352	402	209	193	317	166	151	209	113	96	121	68	53
Colombo	21,355	341	185	156	173	94	79	141	72	69	106	52	54	69	40	29	38	25	13
Gampaha	11,679	56	29	27	22	10	12	12	4	8	6	4	2	6	4	2	4	4	-
Kalutara	6,939	55	29	26	15	8	7	10	4	6	9	2	7	1	-	1	1	1	-
Kandy	10,920	275	155	120	99	55	44	45	29	16	38	21	17	25	15	10	8	3	5
Matale	2,741	54	31	23	5	3	2	7	3	4	6	5	1	2	-	2	2	1	1
Nuwaraeliya	3,837	43	29	14	25	16	9	22	14	8	13	11	2	10	5	5	5	2	3
Galle	7,607	77	42	35	49	24	25	14	11	3	14	8	6	5	3	2	3	1	2
Matara	4,698	80	41	39	32	17	15	17	9	8	6	2	4	7	5	2	2	2	-
Hambantota	2,689	16	6	10	15	7	8	8	4	4	6	5	1	2	1	1	-	-	-
Jaffna	3,878	78	41	37	22	11	11	9	5	4	9	5	4	8	2	6	4	1	3
Mannar	320	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vavuniya	1,122	30	16	14	8	2	6	4	3	1	5	-	5	1	-	1	4	1	3
Mullaitivu	8,053	1	1	-	2	1	1	6	4	2	7	5	2	10	3	7	7	4	3
Kilinochchi	542	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Batticaloa	2,351	118	70	48	44	26	18	10	6	4	8	5	3	7	3	4	9	4	5
Ampara	2,742	21	11	10	14	7	7	6	3	3	10	3	7	6	3	3	4	2	2
Trincomalee	1,384	6	4	2	6	2	4	2	-	2	3	-	3	4	1	3	3	2	1
Kurunegala	10,177	145	81	64	66	38	28	15	5	10	15	10	5	7	5	2	3	-	3
Puttalam	3,704	57	27	30	16	7	9	10	6	4	5	1	4	5	3	2	1	-	1
Anuradhapura	4,635	150	89	61	72	33	39	15	5	10	18	11	7	7	4	3	5	3	2
Polonnaruwa	1,864	14	9	5	3	3	-	-	-	-	2	1	1	-	-	-	1	1	-
Badulla	4,786	69	37	32	29	18	11	18	6	12	11	6	5	9	7	2	9	6	3
Monaragala	1,680	7	5	2	2	-	2	5	-	5	1	-	1	3	1	2	1	-	1
Ratnapura	5,913	66	41	25	34	21	13	17	12	5	11	6	5	11	7	4	5	4	1
Kegalle	4,721	36	20	16	8	6	2	9	4	5	7	2	5	4	1	3	2	1	1

Note: (a). District level figures are based on the place of occurrence.

T - Total, M - Male, F - Female

Table 4.5 : Deaths registered by District, Age and Sex - 2010 (Part-2)

District	Age in Years																	
	1			2			3			4			5-9			10-14		
	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F
Sri Lanka	283	166	117	222	126	96	186	110	76	155	79	76	796	418	378	844	462	382
Colombo	63	38	25	61	34	27	41	18	23	35	16	19	130	65	65	99	60	39
Gampaha	7	5	2	5	3	2	5	3	2	4	1	3	25	13	12	26	15	11
Kalutara	4	2	2	1	1	-	4	3	1	2	1	1	13	6	7	10	8	2
Kandy	31	20	11	10	5	5	12	6	6	7	4	3	44	25	19	62	38	24
Matale	3	2	1	1	1	-	2	1	1	3	2	1	7	5	2	7	4	3
Nuwaraeliya	4	4	-	5	2	3	4	3	1	2	-	2	12	4	8	17	7	10
Galle	10	4	6	5	4	1	4	4	-	3	3	-	31	21	10	19	15	4
Matara	6	5	1	5	3	2	2	1	1	1	1	-	16	10	6	11	4	7
Hambantota	5	2	3	1	1	-	2	1	1	1	-	1	9	2	7	16	6	10
Jaffna	7	6	1	7	3	4	11	9	2	11	3	8	26	13	13	24	16	8
Mannar	2	2	-	1	-	1	-	-	-	1	1	-	1	1	-	1	1	-
Vavuniya	2	1	1	6	4	2	1	-	1	1	1	-	13	6	7	14	9	5
Mullativu	42	22	20	63	39	24	49	31	18	51	27	24	283	141	142	327	162	165
Kilinochchi	6	2	4	2	2	-	3	3	-	7	4	3	9	4	5	11	8	3
Batticaloa	8	7	1	5	1	4	5	5	-	7	4	3	28	16	12	24	14	10
Ampara	9	3	6	6	3	3	7	5	2	3	2	1	17	12	5	17	12	5
Trincomalee	3	1	2	4	2	2	6	4	2	1	-	1	9	5	4	15	8	7
Kurunegala	19	10	9	7	4	3	7	3	4	5	2	3	25	13	12	43	24	19
Puttalam	7	2	5	7	3	4	4	1	3	-	-	-	21	10	11	15	10	5
Anuradhapura	16	11	5	1	1	-	7	3	4	2	2	-	11	7	4	16	4	12
Polonnaruwa	3	3	-	-	-	-	-	-	-	-	-	-	10	4	6	10	7	3
Badulla	5	3	2	7	4	3	4	3	1	2	-	2	21	15	6	25	12	13
Monaragala	5	3	2	3	2	1	-	-	-	1	-	1	7	4	3	7	4	3
Ratnapura	16	8	8	6	3	3	5	2	3	4	4	-	21	12	9	19	9	10
Kegalle	-	-	-	3	1	2	1	1	-	1	1	-	7	4	3	9	5	4

Note: (a). District level figures are based on the place of occurrence.

T - Total, M - Male, F - Female

Table 4.5 : Deaths registered by District, Age and Sex - 2010 (Part-4)

District	45-49			50-54			55-59			60-64			65-69			70-74		
	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F
Sri Lanka	5,337	3,844	1,493	6,997	4,887	2,110	8,994	6,211	2,783	11,413	7,373	4,040	12,485	7,728	4,757	14,770	8,443	6,327
Colombo	1,040	742	298	1,284	861	423	1,733	1,150	583	2,189	1,402	787	2,187	1,323	864	2,310	1,313	997
Gampaha	422	322	100	592	431	161	804	588	216	1,001	666	335	1,189	715	474	1,413	815	598
Kalutara	232	168	64	273	190	83	452	310	142	526	333	193	684	428	256	797	438	359
Kandy	501	332	169	650	431	219	797	544	253	1,105	715	390	1,145	721	424	1,341	775	566
Matale	89	69	20	150	112	38	206	155	51	230	151	79	292	182	110	341	201	140
Nuwaraeliya	143	93	50	209	138	71	290	187	103	404	250	154	588	355	233	549	316	233
Galle	273	203	70	367	265	102	451	314	137	568	360	208	700	427	273	889	507	382
Matara	126	88	38	175	125	50	202	139	63	295	189	106	329	213	116	463	277	186
Hambantota	69	52	17	95	69	26	158	110	48	130	81	49	155	98	57	282	156	126
Jaffna	115	70	45	166	104	62	283	183	100	394	242	152	437	255	182	485	267	218
Mannar	25	14	11	29	22	7	28	19	9	26	18	8	25	14	11	40	21	19
Vavuniya	56	41	15	60	42	18	115	84	31	122	85	37	107	62	45	125	74	51
Mullaitivu	388	263	125	407	260	147	389	245	144	388	244	144	305	192	113	271	183	88
Kilinochchi	21	13	8	33	24	9	27	19	8	30	22	8	35	24	11	40	25	15
Batticaloa	113	72	41	139	96	43	194	137	57	215	143	72	213	146	67	284	164	120
Ampara	111	80	31	158	114	44	222	143	79	265	164	101	318	194	124	374	207	167
Trincomalee	62	39	23	73	48	25	108	77	31	139	96	43	165	92	73	154	85	69
Kurunegala	400	317	83	559	408	151	672	502	170	892	600	292	871	547	324	1,245	676	569
Puttalam	193	149	44	229	176	53	260	171	89	382	240	142	416	250	166	436	234	202
Anuradhapura	243	179	64	299	240	59	393	281	112	456	315	141	432	277	155	538	319	219
Polonnaruwa	86	69	17	141	102	39	154	118	36	177	116	61	213	140	73	255	147	108
Badulla	198	143	55	319	214	105	339	240	99	465	295	170	523	340	183	627	386	241
Monaragala	70	52	18	88	60	28	117	71	46	137	87	50	138	89	49	214	131	83
Ratnapura	219	160	59	294	210	84	348	235	113	488	307	181	583	352	231	703	381	322
Kegalle	142	114	28	208	145	63	252	189	63	389	252	137	435	292	143	594	345	249

Note: (a). District level figures are based on the place of occurrence.

T - Total, M - Male, F - Female

Table 4.5 : Deaths registered by District, Age and Sex - 2010 (Part-5)

District	75-79			80-84			85+			Not Stated		
	T	M	F	T	M	F	T	M	F	T	M	F
Sri Lanka	15,063	7,876	7,187	14,961	7,274	7,687	18,136	7,931	10,205	71	50	21
Colombo	2,219	1,138	1,081	2,207	1,008	1,199	2,690	1,071	1,619	31	24	7
Gampaha	1,550	798	752	1,681	786	895	1,966	827	1,139	2	1	1
Kalutara	924	456	468	1,084	518	566	1,376	573	803	4	2	2
Kandy	1,275	680	595	1,149	541	608	1,309	542	767	12	8	4
Matale	350	159	191	343	164	179	421	209	212	-	-	-
Nuwareliya	490	256	234	347	168	179	338	133	205	-	-	-
Galle	973	488	485	1,150	543	607	1,459	606	853	-	-	-
Matara	656	362	294	781	402	379	1,177	523	654	8	7	1
Hambantota	394	222	172	399	202	197	673	335	338	-	-	-
Jaffna	535	305	230	444	234	210	417	198	219	3	3	-
Mannar	43	22	21	31	18	13	23	10	13	-	-	-
Vavuniya	98	54	44	94	49	45	73	38	35	3	1	2
Mullaitivu	192	110	82	152	84	68	82	48	34	2	1	1
Kilinochehi	23	14	9	20	10	10	20	11	9	1	1	-
Batticaloa	223	127	96	189	104	85	185	90	95	-	-	-
Ampara	347	174	173	257	111	146	263	118	145	-	-	-
Trincomalee	157	87	70	135	72	63	153	62	91	-	-	-
Kurunegala	1,241	622	619	1,459	720	739	1,617	753	864	-	-	-
Puttalam	413	207	206	382	154	228	464	201	263	1	-	1
Anuradhapura	484	267	217	412	221	191	479	219	260	-	-	-
Polonnaruwa	202	107	95	174	75	99	207	91	116	-	-	-
Badulla	593	314	279	448	226	222	577	249	328	2	1	1
Monaragala	210	120	90	186	99	87	270	132	138	-	-	-
Ramapura	785	419	366	757	406	351	941	478	463	2	1	1
Kegalle	686	368	318	680	359	321	956	414	542	-	-	-

Note: (a). District level figures are based on the place of occurrence.

T - Total, M - Male, F - Female

Table 4.5 : Deaths registered by District, Age and Sex - 2013(Part-1)

District	Total	Under 1 Week			1 Week and Under 1 Month			1 Month and Under 3 Months			3 Months and Under 6 Months			6 Months and Under 9 Months			9 Months and Under 1 Year		
		T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F
Sri Lanka	127,183	1,525	875	650	660	362	298	337	195	142	262	142	120	155	86	69	104	52	52
Colombo	21,483	324	193	131	135	64	71	118	72	46	92	47	45	55	32	23	39	21	18
Gampaha	12,502	92	53	39	37	18	19	13	6	7	9	5	4	5	2	3	3	2	1
Kalutara	7,315	50	29	21	19	11	8	7	4	3	2	1	1	4	2	2	-	-	-
Kandy	10,824	207	125	82	91	54	37	52	27	25	31	20	11	15	7	8	14	7	7
Matale	2,783	54	28	26	13	7	6	10	3	7	3	2	1	2	1	1	2	1	1
Nuwaraeliya	4,019	50	31	19	19	9	10	14	6	8	10	3	7	2	-	2	2	1	1
Galle	7,731	63	35	28	29	18	11	10	5	5	15	8	7	12	6	6	6	2	4
Matara	4,874	31	18	13	14	7	7	10	6	4	5	3	2	3	1	2	-	-	-
Hambantota	2,901	13	11	2	12	7	5	3	2	1	3	1	2	-	-	-	2	-	2
Jaffna	4,292	63	33	30	46	19	27	5	4	1	8	4	4	6	5	1	3	1	2
Mannar	417	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
Vavuniya	898	15	8	7	7	4	3	6	5	1	3	2	1	-	-	-	3	1	2
Mullaitivu	693	1	-	1	2	1	1	3	1	2	1	1	-	2	-	2	-	-	-
Kilinochehi	392	11	5	6	4	3	1	2	2	-	2	2	-	2	1	1	1	1	-
Batticaloa	2,561	74	41	33	25	16	9	9	7	2	12	8	4	4	2	2	3	-	3
Ampara	2,779	10	8	2	5	3	2	3	1	2	3	2	1	5	4	1	2	2	-
Trincomalee	1,529	5	2	3	2	2	-	1	1	-	2	1	1	-	-	-	5	4	1
Kurunegala	10,333	192	109	83	74	46	28	21	14	7	15	7	8	9	5	4	3	2	1
Puttalam	3,773	30	17	13	7	3	4	7	4	3	4	2	2	2	1	1	4	3	1
Anuradhapura	4,663	60	34	26	25	15	10	14	8	6	12	9	3	10	5	5	3	-	3
Polonnaruwa	2,035	35	21	14	10	7	3	7	4	3	5	1	4	4	2	2	2	1	1
Badulla	5,106	55	24	31	38	20	18	9	6	3	9	5	4	6	4	2	3	2	1
Monaragala	1,816	8	6	2	4	2	2	3	3	-	5	2	3	2	1	1	-	-	-
Ratnapura	6,400	47	24	23	26	17	9	8	3	5	8	4	4	3	3	-	1	-	1
Kegalle	5,064	35	20	15	15	8	7	2	1	1	2	1	1	2	2	-	3	1	2

Note: (a). District level figures are based on the place of occurrence.

T - Total, M - Male, F - Female

Table 4.5 : Deaths registered by district, age and sex - 2013 (Part-2)

District	Age in Years																	
	1			2			3			4			5-9			10-14		
	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F
	232	131	101	108	67	41	85	46	39	105	66	39	395	220	175	446	263	183
Sri Lanka	76	44	32	31	18	13	21	13	8	23	13	10	98	54	44	92	52	40
Colombo	5	3	2	4	1	3	1	1	-	4	3	1	17	8	9	26	16	10
Gampaha	8	3	5	1	1	-	3	-	3	3	3	-	14	9	5	17	12	5
Kalutara	22	9	13	6	2	4	4	3	1	8	4	4	31	19	12	38	25	13
Kandy	4	1	3	1	1	-	2	2	-	2	2	-	4	3	1	5	3	2
Matale	3	1	2	1	1	-	3	1	2	1	1	-	12	6	6	14	6	8
Nuwaraeliya	22	15	7	3	2	1	8	5	3	8	5	3	18	9	9	26	17	9
Galle	5	3	2	2	1	1	3	2	1	3	2	1	9	5	4	9	4	5
Matara	2	1	1	3	1	2	4	2	2	2	1	1	7	6	1	11	6	5
Hambantota	8	4	4	4	4	-	6	3	3	5	2	3	10	7	3	20	10	10
Jaffna	1	1	-	1	-	1	-	-	-	2	1	1	2	-	2	1	-	1
Mannar	6	5	1	5	4	1	2	-	2	1	1	-	7	3	4	9	5	4
Vavuniya	3	2	1	5	2	3	3	1	2	4	4	-	12	6	6	11	5	6
Mullaitivu	6	4	2	1	1	-	-	-	-	2	2	-	4	3	1	4	-	4
Kilinochchi	4	3	1	6	4	2	4	4	-	2	2	-	15	9	6	25	14	11
Batticaloa	5	4	1	2	2	-	1	-	1	6	3	3	16	4	12	17	12	5
Ampara	4	3	1	2	2	-	1	-	1	3	3	-	14	9	5	13	9	4
Trincomalee	14	6	8	10	7	3	5	5	-	8	3	5	26	16	10	27	16	11
Kurunegala	6	4	2	3	1	2	2	1	1	4	1	3	5	4	1	11	7	4
Puttalam	4	2	2	7	5	2	4	1	3	4	4	-	16	8	8	13	9	4
Anuradhapura	3	2	1	1	-	1	2	-	2	2	2	-	3	2	1	5	3	2
Polonnaruwa	7	5	2	4	4	-	2	-	2	1	-	1	12	7	5	14	8	6
Badulla	3	1	2	2	1	1	1	-	1	1	1	-	8	5	3	3	2	1
Monaragala	6	3	3	3	2	1	1	-	1	5	2	3	18	9	9	26	15	11
Ratnapura	5	2	3	-	-	-	2	2	-	1	1	-	17	9	8	9	7	2
Kegalle																		

Note: (a). District level figures are based on the place of occurrence.

T - Total, M - Male, F - Female

Table 4.5 : Deaths registered by district, age and sex - 2013(Part-4)

District	45-49			50-54			55-59			60-64			65-69			70-74		
	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F
Sri Lanka	4,438	3,104	1,334	6,770	4,681	2,089	8,576	5,818	2,758	11,459	7,452	4,007	13,617	8,327	5,290	14,993	8,508	6,485
Colombo	905	626	279	1,374	913	461	1,663	1,086	577	2,101	1,347	754	2,429	1,420	1,009	2,399	1,381	1,018
Gampaha	413	303	110	609	425	184	819	577	242	1,149	752	397	1,389	824	565	1,461	818	643
Kalutara	205	149	56	326	237	89	380	258	122	588	391	197	749	473	276	929	506	423
Kandy	407	269	138	602	398	204	752	504	248	1,035	653	382	1,272	807	465	1,273	719	554
Matale	90	72	18	153	111	42	168	129	39	252	194	58	296	193	103	343	185	158
Nuwaraeliya	123	81	42	225	147	78	265	160	105	422	265	157	589	337	252	552	319	233
Galle	223	158	65	346	248	98	463	316	147	535	348	187	739	456	283	891	526	365
Matara	113	84	29	171	128	43	252	175	77	324	193	131	379	230	149	469	268	201
Hambantota	79	62	17	134	95	39	168	107	61	215	141	74	252	173	79	245	137	108
Jaffna	132	87	45	188	119	69	263	168	95	405	244	161	486	301	185	578	308	270
Mannar	19	12	7	24	17	7	31	18	13	45	35	10	45	31	14	56	38	18
Vavuniya	37	26	11	55	40	15	69	45	24	88	59	29	99	69	30	99	56	43
Mullaitivu	36	27	9	35	23	12	37	23	14	43	29	14	32	19	13	59	36	23
Kilinochchi	15	12	3	17	12	5	16	11	5	35	26	9	40	25	15	52	33	19
Batticaloa	90	54	36	138	88	50	185	124	61	234	161	73	215	125	90	298	176	122
Ampara	104	65	39	174	114	60	232	177	55	257	161	96	349	208	141	402	234	168
Trincomalee	53	35	18	94	61	33	132	81	51	166	106	60	167	100	67	193	119	74
Kurunegala	357	255	102	558	419	139	644	459	185	933	623	310	1,057	659	398	1,224	679	545
Puttalam	156	119	37	228	173	55	275	191	84	386	248	138	432	267	165	454	261	193
Anuradhapura	225	154	71	293	211	82	419	302	117	485	335	150	526	345	181	522	317	205
Polonnaruwa	67	51	16	126	95	31	184	134	50	217	153	64	214	135	79	213	129	84
Badulla	187	114	73	323	223	100	397	277	120	450	292	158	544	334	210	653	363	290
Monaragala	68	44	24	93	53	40	135	72	63	156	90	66	181	103	78	188	92	96
Ratnapura	188	132	56	296	194	102	369	238	131	536	322	214	651	382	269	802	457	345
Kegalle	146	113	33	188	137	51	258	186	72	402	284	118	485	311	174	638	351	287

Note: (a). District level figures are based on the place of occurrence.

T - Total, M - Male, F - Female

Table 4.5 : Deaths registered by District, Age and Sex - 2013 (Part-5)

District	75-79			80-84			85+			Not stated		
	T	M	F	T	M	F	T	M	F	T	M	F
Sri Lanka	16,137	8,284	7,853	15,980	7,671	8,309	20,500	8,891	11,609	84	56	28
Colombo	2,359	1,230	1,129	2,268	1,063	1,205	2,967	1,163	1,804	12	11	1
Gampaha	1,615	793	822	1,757	780	977	2,276	888	1,388	10	8	2
Kalutara	1,044	543	501	1,065	496	569	1,532	626	906	-	-	-
Kandy	1,347	669	678	1,249	575	674	1,542	639	903	12	8	4
Matale	383	199	184	371	191	180	433	205	228	-	-	-
Nuwaraeliya	563	282	281	431	207	224	460	200	260	2	2	-
Galle	1,027	555	472	1,157	546	611	1,609	718	891	1	1	-
Matara	634	333	301	792	414	378	1,358	580	778	6	5	1
Hambantota	344	171	173	466	234	232	739	344	395	-	-	-
Jaffna	605	292	313	527	290	237	532	263	269	1	-	1
Kilinochchi	56	31	25	42	24	18	31	19	12	-	-	-
Mannar	108	67	41	79	49	30	99	54	45	-	-	-
Vavuniya	36	18	18	30	18	12	23	15	8	-	-	-
Mullaitivu	35	21	14	48	28	20	32	19	13	-	-	-
Batticaloa	284	146	138	255	134	121	181	93	88	1	-	1
Ampara	342	180	162	266	140	126	290	119	171	-	-	-
Trincomalee	180	99	81	156	95	61	156	71	85	-	-	-
Kurunegala	1,355	675	680	1,395	669	726	1,746	795	951	6	3	3
Puttalam	476	212	264	455	185	270	489	205	284	8	2	6
Anuradhapura	535	260	275	463	203	260	574	259	315	9	6	3
Polonnaruwa	231	125	106	232	119	113	237	126	111	2	2	-
Badulla	724	368	356	588	277	311	656	318	338	2	2	-
Monaragala	244	135	109	210	97	113	307	155	152	-	-	-
Ratnapura	865	476	389	888	466	422	1,176	569	607	12	6	6
Kegalle	745	404	341	790	371	419	1,055	448	607	-	-	-

Note: (a). District level figures are based on the place of occurrence.

T - Total, M - Male, F - Female

Table 4.6 : Deaths registered by Ethnic Group, Age and Sex - 2007 (Part-1)

Ethnic Group	Total			Under 1 Week			1 Week and Under 1 Month			1 Month and Under 3 Months			3 Months and Under 6 Months			6 Months and Under 9 Months		
	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F
All Ethnic Groups	118,992	71,174	47,818	1,681	946	735	671	393	278	381	217	164	288	156	132	211	113	98
Sinhalese	91,161	54,513	36,648	1,100	625	475	446	249	197	251	145	106	197	101	96	129	67	62
Sri Lanka Tamil	13,977	8,684	5,293	255	137	118	89	56	33	58	34	24	30	17	13	35	23	12
Indian Tamil	5,687	3,218	2,469	99	52	47	50	29	21	32	17	15	23	15	8	17	8	9
Sri Lanka Moor	7,741	4,516	3,225	225	131	94	86	59	27	39	20	19	37	22	15	30	15	15
Burgher	202	107	95	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-
Malay	111	56	55	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Other	80	57	23	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Not Stated	33	23	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

T - Total, M - Male, F - Female

Table 4.6 : Deaths registered by Ethnic Group, Age and Sex - 2007 (Part-2)

Ethnic Group	9 Months and Under 1 Year			1			2			3			4			5-9		
	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F
All Ethnic Groups	94	48	46	246	142	104	175	99	76	145	72	73	130	76	54	528	288	240
Sinhalese	67	37	30	153	84	69	100	61	39	83	45	38	82	44	38	317	176	141
Sri Lanka Tamil	15	8	7	56	36	20	39	19	20	28	13	15	25	17	8	114	61	53
Indian Tamil	1	-	1	13	6	7	11	7	4	12	5	7	9	7	2	38	21	17
Sri Lanka Moor	11	3	8	22	14	8	25	12	13	21	9	12	13	7	6	57	30	27
Burgher	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2
Malay	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other	-	-	-	2	2	-	-	-	-	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-

T - Total, M - Male, F - Female

Table 4.6 : Deaths registered by Ethnic Group, Age and Sex - 2007 (Part-3)

Ethnic Group	10-14			15-19			20-24			25-29			30-34			35-39		
	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F
All Ethnic Groups	540	295	245	1,226	779	447	2,171	1,643	528	2,344	1,737	607	2,228	1,685	543	2,756	2,071	685
Sinhalese	336	180	156	795	515	280	1,515	1,175	340	1,613	1,240	373	1,541	1,200	341	2,017	1,568	449
Sri Lanka Tamil	120	66	54	280	175	105	460	346	114	512	365	147	460	323	137	456	327	129
Indian Tamil	27	14	13	43	19	24	82	48	34	93	59	34	88	68	20	122	80	42
Sri Lanka Moor	55	34	21	103	67	36	108	70	38	123	70	53	134	89	45	157	92	65
Burgher	1	-	1	3	1	2	3	3	-	2	2	-	3	3	-	1	1	-
Malay	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-	1	1	-
Other	-	-	-	2	2	-	2	1	1	1	1	-	2	2	-	2	2	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

T - Total, M - Male, F - Female

Table 4.6 : Deaths registered by Ethnic Group, Age and Sex - 2007 (Part-4)

Ethnic Group	40-44			45-49			50-54			55-59			60-64			65-69		
	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F
All Ethnic Group	3,496	2,677	819	5,081	3,773	1,308	6,603	4,704	1,899	8,621	6,042	2,579	9,339	6,106	3,233	11,076	6,861	4,215
Sinhalese	2,585	2,055	530	3,692	2,816	876	4,878	3,530	1,348	6,165	4,411	1,754	6,700	4,472	2,228	8,122	5,079	3,043
Sri Lanka Tamil	514	363	151	736	525	211	841	596	245	1,232	837	395	1,210	775	435	1,302	794	508
Indian Tamil	147	101	46	270	176	94	330	202	128	542	352	190	626	355	271	752	434	318
Sri Lanka Moor	238	149	89	366	245	121	521	353	168	649	417	232	776	489	287	857	528	329
Burgher	9	8	1	5	3	2	9	7	2	13	10	3	12	7	5	17	9	8
Malay	1	-	1	5	2	3	15	7	8	10	6	4	8	5	3	18	13	5
Other	1	1	-	3	2	1	7	7	-	4	3	1	4	2	2	6	3	3
Not Stated	1	-	1	4	4	-	2	2	-	6	6	-	3	1	2	2	1	1

T - Total, M - Male, F - Female

Table 4.6 : Deaths registered by Ethnic Group, Age and Sex - 2007 (Part-5)

Ethnic Group	70-74			75-79			80-84			85+			Not Stated		
	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F
All Ethnic Groups	13,837	7,905	5,932	13,775	7,506	6,269	14,393	7,073	7,320	16,954	7,765	9,189	2	2	-
Sinhalese	10,571	6,024	4,547	10,964	6,023	4,941	11,957	5,835	6,122	14,785	6,756	8,029	-	-	-
Sri Lanka Tamil	1,509	904	605	1,359	720	639	1,223	641	582	1,019	506	513	-	-	-
Indian Tamil	755	422	333	594	317	277	472	214	258	439	190	249	-	-	-
Sri Lanka Moor	959	528	431	811	429	382	675	346	329	643	288	355	-	-	-
Burgher	26	13	13	21	7	14	38	20	18	35	12	23	-	-	-
Malay	9	6	3	15	5	10	10	5	5	16	4	12	-	-	-
Other	6	6	-	9	4	5	15	11	4	12	7	5	-	-	-
Not Stated	2	2	-	2	1	1	3	1	2	5	2	3	2	2	-

T - Total, M - Male, F - Female

Table 4.6 : Deaths registered by Ethnic Group, Age and Sex - 2008 (Part-1)

Ethnic Group	Total			Under 1 Week			1 Week and Under 1 Month			1 Month and Under 3 Months			3 Months and Under 6 Months			6 Months and Under 9 Months		
	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F
All Ethnic Groups	123,814	73,690	50,124	1,633	906	727	685	394	291	378	228	150	314	173	141	231	129	102
Sinhalese	97,671	58,208	39,463	1,201	657	544	468	266	202	244	147	97	225	130	95	155	83	72
Sri Lanka Tamil	12,337	7,574	4,763	136	71	65	70	36	34	46	30	16	37	21	16	30	13	17
Indian Tamil	5,486	3,148	2,338	92	56	36	50	37	13	30	15	15	14	4	10	19	11	8
Sri Lanka Moor	7,794	4,461	3,333	201	119	82	93	52	41	54	34	20	38	18	20	27	22	5
Burgher	340	189	151	2	2	-	2	2	-	3	2	1	-	-	-	-	-	-
Malay	118	59	59	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-
Other	48	34	14	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-
Not Stated	20	17	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

T - Total, M - Male, F - Female

Note: - Deaths registered in Kilinochchi and Mullaitivu districts in 2008 have not reported .

Table 4.6 : Deaths registered by Ethnic Group, Age and Sex - 2008 (Part-2)

Ethnic Group	9 Months and Under 1 Year			1			2			3			4			5-9		
	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F
All Ethnic Groups	121	58	63	324	170	154	194	101	93	134	79	55	118	65	53	473	257	216
Sinhalese	80	36	44	216	117	99	107	57	50	85	49	36	84	50	34	330	177	153
Sri Lanka Tamil	16	9	7	37	15	22	40	19	21	21	15	6	16	7	9	74	43	31
Indian Tamil	6	1	5	18	10	8	13	5	8	9	3	6	6	3	3	27	18	9
Sri Lanka Moor	17	10	7	48	26	22	33	19	14	19	12	7	12	5	7	41	19	22
Burgher	2	2	-	4	2	2	1	1	-	-	-	-	-	-	-	-	-	-
Malay	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Not Stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

T - Total, M - Male, F - Female

Note: - Deaths registered in Kilinochchi and Mullaitivu districts in 2008 have not reported .

Table 4.6 : Deaths registered by Ethnic Group, Age and Sex - 2008 (Part-3)

Ethnic Group	10-14			15-19			20-24			25-29			30-34			35-39		
	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F
All Ethnic Groups	527	303	224	1,312	879	433	2,043	1,569	474	2,199	1,666	533	2,112	1,560	552	2,515	1,859	656
Sinhalese	358	202	156	954	664	290	1,601	1,277	324	1,667	1,304	363	1,590	1,186	404	1,901	1,426	475
Sri Lanka Tamil	88	54	34	215	135	80	284	191	93	351	246	105	327	246	81	344	255	89
Indian Tamil	18	8	10	50	28	22	60	36	24	70	40	30	87	58	29	125	88	37
Sri Lanka Moor	59	37	22	90	50	40	91	59	32	104	73	31	102	67	35	140	87	53
Burgher	2	1	1	3	2	1	5	4	1	6	2	4	3	1	2	3	1	2
Malay	1	-	1	-	-	-	1	1	-	-	-	-	2	1	1	1	1	-
Other	1	1	-	-	-	-	1	1	-	1	1	-	1	1	-	1	1	-
Not Stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

T - Total, M - Male, F - Female

Note: - Deaths registered in Kilinochchi and Mullaitivu districts in 2008 have not reported .

Table 4.6 : Deaths registered by Ethnic Group, Age and sex - 2008 (Part-4)

Ethnic Group	40-44			45-49			50-54			55-59			60-64			65-69		
	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F
All Ethnic Group	3,540	2,670	870	5,149	3,809	1,340	6,879	4,999	1,880	8,597	6,052	2,545	10,087	6,740	3,347	11,431	7,044	4,387
Sinhalese	2,688	2,072	616	3,904	2,960	944	5,237	3,893	1,344	6,334	4,509	1,825	7,401	4,996	2,405	8,580	5,401	3,179
Sri Lanka Tamil	472	347	125	639	459	180	787	560	227	1,083	785	298	1,153	772	381	1,204	724	480
Indian Tamil	142	97	45	212	143	69	331	210	121	474	295	179	673	421	252	732	381	351
Sri Lanka Moor	224	145	79	378	233	145	498	316	182	662	434	228	807	510	297	862	512	350
Burgher	8	4	4	10	9	1	15	12	3	32	22	10	32	25	7	37	20	17
Malay	4	3	1	2	1	1	4	2	2	9	4	5	15	11	4	15	6	9
Other	2	2	-	4	4	-	6	5	1	2	2	-	4	3	1	1	-	1
Not Stated	-	-	-	-	-	-	1	1	-	1	1	-	2	2	-	-	-	-

T - Total, M - Male, F - Female

Note: - Deaths registered in Kilinochchi and Mullaitivu districts in 2008 have not reported .

Table 4.6 : Deaths registered by Ethnic Group, Age and Sex - 2008 (Part-5)

Ethnic Group	70-74			75-79			80-84			85+			Not Stated		
	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F
All Ethnic Groups	14,912	8,437	6,475	14,766	7,803	6,963	15,413	7,616	7,797	17,688	8,091	9,597	39	33	6
Sinhalese	11,619	6,610	5,009	11,932	6,302	5,630	13,093	6,483	6,610	15,595	7,136	8,459	22	18	4
Sri Lanka Tamil	1,418	780	638	1,315	693	622	1,153	582	571	979	464	515	2	2	-
Indian Tamil	784	418	366	608	340	268	442	216	226	394	206	188	-	-	-
Sri Lanka Moor	1,037	602	435	854	436	418	672	313	359	629	249	380	2	2	-
Burgher	32	19	13	42	21	21	38	17	21	58	18	40	-	-	-
Malay	16	4	12	10	6	4	12	5	7	23	13	10	-	-	-
Other	5	3	2	5	5	-	3	-	3	8	4	4	-	-	-
Not Stated	1	1	-	-	-	-	-	-	-	2	1	1	13	11	2

T - Total, M - Male, F - Female

Note: - Deaths registered in Kilinochchi and Mullaitivu districts in 2008 have not reported .

Table 4.6 : Deaths registered by Ethnic Group, Age and Sex - 2009 (Part-1)

Ethnic Group	Total			Under 1 Week			1 Week and Under 1 Month			1 Month and Under 3 Months			3 Months and Under 6 Months			6 Months and Under 9 Months		
	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F
All Ethnic Group	127,776	76,094	51,682	1,677	977	700	688	384	304	408	209	199	363	191	172	261	136	125
Sinhalese	97,189	58,258	38,931	1,151	690	461	481	268	213	283	139	144	257	130	127	156	79	77
Sri Lanka Tamil	16,881	10,007	6,874	233	123	110	85	52	33	66	37	29	68	41	27	64	37	27
Indian Tamil	4,996	2,865	2,131	86	47	39	35	19	16	13	8	5	6	4	2	6	3	3
Sri Lanka Moor	8,052	4,573	3,479	206	116	90	85	45	40	45	24	21	32	16	16	33	17	16
Burgher	312	184	128	-	-	-	1	-	1	-	-	-	-	-	-	1	-	1
Malay	171	87	84	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Other	117	83	34	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Not Stated	58	37	21	1	1	-	-	-	-	-	-	-	-	-	-	1	-	1

T - Total, M - Male, F - Female

Table 4.6 : Deaths registered by Ethnic Group, Age and Sex - 2009 (Part-2)

Ethnic Group	9 Months and Under 1 Year			1			2			3			4			5-9		
	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F
All Ethnic Group	169	91	78	322	173	149	225	106	119	178	96	82	153	92	61	704	376	328
Sinhalese	95	46	49	180	97	83	112	51	61	80	46	34	71	45	26	336	174	162
Sri Lanka Tamil	50	28	22	96	52	44	76	29	47	66	35	31	52	29	23	259	141	118
Indian Tamil	2	2	-	8	4	4	11	6	5	9	6	3	6	3	3	26	18	8
Sri Lanka Moor	22	15	7	38	20	18	25	20	5	23	9	14	24	15	9	80	40	40
Burgher	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malay	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	1	-
Other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-

T - Total, M - Male, F - Female

Table 4.6 : Deaths registered by Ethnic Group, Age and Sex - 2009 (Part-3)

Ethnic Group	10-14			15-19			20-24			25-29			30-34			35-39		
	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F
All Ethnic Group	713	351	362	1,950	1,463	487	3,469	2,856	613	2,822	2,138	684	2,604	1,929	675	2,741	2,006	735
Sinhalese	362	186	176	1,397	1,130	267	2,663	2,337	326	1,954	1,583	371	1,697	1,316	381	1,882	1,422	460
Sri Lanka Tamil	267	124	143	428	264	164	652	430	222	705	461	244	682	471	211	593	418	175
Indian Tamil	24	14	10	43	25	18	49	29	20	56	34	22	93	59	34	101	66	35
Sri Lanka Moor	58	26	32	79	43	36	96	54	42	102	56	46	121	77	44	147	87	60
Burgher	2	1	1	2	1	1	5	2	3	2	2	-	6	3	3	6	5	1
Malay	-	-	-	1	-	1	1	1	-	1	1	-	1	-	1	1	1	-
Other	-	-	-	-	-	-	2	2	-	2	1	1	4	3	1	8	6	2
Not Stated	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	3	1	2

T - Total, M - Male, F - Female

Table 4.6 : Deaths registered by Ethnic Group, Age and Sex - 2009 (Part-4)

Ethnic Group	40-44			45-49			50-54			55-59			60-64			65-69		
	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F
All Ethnic Group	3,606	2,639	967	5,282	3,829	1,453	6,863	4,816	2,047	9,142	6,206	2,936	10,589	6,903	3,686	12,190	7,436	4,754
Sinhalese	2,581	1,947	634	3,828	2,919	909	5,067	3,658	1,409	6,613	4,581	2,032	7,673	5,039	2,634	8,844	5,472	3,372
Sri Lanka Tamil	650	452	198	850	517	333	923	594	329	1,294	817	477	1,422	919	503	1,591	944	647
Indian Tamil	139	94	45	215	138	77	325	214	111	472	288	184	580	353	227	709	406	303
Sri Lanka Moor	217	133	84	367	244	123	513	326	187	722	487	235	848	543	305	975	569	406
Burgher	7	4	3	12	9	3	12	7	5	21	16	5	24	19	5	29	16	13
Malay	3	1	2	6	-	6	8	6	2	9	7	2	26	19	7	20	14	6
Other	6	6	-	1	-	1	11	8	3	8	7	1	8	5	3	14	11	3
Not Stated	3	2	1	3	2	1	4	3	1	3	3	-	8	6	2	8	4	4

T - Total, M - Male, F - Female

Table 4.6 : Deaths registered by Ethnic Group, Age and Sex - 2009 (Part-5)

Ethnic Group	70-74			75-79			80-84			85+			Not Stated		
	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F
All Ethnic Groups	14,406	8,194	6,212	15,074	7,929	7,145	14,272	6,995	7,277	16,875	7,547	9,328	30	26	4
Sinhalese	10,943	6,265	4,678	11,945	6,296	5,649	11,869	5,813	6,056	14,650	6,511	8,139	19	18	1
Sri Lanka Tamil	1,663	952	711	1,593	833	760	1,274	637	637	1,177	569	608	2	1	1
Indian Tamil	698	376	322	572	292	280	379	190	189	331	166	165	2	1	1
Sri Lanka Moor	1,016	557	459	890	464	426	665	303	362	620	264	356	3	3	-
Burgher	41	21	20	43	28	15	44	27	17	53	22	31	1	1	-
Malay	22	9	13	18	5	13	26	13	13	25	8	17	-	-	-
Other	20	12	8	8	6	2	13	11	2	10	4	6	-	-	-
Not Stated	3	2	1	5	5	-	2	1	1	9	3	6	3	2	1

T - Total, M - Male, F - Female

Table 4.6 : Deaths registered by Ethnic Group, Age and Sex - 2010 (Part-1)

Ethnic Group	Total			Under 1 Week			1 Week and Under 1 Month			1 Month and Under 3 Months			3 Months and Under 6 Months			6 Months and Under 9 Months		
	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F
All Ethnic Groups	130,337	75,818	54,519	1,795	999	796	761	409	352	402	209	193	317	166	151	209	113	96
Sinhalese	94,871	55,016	39,855	1,203	668	535	538	286	252	272	135	137	207	115	92	126	71	55
Sri Lanka Tamil	21,270	12,859	8,411	275	140	135	93	50	43	57	33	24	52	27	25	42	20	22
Indian Tamil	5,302	3,039	2,263	95	59	36	45	29	16	33	20	13	18	11	7	16	8	8
Sri Lanka Moor	8,104	4,450	3,654	218	130	88	80	42	38	38	20	18	39	12	27	24	14	10
Burgher	284	158	126	-	-	-	1	-	1	1	1	-	-	-	-	1	-	1
Malay	160	83	77	3	1	2	1	1	-	-	-	-	-	-	-	-	-	-
Other	219	130	89	-	-	-	1	-	1	1	-	1	1	1	-	-	-	-
Not Stated	127	83	44	1	1	-	2	1	1	-	-	-	-	-	-	-	-	-

T - Total, M - Male, F - Female

Table 4.6 : Deaths registered by Ethnic Group, Age and Sex - 2010 (Part-2)

Ethnic Group	9 Months and Under 1 Year			1			2			3			4			5-9		
	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F
All Ethnic Groups	121	68	53	283	166	117	222	126	96	186	110	76	155	79	76	796	418	378
Sinhalese	67	38	29	164	95	69	88	50	38	77	43	34	52	27	25	308	162	146
Sri Lanka Tamil	28	14	14	86	54	32	93	55	38	78	49	29	84	46	38	386	191	195
Indian Tamil	8	6	2	6	4	2	9	6	3	7	5	2	5	3	2	25	16	9
Sri Lanka Moor	17	9	8	27	13	14	28	12	16	22	11	11	13	3	10	74	47	27
Burgher	-	-	-	-	-	-	1	1	-	2	2	-	-	-	-	2	1	1
Malay	-	-	-	-	-	-	1	-	1	-	-	-	1	-	1	-	-	-
Other	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	1	1	-
Not stated	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

T - Total, M - Male, F - Female

Table 4.6 : Deaths registered by Ethnic Group, Age and Sex - 2010 (Part-3)

Ethnic Group	10-14			15-19			20-24			25-29			30-34			35-39		
	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F
All Ethnic Groups	844	462	382	1,717	1,016	701	2,874	1,888	986	2,798	1,914	884	2,507	1,717	790	2,739	1,900	839
Sinhalese	331	196	135	752	460	292	1,115	819	296	1,272	910	362	1,326	937	389	1,657	1,158	499
Sri Lanka Tamil	431	225	206	835	490	345	1,609	983	626	1,369	924	445	998	677	321	814	581	233
Indian Tamil	24	9	15	40	21	19	52	28	24	62	33	29	76	42	34	109	61	48
Sri Lanka Moor	56	32	24	87	44	43	85	50	35	90	45	45	102	58	44	144	88	56
Burgher	-	-	-	-	-	-	5	3	2	2	1	1	1	1	-	9	7	2
Malay	1	-	1	1	-	1	1	-	1	1	-	1	1	1	-	1	1	-
Other	1	-	1	2	1	1	6	4	2	1	-	1	2	-	2	3	3	-
Not stated	-	-	-	-	-	-	1	1	-	1	1	-	1	1	-	2	1	1

T - Total, M - Male, F - Female

Table 4.6 : Deaths registered by Ethnic Group, Age and Sex - 2010 (Part-4)

Ethnic Group	40-44			45-49			50-54			55-59			60-64			65-69		
	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F
All Ethnic Groups	3,384	2,441	943	5,337	3,844	1,493	6,997	4,887	2,110	8,994	6,211	2,783	11,413	7,373	4,040	12,485	7,728	4,757
Sinhalese	2,272	1,694	578	3,728	2,790	938	4,896	3,533	1,363	6,352	4,482	1,870	7,966	5,230	2,736	8,893	5,594	3,299
Sri Lanka Tamil	760	529	231	997	667	330	1,193	767	426	1,439	953	486	1,761	1,127	634	1,702	1,021	681
Indian Tamil	124	81	43	229	148	81	315	202	113	441	278	163	637	386	251	784	460	324
Sri Lanka Moor	217	128	89	355	221	134	555	358	197	701	456	245	958	568	390	1,025	602	423
Burgher	4	3	1	13	8	5	9	6	3	24	19	5	25	17	8	29	20	9
Malay	1	1	-	3	2	1	4	3	1	13	8	5	21	14	7	20	12	8
Other	4	4	-	6	4	2	10	6	4	17	11	6	27	18	9	18	10	8
Not stated	2	1	1	6	4	2	15	12	3	7	4	3	18	13	5	14	9	5

T - Total, M - Male, F - Female

Table 4.6 : Deaths registered by Ethnic Group, Age and Sex - 2010 (Part-5)

Ethnic Group	70-74			75-79			80-84			85+			Not Stated		
	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F
All Ethnic Groups	14,770	8,443	6,327	15,063	7,876	7,187	14,961	7,274	7,687	18,136	7,931	10,205	71	50	21
Sinhalese	11,185	6,404	4,781	11,791	6,150	5,641	12,482	6,061	6,421	15,710	6,875	8,835	41	33	8
Sri Lanka Tamil	1,734	1,024	710	1,719	944	775	1,330	666	664	1,295	596	699	10	6	4
Indian Tamil	747	431	316	648	329	319	412	214	198	334	149	185	1	-	1
Sri Lanka Moor	1,025	536	489	795	397	398	644	287	357	684	267	417	1	-	1
Burgher	20	14	6	49	20	29	37	15	22	49	19	30	-	-	-
Malay	21	10	11	20	10	10	15	6	9	30	13	17	-	-	-
Other	26	15	11	27	19	8	33	21	12	27	8	19	3	2	1
Not stated	12	9	3	14	7	7	8	4	4	7	4	3	15	9	6

T - Total, M - Male, F - Female

Table 4.6 : Deaths registered by Ethnic Group, Age and Sex - 2013 (Part-1)

Ethnic Group	Total			Under 1 Week			1 Week and Under 1 Month			1 Month and Under 3 Months			3 Months and Under 6 Months			6 Months and Under 9 Months		
	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F
All Ethnic Groups	127,183	72,410	54,773	1,525	875	650	660	362	298	337	195	142	262	142	120	155	86	69
Sinhalese	98,627	55,874	42,753	1,045	592	453	461	260	201	229	128	101	181	91	90	109	60	49
Sri Lanka Tamil	14,750	8,806	5,944	219	114	105	113	59	54	54	36	18	45	29	16	22	10	12
Indian Tamil	4,944	2,661	2,283	68	33	35	36	18	18	12	6	6	7	2	5	4	1	3
Sri Lanka Moor	7,918	4,509	3,409	170	122	48	44	22	22	38	21	17	27	18	9	19	14	5
Burgher	290	151	139	2	-	2	1	-	1	1	1	-	-	-	-	-	-	-
Malay	198	110	88	4	1	3	-	-	-	-	-	-	-	-	-	1	1	-
Other	287	183	104	12	8	4	1	-	1	3	3	-	2	2	-	-	-	-
Not Stated	169	116	53	5	5	-	4	3	1	-	-	-	-	-	-	-	-	-

T - Total, M - Male, F - Female

Table 4.6 : Deaths registered by Ethnic Group, Age and Sex - 2013 (Part-2)

Ethnic Group	9 Months and Under 1 Year			1			2			3			4			5-9		
	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F
All Ethnic Groups	104	52	52	232	131	101	108	67	41	85	46	39	105	66	39	395	220	175
Sinhalese	70	37	33	152	81	71	65	41	24	52	29	23	67	39	28	249	136	113
Sri Lanka Tamil	17	8	9	46	29	17	22	14	8	21	10	11	23	16	7	81	51	30
Indian Tamil	4	2	2	6	3	3	7	4	3	5	1	4	4	2	2	8	4	4
Sri Lanka Moor	12	4	8	22	14	8	11	6	5	7	6	1	11	9	2	55	27	28
Burgher	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malay	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	1	-
Other	-	-	-	5	4	1	-	-	-	-	-	-	-	-	-	1	1	-
Not stated	1	1	-	1	-	1	2	2	-	-	-	-	-	-	-	-	-	-

T - Total, M - Male, F - Female

Table 4.6 : Deaths registered by Ethnic Group, Age and Sex - 2013 (Part-3)

Ethnic Group	10-14			15-19			20-24			25-29			30-34			35-39		
	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F
All Ethnic Groups	446	263	183	1,021	680	341	1,377	950	427	1,395	984	411	1,713	1,200	513	1,981	1,419	562
Sinhalese	276	170	106	629	412	217	899	630	269	927	687	240	1,134	795	339	1,444	1,039	405
Sri Lanka Tamil	94	43	51	294	208	86	363	250	113	339	223	116	382	289	93	352	264	88
Indian Tamil	19	10	9	30	17	13	37	20	17	43	22	21	61	38	23	65	37	28
Sri Lanka Moor	54	37	17	59	39	20	71	46	25	71	42	29	118	66	52	111	71	40
Burgher	-	-	-	3	1	2	-	-	-	2	2	-	4	3	1	1	1	-
Malay	1	1	-	2	1	1	1	-	1	1	1	-	1	-	1	-	-	-
Other	-	-	-	3	1	2	4	2	2	8	4	4	5	3	2	5	4	1
Not stated	2	2	-	1	1	-	2	2	-	4	3	1	8	6	2	3	3	-

T - Total, M - Male, F - Female

Table 4.6 : Deaths registered by Ethnic Group, Age and Sex - 2013 (Part-4)

Ethnic Group	40-44			45-49			50-54			55-59			60-64			65-69		
	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F
All Ethnic Group	2,728	1,880	848	4,438	3,104	1,334	6,770	4,681	2,089	8,576	5,818	2,758	11,459	7,452	4,007	13,617	8,327	5,290
Sinhalese	2,006	1,404	602	3,373	2,430	943	5,040	3,558	1,482	6,435	4,419	2,016	8,455	5,556	2,899	10,139	6,285	3,854
Sri Lanka Tamil	415	278	137	576	380	196	829	552	277	1,077	695	382	1,440	946	494	1,626	994	632
Indian Tamil	95	57	38	164	100	64	295	185	110	330	217	113	554	314	240	740	402	338
Sri Lanka Moor	192	126	66	289	168	121	541	342	199	663	434	229	929	582	347	1,034	596	438
Burgher	2	2	-	9	7	2	20	12	8	17	15	2	20	15	5	24	11	13
Malay	6	6	-	6	3	3	11	8	3	15	10	5	23	14	9	16	12	4
Other	10	6	4	11	8	3	25	20	5	30	22	8	25	16	9	19	14	5
Not Stated	2	1	1	10	8	2	9	4	5	9	6	3	13	9	4	19	13	6

T - Total, M - Male, F - Female

Table 4.6 : Deaths registered by Ethnic Group, Age and Sex - 2013(Part-5)

Ethnic Group	70-74			75-79			80-84			85+			Not Stated		
	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F
All Ethnic Groups	14,993	8,508	6,485	16,137	8,284	7,853	15,980	7,671	8,309	20,500	8,891	11,609	84	56	28
Sinhalese	11,337	6,436	4,901	12,677	6,523	6,154	13,232	6,274	6,958	17,881	7,724	10,157	63	38	25
Sri Lanka Tamil	1,776	1,013	763	1,706	880	826	1,433	753	680	1,378	658	720	7	4	3
Indian Tamil	747	403	344	710	356	354	466	223	243	425	182	243	2	2	-
Sri Lanka Moor	1,029	593	436	927	463	464	752	368	384	661	272	389	1	1	-
Burgher	30	20	10	48	24	24	35	15	20	71	22	49	-	-	-
Malay	25	15	10	26	11	15	23	12	11	34	13	21	-	-	-
Other	29	16	13	30	16	14	27	19	8	32	14	18	-	-	-
Not Stated	20	12	8	13	11	2	12	7	5	18	6	12	11	11	-

T - Total, M - Male, F - Female

INFANT DEATHS

Table 5.1 : Infant Deaths registered by District and Sex 2008,2009,2010,2013

District	2008 ^(b)			2009			2010			2013		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
Sri Lanka	3,362	1,888	1,474	3,566	1,988	1,578	3,605	1,964	1,641	3,043	1,712	1,331
Colombo	876	505	371	876	484	392	868	468	400	763	429	334
Gampaha	105	56	49	128	69	59	106	55	51	159	86	73
Kalutara	60	29	31	93	50	43	91	44	47	82	47	35
Kandy	295	174	121	414	244	170	490	278	212	410	240	170
Matale	71	46	25	69	37	32	76	43	33	84	42	42
Nuwaraeliya	151	88	63	115	56	59	118	77	41	97	50	47
Galle	249	144	105	213	121	92	162	89	73	135	74	61
Matara	138	74	64	132	75	57	144	76	68	63	35	28
Hambantota	54	29	25	51	27	24	47	23	24	33	21	12
Jaffna	27	13	14	59	35	24	130	65	65	131	66	65
Mannar	1	-	1	163	84	79	52	22	30	2	2	-
Vavuniya	43	24	19	16	8	8	33	18	15	34	20	14
Mullaitivu	-	-	-	1	-	1	1	1	-	9	3	6
Kilinochchi	-	-	-	2	1	1	-	-	-	22	14	8
Batticaloa	144	79	65	182	102	80	196	114	82	127	74	53
Ampara	53	34	19	43	25	18	61	29	32	28	20	8
Trincomalee	48	23	25	38	22	16	24	9	15	15	10	5
Kurunegala	384	198	186	260	148	112	251	139	112	314	183	131
Puttalam	96	58	38	92	58	34	94	44	50	54	30	24
Anuradhapura	177	93	84	200	109	91	267	145	122	124	71	53
Polonnaruwa	87	46	41	59	37	22	20	14	6	63	36	27
Badulla	121	65	56	107	56	51	145	80	65	120	61	59
Monaragala	17	8	9	36	19	17	19	6	13	22	14	8
Ratnapura	119	74	45	146	82	64	144	91	53	93	51	42
Kegalle	46	28	18	71	39	32	66	34	32	59	33	26

Note: (a). District level figures are based on the place of occurrence.

(b). Deaths registered in Kilinochchi and Mullaitivu districts in 2008 have not been reported.

Table 5.2 : Infant Deaths registered by District, Sector and Sex - 2008

District	Total		Urban		Rural		Estate	
	Total	Male	Female	Total	Male	Female	Total	Female
Sri Lanka	3,362	1,888	1,474	2,908	1,650	1,258	424	202
Colombo	876	505	371	862	500	362	14	9
Gampaha	105	56	49	59	31	28	46	21
Kalutara	60	29	31	54	27	27	6	4
Kandy	295	174	121	279	165	114	14	7
Matale	71	46	25	61	43	18	9	6
Nuwaraeliya	151	88	63	107	65	42	19	9
Galle	249	144	105	227	131	96	22	13
Matara	138	74	64	121	64	57	16	10
Hambantota	54	29	25	38	21	17	16	8
Jaffna	27	13	14	23	11	12	4	2
Mannar	1	-	1	1	-	1	-	-
Vavuniya	43	24	19	41	23	18	2	1
Mullaitivu (c)	-	-	-	-	-	-	-	-
Kilinochchi (c)	-	-	-	-	-	-	-	-
Batticaloa	144	79	65	124	68	56	20	11
Ampara	53	34	19	38	23	15	15	11
Trincomalee	48	23	25	43	19	24	5	4
Kurunegala	384	198	186	351	187	164	33	11
Puttalam	96	58	38	84	51	33	12	7
Anuradhapura	177	93	84	166	86	80	11	7
Polonnaruwa	87	46	41	-	-	-	87	46
Badulla	121	65	56	90	51	39	30	13
Monaragala	17	8	9	-	-	-	17	8
Ratnapura	119	74	45	103	63	40	16	11
Kegalle	46	28	18	36	21	15	10	7

Note: (a). District level figures are based on the place of occurrence.

(b). Estates are defined in the Medical Warrants Ordinance.

(c). Deaths registered in Kilinochchi and Mullaitivu districts in 2008 have not been reported.

Table 5.2 : Infant Deaths registered by District, Sector and Sex - 2009

District	Total			Urban			Rural			Estate		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
Sri Lanka	3,566	1,988	1,578	3,102	1,756	1,346	445	225	220	19	7	12
Colombo	876	484	392	857	476	381	19	8	11	-	-	-
Gampaha	128	69	59	99	60	39	29	9	20	-	-	-
Kalutara	93	50	43	86	47	39	7	3	4	-	-	-
Kandy	414	244	170	394	236	158	17	7	10	3	1	2
Matale	69	37	32	60	33	27	9	4	5	-	-	-
Nuwaraeliya	115	56	59	93	47	46	11	6	5	11	3	8
Galle	213	121	92	180	107	73	33	14	19	-	-	-
Matara	132	75	57	117	65	52	15	10	5	-	-	-
Hambantota	51	27	24	45	24	21	6	3	3	-	-	-
Jaffna	59	35	24	56	33	23	3	2	1	-	-	-
Mannar	2	1	1	1	-	1	1	1	-	-	-	-
Vavuniya	163	84	79	130	65	65	33	19	14	-	-	-
Mullaitivu	16	8	8	-	-	-	16	8	8	-	-	-
Kilinochchi	1	-	1	-	-	-	1	-	1	-	-	-
Batticaloa	182	102	80	173	98	75	9	4	5	-	-	-
Ampara	43	25	18	32	19	13	11	6	5	-	-	-
Trincomalee	38	22	16	33	19	14	5	3	2	-	-	-
Kurunegala	260	148	112	229	134	95	31	14	17	-	-	-
Puttalam	92	58	34	81	52	29	11	6	5	-	-	-
Anuradhapura	200	109	91	181	100	81	19	9	10	-	-	-
Polonnaruwa	59	37	22	-	-	-	59	37	22	-	-	-
Badulla	107	56	51	75	38	37	30	17	13	2	1	1
Monaragala	36	19	17	-	-	-	36	19	17	-	-	-
Ratnapura	146	82	64	121	70	51	24	11	13	1	1	-
Kegalle	71	39	32	59	33	26	10	5	5	2	1	1

Note: (a). District level figures are based on the place of occurrence.

(b). Estates are defined in the Medical Warrants Ordinance.

Table 5.2 : Infant Deaths registered by District, Sector and Sex - 2010

District	Total			Urban			Rural			Estate		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
Sri Lanka	3,605	1,964	1,641	3,213	1,750	1,463	367	198	169	25	16	9
Colombo	868	468	400	846	456	390	22	12	10	-	-	-
Gampaha	106	55	51	64	34	30	42	21	21	-	-	-
Kalutara	91	44	47	87	43	44	4	1	3	-	-	-
Kandy	490	278	212	474	268	206	16	10	6	-	-	-
Matale	76	43	33	67	37	30	8	6	2	1	-	1
Nuwareliya	118	77	41	87	56	31	14	9	5	17	12	5
Galle	162	89	73	140	78	62	22	11	11	-	-	-
Matara	144	76	68	135	71	64	8	4	4	1	1	-
Hambantota	47	23	24	37	16	21	10	7	3	-	-	-
Jaffna	130	65	65	126	64	62	4	1	3	-	-	-
Mannar	-	-	-	-	-	-	-	-	-	-	-	-
Vavuniya	52	22	30	44	18	26	8	4	4	-	-	-
Mullaitivu	33	18	15	-	-	-	33	18	15	-	-	-
Kilinochchi	1	1	-	-	-	-	1	1	-	-	-	-
Batticaloa	196	114	82	184	110	74	12	4	8	-	-	-
Ampara	61	29	32	46	21	25	15	8	7	-	-	-
Trincomalee	24	9	15	17	8	9	7	1	6	-	-	-
Kurunegala	251	139	112	237	130	107	14	9	5	-	-	-
Puttalam	94	44	50	86	38	48	8	6	2	-	-	-
Anuradhapura	267	145	122	256	140	116	11	5	6	-	-	-
Polonnaruwa	20	14	6	-	-	-	20	14	6	-	-	-
Badulla	145	80	65	107	59	48	37	20	17	1	1	-
Monaragala	19	6	13	-	-	-	19	6	13	-	-	-
Ratnapura	144	91	53	117	73	44	24	17	7	3	1	2
Kegalle	66	34	32	56	30	26	8	3	5	2	1	1

Note: (a). District level figures are based on the place of occurrence.

(b). Estates are defined in the Medical Warrants Ordinance.

Table 5.2 : Infant Deaths registered by District, Sector and Sex - 2013

District	Total			Urban			Rural			Estate		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
Sri Lanka	3,043	1,712	1,331	2,604	1,469	1,135	429	240	189	10	3	7
Colombo	763	429	334	743	420	323	20	9	11	-	-	-
Gampaha	159	86	73	88	53	35	71	33	38	-	-	-
Kalutara	82	47	35	79	45	34	3	2	1	-	-	-
Kandy	410	240	170	394	233	161	15	7	8	1	-	1
Matale	84	42	42	72	37	35	12	5	7	-	-	-
Nuwaraeliya	97	50	47	78	41	37	12	8	4	7	1	6
Galle	135	74	61	118	64	54	17	10	7	-	-	-
Matara	63	35	28	53	27	26	10	8	2	-	-	-
Hambantota	33	21	12	27	18	9	6	3	3	-	-	-
Jaffna	131	66	65	124	61	63	7	5	2	-	-	-
Mannar	2	2	-	-	-	-	2	2	-	-	-	-
Vavuniya	34	20	14	28	16	12	6	4	2	-	-	-
Mullaitivu	9	3	6	-	-	-	9	3	6	-	-	-
Kilinochchi	22	14	8	-	-	-	22	14	8	-	-	-
Batticaloa	127	74	53	122	73	49	5	1	4	-	-	-
Ampara	28	20	8	20	15	5	8	5	3	-	-	-
Trincomalee	15	10	5	11	7	4	4	3	1	-	-	-
Kurunegala	314	183	131	277	162	115	37	21	16	-	-	-
Puttalam	54	30	24	48	26	22	6	4	2	-	-	-
Anuradhapura	124	71	53	111	63	48	13	8	5	-	-	-
Polonnaruwa	63	36	27	-	-	-	63	36	27	-	-	-
Badulla	120	61	59	96	46	50	24	15	9	-	-	-
Monaragala	22	14	8	-	-	-	22	14	8	-	-	-
Ratnapura	93	51	42	73	41	32	20	10	10	-	-	-
Kegalle	59	33	26	42	21	21	15	10	5	2	2	-

Note: (a). District level figures are based on the place of occurrence.

(b). Estates are defined in the Medical Warrants Ordinance.

MIGRATION

Table 6.1 : Movements of Persons To and From Sri Lanka, 2011 - 2016

Nationality	2011		2012		2013	
	Arrivals	Departure	Arrivals	Departure	Arrivals	Departure
Sri Lankan	1,206,135	1,235,288	1,208,997	1,265,825	1,202,403	1,263,560
Asians(Excluding Sri Lankan)	616,104	609,429	622,489	618,080	675,903	671,436
Europeans	470,165	462,254	513,747	513,461	587,041	579,453
North Americans	70,780	69,532	73,420	73,584	76,997	76,210
South Americans	1,863	1,754	1,854	1,815	2,430	2,410
Africans	9,939	9,243	10,916	10,749	12,966	12,744
Australians	56,475	89,845	63,775	63,571	70,152	69,772
Others	1,246	1,225	1,174	1,141	1,019	998
Total	2,432,707	2,478,570	2,496,372	2,548,226	2,628,911	2,676,583

Table 6.1 : Movements of Persons To and From Sri Lanka, 2011 - 2016 (Cont.)

Nationality	2014		2015		2016	
	Arrivals	Departure	Arrivals	Departure	Arrivals	Departure
Sri Lankan	1,264,144	1,311,767	1,362,406	1,356,753	1,485,005	1,447,786
Asians(Excluding Sri Lankan)	780,282	776,834	966,694	961,525	1,097,447	1,092,462
Europeans	655,206	651,849	725,617	723,035	837,360	836,314
North Americans	81,654	81,983	94,738	94,031	110,443	110,228
South Americans	3,010	2,962	3,554	3,592	4,195	4,188
Africans	16,441	16,389	17,607	17,651	21,095	21,065
Australians	73,328	74,196	80,087	80,002	94,822	94,511
Others	1,153	1,138	1,201	1,204	1,710	1,752
Total	2,875,218	2,917,118	3,251,904	3,237,793	3,652,077	3,608,306

Source: Department of Immigration and Emigration

CAUSE OF DEATH

Table 7.1 : Number of Deaths according to Cause of Death and Sex - 2007, 2009,2010, 2013 (ICD10)

Cause of death	2007			2009			2010			2013		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
1-001 Certain infectious and parasitic diseases A00-B99	3,154	2,008	1,146	4,139	2,588	1,551	4,042	2,483	1,559	4,096	2,403	1,693
1-002 Cholera A00	1	-	1	-	-	-	-	-	-	-	-	-
1-003 Diarrhoea and gastroenteritis of presumed Infectious origin A09	331	182	149	452	251	201	321	161	160	288	143	145
1-004 Other inestinal infectious diseases A01-A08	9	7	2	16	11	5	5	1	4	5	4	1
1-005 Respiratory tuberculosis A15-A16	778	576	202	837	609	228	745	577	168	606	446	160
1-006 Other tuberculosis A17-A19	30	20	10	40	27	13	25	11	14	37	20	17
1-007 Plague A20	-	-	-	1	1	-	-	-	-	-	-	-
1-008 Tetanus A33-A35	15	11	4	16	13	3	6	5	1	5	4	1
1-009 Diphtheria A36	-	-	-	-	-	-	-	-	-	-	-	-
1-010 Whooping cough A37	-	-	-	-	-	-	-	-	-	-	-	-
1-011 Meningococcal infection A39	6	-	6	8	5	3	12	9	3	4	2	2
1-012 Septicaemia A40-A41	1,460	833	627	1,830	1,063	767	2,075	1,170	905	2,627	1,446	1,181
1-013 Infection with a predominantly sexual mode of transmission A50-A64	5	4	1	4	3	1	21	18	3	1	1	-
1-014 Acute poliomyelitis A80	2	1	1	-	-	-	4	-	4	-	-	-
1-015 Rabies A82	37	24	13	37	25	12	32	25	7	14	8	6
1-016 Yellow fever A95	4	2	2	-	-	-	-	-	-	-	-	-
1-017 Other arthropod-borne viral fevers and viral haemorrhagic fevers	118	69	49	344	158	186	303	147	156	133	61	72
1-018 Measles B05	-	-	-	-	-	-	-	-	-	2	2	-
1-019 Viral hepatitis B15-B19	3	1	2	2	1	1	8	3	5	3	1	2
1-020 Human immunodeficiency virus [HIV] disease B20-B24	4	4	-	-	-	-	2	1	1	4	1	3
1-021 Malaria B50-B54	10	6	4	4	4	-	7	5	2	-	-	-
1-022 Leishmaniasis B55	-	-	-	-	-	-	-	-	-	-	-	-
1-023 Trypanosomiasis B56-B57	-	-	-	-	-	-	-	-	-	-	-	-
1-024 Schistosomiasis B65	-	-	-	-	-	-	-	-	-	-	-	-
1-025 Remainder of certain infectious and parasitic diseases	341	268	73	548	417	131	476	350	126	367	264	103

Table 7.1 : Number of Deaths according to Cause of Death and Sex - 2007, 2009,2010, 2013 (ICD10)

Cause of death	2007			2009			2010			2013		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
1-026 Neoplasms C00-D48	10,631	5,827	4,804	11,286	6,105	5,181	11,836	6,438	5,398	12,954	7,166	5,788
1-027 Malignant neoplasm of lip,oral cavity and pharynx C00-C14	969	700	269	1,102	816	286	1,121	833	288	1,152	863	289
1-028 Malignant neoplasm of oesophagus C15	802	433	369	765	431	334	905	534	371	613	371	242
1-029 Malignant neoplasm of stomach C16	519	280	239	583	299	284	643	333	310	506	272	234
1-030 Malignant neoplasm of colon,rectum and anus C18-C21	224	128	96	217	125	92	268	148	120	372	205	167
1-031 Malignant neoplasm of liver and intrahepatic bile ducts C22	538	338	200	532	335	197	597	373	224	698	491	207
1-032 Malignant neoplasm of pancreas C25	105	59	46	106	66	40	114	70	44	121	75	46
1-033 Malignant neoplasm of larynx C32	68	58	10	137	113	24	94	79	15	199	132	67
1-034 Malignant neoplasm of trachea, bronchus and lung C33-C34	912	667	245	1,031	777	254	992	764	228	1,233	902	331
1-035 Malignant melanoma of skin C43	4	2	2	9	7	2	5	3	2	2	1	1
1-036 Malignant neoplasm of breast C50	462	10	452	628	3	625	661	2	659	695	7	688
1-037 Malignant neoplasm of cervix uteri C53	94	-	94	120	-	120	122	-	122	117	-	117
1-038 Malignant neoplasm of other and unspecified parts of uterus C54-C55	265	-	265	293	-	293	269	-	269	294	-	294
1-039 Malignant neoplasm of ovary C56	185	-	185	175	-	175	225	-	225	213	-	213
1-040 Malignant neoplasm of prostate C61	102	102	-	120	120	-	133	133	-	159	159	-
1-041 Malignant neoplasm of bladder C67	108	94	14	147	116	31	128	104	24	173	131	42
1-042 Malignant neoplasm of meninges , brain and other parts of central nervous system C70-C72	307	173	134	345	198	147	421	235	186	471	251	220
1-043 Non-Hodgkin s lymphoma C82-C85	196	118	78	221	137	84	247	159	88	266	154	112
1-044 Multiple myeloma and malignant plasma cell neoplasms C90	122	67	55	115	63	52	115	62	53	139	86	53
1-045 Leukaemia C91-C95	497	271	226	557	308	249	546	287	259	598	314	284
1-046 Remainder of malignant neoplasm	4,064	2,286	1,778	3,968	2,138	1,830	4,114	2,252	1,862	4,874	2,723	2,151
1-047 Remainder of neoplasms D00-D48	88	41	47	115	53	62	116	67	49	59	29	30

Table 7.1 : Number of Deaths according to Cause of Death and Sex - 2007, 2009,2010, 2013 (ICD10)

Cause of death	2007		2009		2010		2013	
	Total	Male Female	Total	Male Female	Total	Male Female	Total	Male Female
1-048 Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D50-D89								
1-049 Anaemias D50-D64	269	149 120	271	124 147	275	124 151	360	173 187
1-050 Remainder of diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D65-D89	222	119 103	223	106 117	225	99 126	309	150 159
	47	30 17	48	18 30	50	25 25	51	23 28
1-051 Endocrine,nutritional and metabolic diseases E00-E88								
1-052 Diabetes mellitus E10-E14	8,357	4,365 3,992	9,680	4,970 4,710	9,501	4,819 4,682	10,424	5,281 5,143
1-053 Malnutrition E40-E46	8,023	4,206 3,817	9,362	4,818 4,544	9,161	4,644 4,517	10,093	5,102 4,991
1-054 Remainder of endocrine, nutritional and metabolic diseases	107	50 57	63	29 34	49	27 22	32	19 13
	227	109 118	255	123 132	291	148 143	299	160 139
1-055 Mental and behavioural disorders F01-F99								
1-056 Mental and behavioural disorders due to psychoactive substance use F10-F19	450	346 104	486	355 131	434	359 75	201	126 75
1-057 Remainder of mental and behavioural disorders F01-F09, F20-F99	262	245 17	230	224 6	285	277 8	66	59 7
	188	101 87	256	131 125	149	82 67	135	67 68
1-058 Diseases of the nervous system G00-G98								
1-059 Meningitis G00,G03	9,909	5,388 4,521	10,014	5,271 4,743	9,877	5,151 4,726	10,631	5,442 5,189
1-060 Alzheimer s diseases G30	159	106 53	170	110 60	165	98 67	123	79 44
1-061 Remainder of disease of the nervous system G04-G25, G31-G98	-	- -	2	- 2	1	- 1	1	1 -
	9,750	5,282 4,468	9,842	5,161 4,681	9,711	5,053 4,658	10,507	5,362 5,145
1-062 Diseases of the eye and adnexa H00-H57								
1-063 Diseases of the ear and mastoid process H60-H93	8	8 -	-	- -	11	7 4	6	4 2
	1	- 1	1	- 1	1	1 -	1	1 -
1-064 Diseases of the circulatory system I00-I99								
1-065 Acute rheumatic fever and chronic rheumatic heart diseases I00-I99	29,716	18,066 11,650	31,389	18,569 12,820	32,601	19,141 13,460	31,842	18,684 13,158
1-066 Hypertensive diseases I10-I14	73	28 45	56	16 40	43	21 22	57	23 34
1-067 Ischaemic heart diseases I20-I25	6,659	3,428 3,231	7,468	3,652 3,816	7,980	4,001 3,979	6,482	3,118 3,364
1-068 Other heart diseases I26-I51	6,282	4,002 2,280	5,521	3,395 2,126	5,943	3,604 2,339	6,603	4,065 2,538
1-069 Cerebrovascular diseases I60-I69	12,538	8,031 4,507	14,128	9,003 5,125	14,426	8,998 5,428	14,766	9,167 5,599
1-070 Atherosclerotic I70	3,696	2,267 1,429	3,745	2,189 1,556	3,722	2,207 1,515	3,488	2,048 1,440
1-071 Remainder of diseases of the circulatory system I71-I99	40	21 19	53	36 17	45	31 14	93	67 26
	428	289 139	418	278 140	442	279 163	353	196 157

Table 7.1 : Number of Deaths according to Cause of Death and Sex - 2007, 2009,2010, 2013 (ICD10)

Cause of death	2007			2009			2010			2013		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
1-072 Diseases of the respiratory system J00-J98	11,550	7,015	4,535	12,310	7,429	4,881	12,096	7,292	4,804	12,434	7,533	4,901
1-073 Influenza J10-J11	6	4	2	10	5	5	13	8	5	5	2	3
1-074 Pneumonia J12-J18	2,423	1,540	883	2,949	1,805	1,144	2,826	1,752	1,074	3,070	1,865	1,205
1-075 Other acute lower respiratory infections J20-J22	172	94	78	138	70	68	172	103	69	208	115	93
1-076 Chronic lower respiratory diseases J40-J47	7,712	4,612	3,100	8,029	4,835	3,194	7,894	4,684	3,210	7,538	4,553	2,985
1-077 Remainder of diseases of the respiratory system	1,237	765	472	1,184	714	470	1,191	745	446	1,613	998	615
1-078 Diseases of the digestive system K00-K92	4,114	3,345	769	3,988	3,166	822	3,584	2,854	730	3,409	2,545	864
1-079 Gastric and duodenal ulcer K25-K27	51	26	25	27	19	8	41	26	15	37	21	16
1-080 Diseases of the liver K70-K76	3,380	2,886	494	3,296	2,709	587	2,914	2,417	497	2,646	2,062	584
1-081 Remainder of diseases of the digestive system	683	433	250	665	438	227	629	411	218	726	462	264
1-082 Diseases of the skin and subcutaneous tissue L00-L98	126	67	59	107	60	47	129	71	58	194	104	90
1-083 Diseases of the musculoskeletal system and connective tissue	242	91	151	182	69	113	136	44	92	236	98	138
1-084 Diseases of the genitourinary system N00-N98	3,269	2,255	1,014	3,731	2,630	1,101	3,904	2,657	1,247	4,488	3,027	1,461
1-085 Glomerular and renal tubulo-interstitial diseases N00-N15	188	116	72	219	151	68	296	194	102	206	121	85
1-086 Remainder of diseases of the genitourinary System N17-N98	3,081	2,139	942	3,512	2,479	1,033	3,608	2,463	1,145	4,282	2,906	1,376

Table 7.1 : Number of Deaths according to Cause of Death and Sex - 2007, 2009,2010, 2013 (ICD10)

Cause of death	2007			2009			2010			2013		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
1-087 Pregnancy, childbirth and the puerperium O00-O09	46	-	46	27	-	27	39	-	39	25	-	25
1-088 Pregnancy with abortive outcome O00-O07	11	-	11	11	-	11	11	-	11	8	-	8
1-089 Other direct obstetric deaths O10-O92	33	-	33	15	-	15	28	-	28	17	-	17
1-090 Indirect obstetric deaths O98-O99	-	-	-	1	-	1	-	-	-	-	-	-
1-091 Remainder of pregnancy,childbirth and the puerperium O95-O97	2	-	2	-	-	-	-	-	-	-	-	-
1-092 Certain condition originating in the perinatal period P00-P96	1,948	1,100	848	1,922	1,093	829	2,056	1,125	931	1,743	977	766
1-093 Congenital malformations,deformations and chromosomal abnormalities Q00-Q99	1,138	624	514	1,263	669	594	1,150	614	536	1,176	669	507
1-094 Symptoms signs and abnormal clinical and laboratory findings, not elsewhere classified R00-R99	20,623	9,870	10,753	19,134	8,945	10,189	19,530	9,105	10,425	22,362	10,059	12,303
1-095 External causes of morbidity and mortality V01-Y99	13,247	10,472	2,775	17,831	14,039	3,792	19,131	13,529	5,602	10,196	7,747	2,449
1-096 Transport accidents V01-Y99	2,402	1,992	410	2,457	2,012	445	2,615	2,132	483	2,451	1,984	467
1-097 Falls W00-W19	1,055	775	280	1,068	769	299	1,050	781	269	954	670	284
1-098 Accidental drowning and submersion W65-W74	924	727	197	800	652	148	896	691	205	894	723	171
1-099 Exposure to smoke,fire and flames X00-X09	290	93	197	266	89	177	298	74	224	221	84	137
1-100 Accidental poisoning by and exposure to noxious substances X40-X49	230	177	53	160	119	41	107	80	27	129	100	29
1-101 Intentional self-harm X60-X84	3,859	2,946	913	3,597	2,793	804	3,562	2,698	864	3,164	2,440	724
1-102 Assault X85-Y09	745	630	115	605	485	120	417	337	80	410	308	102
1-103 All other external causes W20-W64,W75-W99,X10-X39, X50-X59,...	3,742	3,132	610	8,878	7,120	1,758	10,186	6,736	3,450	1,973	1,438	535
1-106 Disappearance	194	178	16	15	12	3	4	4	-	405	371	34
Total	118,992	71,174	47,818	127,776	76,094	51,682	130,337	75,818	54,519	127,183	72,410	54,773

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2007 (List 1 - ICD10)

Cause of death	Total deaths			Age at death in days						Total 0-29 days	
	T	M	F	0-7			8-29			M	F
				M	F		M	M	F		
1-001 Certain infectious and parasitic diseases A00-B99	3,154	2,008	1,146	11	14	14	14	14	8	25	22
1-002 Cholera A00	1	-	1	-	-	-	-	-	-	-	-
1-003 Diarrhoea and gastroenteritis of presumed Infectious origin A09	331	182	149	-	-	-	-	-	-	-	-
1-004 Other inestinal infectious diseases A01-A08	9	7	2	-	-	-	-	-	-	-	-
1-005 Respiratory tuberculosis A15-A16	778	576	202	1	-	-	-	-	-	1	-
1-006 Other tuberculosis A17-A19	30	20	10	-	-	-	-	-	-	-	-
1-007 Plague A20	-	-	-	-	-	-	-	-	-	-	-
1-008 Tetanus A33-A35	15	11	4	-	-	-	-	-	-	-	-
1-009 Diphtheria A36	-	-	-	-	-	-	-	-	-	-	-
1-010 Whooping cough A37	-	-	-	-	-	-	-	-	-	-	-
1-011 Meningococcal infection A39	6	-	6	-	-	-	-	-	-	-	-
1-012 Septicaemia A40-A41	1,460	833	627	10	14	14	14	14	8	24	22
1-013 Infection with a predominantly sexual mode of transmission A50-A64	5	4	1	-	-	-	-	-	-	-	-
1-014 Acute poliomyelitis A80	2	1	1	-	-	-	-	-	-	-	-
1-015 Rabies A82	37	24	13	-	-	-	-	-	-	-	-
1-016 Yellow fever A95	4	2	2	-	-	-	-	-	-	-	-
1-017 Other arthropod-borne viral fevers and viral haemorrhagic fevers	118	69	49	-	-	-	-	-	-	-	-
1-018 Measles B05	-	-	-	-	-	-	-	-	-	-	-
1-019 Viral hepatitis B15-B19	3	1	2	-	-	-	-	-	-	-	-
1-020 Human immunodeficiency virus [HIV] disease B20-B24	4	4	-	-	-	-	-	-	-	-	-
1-021 Malaria B50-B54	10	6	4	-	-	-	-	-	-	-	-
1-022 Leishmaniasis B55	-	-	-	-	-	-	-	-	-	-	-
1-023 Trypanosomiasis B56-B57	-	-	-	-	-	-	-	-	-	-	-
1-024 Schistosomiasis B65	-	-	-	-	-	-	-	-	-	-	-
1-025 Remainder of certain infectious and parasitic diseases	341	268	73	-	-	-	-	-	-	-	-

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2007 (List 1 - ICD10)(Cont.)

Cause of death	Total deaths			Age at death in days						Total 0-29 days	
	T	M	F	0-7			8-29			M	F
				M	F	M	M	F	M		
1-026 Neoplasms C00-D48	10,631	5,827	4,804	4	3	3	3	3	7	6	6
1-027 Malignant neoplasm of lip, oral cavity and pharynx C00-C14	969	700	269	-	-	-	-	-	-	-	-
1-028 Malignant neoplasm of oesophagus C15	802	433	369	1	1	-	-	1	1	2	2
1-029 Malignant neoplasm of stomach C16	519	280	239	-	-	-	-	-	-	-	-
1-030 Malignant neoplasm of colon, rectum and anus C18-C21	224	128	96	-	-	-	-	-	-	-	-
1-031 Malignant neoplasm of liver and intrahepatic bile ducts C22	538	338	200	-	-	-	-	-	-	-	-
1-032 Malignant neoplasm of pancreas C25	105	59	46	-	-	-	-	-	-	-	-
1-033 Malignant neoplasm of larynx C32	68	58	10	-	-	-	-	-	-	-	-
1-034 Malignant neoplasm of trachea, bronchus and lung C33-C34	912	667	245	1	-	1	-	-	2	-	-
1-035 Malignant melanoma of skin C43	4	2	2	-	-	-	-	-	-	-	-
1-036 Malignant neoplasm of breast C50	462	10	452	-	-	-	-	-	-	-	-
1-037 Malignant neoplasm of cervix uteri C53	94	-	94	-	-	-	-	-	-	-	-
1-038 Malignant neoplasm of other and unspecified parts of uterus C54-C55	265	-	265	-	-	-	-	-	-	-	-
1-039 Malignant neoplasm of ovary C56	185	-	185	-	-	-	-	-	-	-	-
1-040 Malignant neoplasm of prostate C61	102	102	-	-	-	-	-	-	-	-	-
1-041 Malignant neoplasm of bladder C67	108	94	14	-	-	-	-	-	-	-	-
1-042 Malignant neoplasm of meninges, brain and other parts of central nervous system C70-C72	307	173	134	-	-	-	-	-	-	-	-
1-043 Non-Hodgkin s lymphoma C82-C85	196	118	78	-	-	-	-	-	-	-	-
1-044 Multiple myeloma and malignant plasma cell neoplasms C90	122	67	55	-	-	-	-	-	-	-	-
1-045 Leukaemia C91-C95	497	271	226	-	-	-	-	-	-	-	-
1-046 Remainder of malignant neoplasm	4,064	2,286	1,778	2	2	2	2	2	4	4	4
1-047 Remainder of neoplasms D00-D48	88	41	47	-	-	-	-	-	-	-	-

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2007 (List 1 - ICD10)(Cont.)

Cause of death	Total deaths			Age at death in days						Total	
	T	M	F	0-7		8-29		0-29 days			
				M	F	M	F	M	F		
1-048 Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D50-D89	269	149	120	-	-	-	-	-	-	-	
	222	119	103	-	-	-	-	-	-	-	
	47	30	17	-	-	-	-	-	-	-	
	8,357	4,365	3,992	1	-	1	-	2	-	-	
1-051 Endocrine, nutritional and metabolic diseases E00-E88	8,023	4,206	3,817	1	-	-	-	1	-	-	
1-052 Diabetes mellitus E10-E14	107	50	57	-	-	-	-	-	-	-	
1-053 Malnutrition E40-E46	227	109	118	-	-	1	-	1	-	-	
1-054 Remainder of endocrine, nutritional and metabolic diseases	450	346	104	-	-	-	-	-	-	-	
1-055 Mental and behavioural disorders F01-F99	262	245	17	-	-	-	-	-	-	-	
1-056 Mental and behavioural disorders due to psychoactive substance use F10-F19	188	101	87	-	-	-	-	-	-	-	
1-057 Remainder of mental and behavioural disorders F01-F09, F20-F99	9,909	5,388	4,521	1	2	1	4	2	6	6	
1-058 Diseases of the nervous system G00-G98	159	106	53	1	1	-	2	1	3	3	
1-059 Meningitis G00, G03	-	-	-	-	-	-	-	-	-	-	
1-060 Alzheimer's diseases G30	9,750	5,282	4,468	-	1	1	2	1	3	3	
1-061 Remainder of disease of the nervous system G04-G25, G31-G98	8	8	-	-	-	-	-	-	-	-	
1-062 Diseases of the eye and adnexa H00-H57	1	-	1	-	-	-	-	-	-	-	
1-063 Diseases of the ear and mastoid process H60-H93	29,716	18,066	11,650	17	16	9	5	26	21	21	
1-064 Diseases of the circulatory system I00-I99	73	28	45	-	-	-	-	-	-	-	
1-065 Acute rheumatic fever and chronic rheumatic heart diseases I00-I99	6,659	3,428	3,231	1	1	1	-	2	1	1	
1-066 Hypertensive diseases I10-I14	6,282	4,002	2,280	1	3	1	1	2	4	4	
1-067 Ischaemic heart diseases I20-I25	12,538	8,031	4,507	13	11	5	4	18	15	15	
1-068 Other heart diseases I26-I51	3,696	2,267	1,429	2	1	1	-	3	1	1	
1-069 Cerebrovascular diseases I60-I69	40	21	19	-	-	-	-	-	-	-	
1-070 Atherosclerotic I70	428	289	139	-	-	1	-	1	-	-	
1-071 Remainder of diseases of the circulatory system I71-I99											

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2007 (List 1 - ICD10)(Cont.)

Cause of death	Total deaths			Age at death in days			Total 0-29 days		
	T	M	F	0-7	8-29		M		F
				M	F				
1-072 Diseases of the respiratory system J00-J98	11,550	7,015	4,535	12	7	3	15	9	
1-073 Influenza J10-J11	6	4	2	-	-	-	-	-	-
1-074 Pneumonia J12-J18	2,423	1,540	883	5	5	2	7	7	
1-075 Other acute lower respiratory infections J20-J22	172	94	78	-	-	-	-	-	-
1-076 Chronic lower respiratory diseases J40-J47	7,712	4,612	3,100	5	1	1	6	1	
1-077 Remainder of diseases of the respiratory system	1,237	765	472	2	1	-	2	1	
1-078 Diseases of the digestive system K00-K92	4,114	3,345	769	2	5	1	3	5	
1-079 Gastric and duodenal ulcer K25-K27	51	26	25	-	-	-	-	-	-
1-080 Diseases of the liver K70-K76	3,380	2,886	494	2	3	1	3	3	
1-081 Remainder of diseases of the digestive system	683	433	250	-	2	-	-	2	
1-082 Diseases of the skin and subcutaneous tissue L00-L98	126	67	59	-	-	-	-	-	
1-083 Diseases of the musculoskeletal system and connective tissue M00-M99	242	91	151	-	-	-	-	-	
1-084 Diseases of the genitourinary system N00-N98	3,269	2,255	1,014	4	-	-	4	1	
1-085 Glomerular and renal tubulo-interstitial diseases N00-N15	188	116	72	-	-	-	-	1	
1-086 Remainder of diseases of the genitourinary system N17-N98	3,081	2,139	942	4	-	-	4	-	

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2007 (List 1 - ICD10)(Cont.)

Cause of death	Total deaths			Age at death in days						Total 0-29 days	
	T	M	F	M	F	M	F	M	F	M	F
1-087 Pregnancy, childbirth and the puerperium O00-O09	46	-	46	-	-	-	-	-	-	-	-
1-088 Pregnancy with abortive outcome O00-O07	11	-	11	-	-	-	-	-	-	-	-
1-089 Other direct obstetric deaths O10-O92	33	-	33	-	-	-	-	-	-	-	-
1-090 Indirect obstetric deaths O98-O99	-	-	-	-	-	-	-	-	-	-	-
1-091 Remainder of pregnancy,childbirth and the puerperium O95-O97	2	-	2	-	-	-	-	-	-	-	-
1-092 Certain condition originating in the perinatal period P00-P96	1,948	1,100	848	761	602	244	168	1,005	770		
1-093 Congenital malformations,deformations and chromosomal abnormalities	1,138	624	514	162	107	58	44	220	151		
1-094 Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified R00-R99	20,623	9,870	10,753	20	6	4	7	24	13		
1-095 External causes of morbidity and mortality V01-Y99	13,247	10,472	2,775	5	6	1	3	6	9		
1-096 Transport accidents V01-Y99	2,402	1,992	410	1	2	-	2	1	4		
1-097 Falls W00-W19	1,055	775	280	1	-	-	-	1	-		
1-098 Accidental drowning and submersion W65-W74	924	727	197	-	-	-	-	-	-		
1-099 Exposure to smoke,fire and flames X00-X09	290	93	197	-	-	-	-	-	-		
1-100 Accidental poisoning by and exposure to noxious substances X40-X49	230	177	53	2	1	-	-	2	1		
1-101 Intentional self-harm X60-X84	3,859	2,946	913	-	-	-	-	-	-		
1-102 Assault X85-Y09	745	630	115	-	-	-	-	-	-		
1-103 All other external causes W20-W64, W75-W99, X10-X39, .	3,742	3,132	610	1	3	1	1	2	4		
1-106 Dissaperance	194	178	16	-	-	-	-	-	-		
Total	118,992	71,174	47,818	1,000	768	339	245	1,339	1,013		

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2007 (List 1 - ICD10) (Cont.)

Cause of death	Age at death in months						Total	
	1-2		3-5		6-8		9-11	
	M	F	M	F	M	F	M	F
1-001 Certain infectious and parasitic diseases A00-B99	16	15	11	7	10	12	4	3
1-002 Cholera A00	-	-	-	-	-	-	-	-
1-003 Diarrhoea and gastroenteritis of presumed Infectious origin A09	1	1	2	1	4	3	-	-
1-004 Other irrestinal infectious diseases A01-A08	-	-	-	-	-	-	-	5
1-005 Respiratory tuberculosis A15-A16	-	-	-	-	-	-	-	-
1-006 Other tuberculosis A17-A19	-	-	-	-	-	-	-	-
1-007 Plague A20	-	-	-	-	-	-	-	-
1-008 Tetanus A33-A35	-	-	-	-	-	-	-	-
1-009 Diphtheria A36	-	-	-	-	-	-	-	-
1-010 Whooping cough A37	-	-	-	-	-	-	-	-
1-011 Meningococcal infection A39	-	-	-	1	-	-	-	1
1-012 Septicaemia A40-A41	15	12	7	5	5	7	4	2
1-013 Infection with a predominantly sexual mode of transmission A50-A64	-	-	-	-	-	-	-	-
1-014 Acute poliomyelitis A80	-	-	-	-	-	-	-	-
1-015 Rabies A82	-	-	-	-	-	-	-	-
1-016 Yellow fever A95	-	-	-	-	-	-	-	-
1-017 Other arthropod-borne viral fevers and viral haemorrhagic fevers	-	1	1	-	-	1	-	3
1-018 Measles B05	-	-	-	-	-	-	-	-
1-019 Viral hepatitis B15-B19	-	-	-	-	-	-	-	-
1-020 Human immunodeficiency virus [HIV] disease B20-B24	-	-	-	-	-	-	-	-
1-021 Malaria B50-B54	-	-	-	-	-	-	-	-
1-022 Leishmaniasis B55	-	-	-	-	-	-	-	-
1-023 Trypanosomiasis B56-B57	-	-	-	-	-	-	-	-
1-024 Schistosomiasis B65	-	-	-	-	-	-	-	-
1-025 Remainder of certain infectious and parasitic diseases	-	1	1	-	1	1	-	2

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2007 (List 1 - ICD10) (Cont.)

Cause of death	Age at death in months						Total	
	1-2		3-5		6-8		9-11	
	M	F	M	F	M	F	M	F
1-026 Neoplasms C00-D48	4	1	1	2	4	1	2	-
1-027 Malignant neoplasm of lip, oral cavity and pharynx C00-C14	-	-	-	-	-	-	-	-
1-028 Malignant neoplasm of oesophagus C15	-	-	-	-	-	-	-	-
1-029 Malignant neoplasm of stomach C16	-	-	-	-	-	-	-	-
1-030 Malignant neoplasm of colon, rectum and anus C18-C21	-	-	-	-	-	-	-	-
1-031 Malignant neoplasm of liver and intrahepatic bile ducts C22	4	-	-	-	-	-	1	-
1-032 Malignant neoplasm of pancreas C25	-	-	-	-	-	-	-	-
1-033 Malignant neoplasm of larynx C32	-	-	-	-	-	-	-	-
1-034 Malignant neoplasm of trachea, bronchus and lung C33-C34	-	-	-	-	-	-	-	-
1-035 Malignant melanoma of skin C43	-	-	-	-	-	-	-	-
1-036 Malignant neoplasm of breast C50	-	-	-	-	-	-	-	-
1-037 Malignant neoplasm of cervix uteri C53	-	-	-	-	-	-	-	-
1-038 Malignant neoplasm of other and unspecified parts of uterus C54-C55	-	-	-	-	-	-	-	-
1-039 Malignant neoplasm of ovary C56	-	-	-	-	-	-	-	-
1-040 Malignant neoplasm of prostate C61	-	-	-	-	-	-	-	-
1-041 Malignant neoplasm of bladder C67	-	-	-	-	-	-	-	-
1-042 Malignant neoplasm of meninges, brain and other parts of central nervous system C70-C72	-	-	-	-	-	-	-	-
1-043 Non-Hodgkin s lymphoma C82-C85	-	-	-	1	-	1	-	-
1-044 Multiple myeloma and malignant plasma cell neoplasms C90	-	-	-	-	-	-	-	-
1-045 Leukaemia C91-C95	-	1	1	-	-	-	-	-
1-046 Remainder of malignant neoplasm	-	-	-	1	4	-	1	-
1-047 Remainder of neoplasms D00-D48	-	-	-	-	-	-	-	-

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2007 (List 1 - ICD10) (Cont.)

Cause of death	Age at death in months						Total	
	1-2		3-5		6-8		9-11	
	M	F	M	F	M	F	M	F
1-048 Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D50-D89								
1-049 Anaemias D50-D64	1	-	1	-	1	-	3	-
1-050 Remainder of diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D65-D89	1	-	-	-	1	-	2	-
	-	-	1	-	-	-	1	-
1-051 Endocrine, nutritional and metabolic diseases E00-E88								
1-052 Diabetes mellitus E10-E14	2	3	3	2	2	1	9	8
1-053 Malnutrition E40-E46	-	1	1	-	1	-	2	1
1-054 Remainder of endocrine, nutritional and metabolic diseases	1	-	-	-	-	-	1	-
	1	2	2	2	1	1	6	7
1-055 Mental and behavioural disorders F01-F99								
1-056 Mental and behavioural disorders due to psychoactive substance use	-	-	-	-	-	-	-	-
1-057 Remainder of mental and behavioural disorders F01-F09, F20-F99	-	-	-	-	-	-	-	-
1-058 Diseases of the nervous system G00-G98								
1-059 Meningitis G00, G03	8	6	2	6	8	4	23	18
1-060 Alzheimer's diseases G30	3	2	2	2	1	1	7	5
1-061 Remainder of disease of the nervous system G04-G25, G31-G98	-	-	-	-	-	-	-	-
	5	4	-	4	7	3	16	13
1-062 Diseases of the eye and adnexa H00-H57								
1-063 Diseases of the ear and mastoid process H60-H93	-	-	-	-	-	-	-	-
1-064 Diseases of the circulatory system I00-I99								
1-065 Acute rheumatic fever and chronic rheumatic heart diseases I00-I09	10	9	11	11	9	8	34	29
1-066 Hypertensive diseases I10-I14	-	-	-	-	-	-	-	-
1-067 Ischaemic heart diseases I20-I25	-	1	1	1	2	-	3	2
1-068 Other heart diseases I26-I51	-	1	-	1	-	-	-	2
1-069 Cerebrovascular diseases I60-I69	10	6	8	8	7	6	28	20
1-070 Atherosclerotic I70	-	1	2	1	-	2	3	5
1-071 Remainder of diseases of the circulatory system I71-I99	-	-	-	-	-	-	-	-

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2007 (List 1 - ICD10) (Cont.)

Cause of death	Age at death in months										Total	
	1-2		3-5		6-8		9-11		1-11 months			
	M	F	M	F	M	F	M	F	M	F		
1-072 Diseases of the respiratory system J00-J98	23	14	26	25	17	22	10	5	76	66		
	-	-	-	-	-	-	-	-	-	-		
	12	10	15	17	9	15	4	2	40	44		
	3	2	3	3	5	3	2	2	13	10		
	4	-	2	2	-	2	3	-	9	4		
	4	2	6	3	3	2	1	1	14	8		
	3	3	3	1	3	2	-	2	9	8		
1-078 Diseases of the digestive system K00-K92	-	-	-	-	-	-	-	-	-	-		
	2	1	3	-	2	1	-	2	7	4		
	1	2	-	1	1	1	-	-	2	4		
	-	-	-	-	1	-	-	-	1	-		
	5	1	1	-	2	2	1	1	9	4		
1-082 Diseases of the skin and subcutaneous tissue L00-L98	-	-	-	-	1	-	-	-	1	-		
	-	-	1	-	-	-	-	-	1	-		
	-	-	-	-	-	1	-	-	-	-		
	5	1	1	-	2	2	1	1	9	4		
	-	-	-	-	-	1	-	-	-	1		
	5	1	1	-	2	1	1	1	9	3		

Table 7.2 : Number of deaths according to Cause, Age and Sex - 2007 (List 1 - ICD10) (Cont.)

Cause of death	Age at death in months										Total 1-11 months	
	1-2		3-5		6-8		9-11				M	F
	M	F	M	F	M	F	M	F	M	F		
1-087 Pregnancy, childbirth and the puerperium O00-O09	-	-	-	-	-	-	-	-	-	-	-	-
1-088 Pregnancy with abortive outcome O00-O07	-	-	-	-	-	-	-	-	-	-	-	-
1-089 Other direct obstetric deaths O10-O92	-	-	-	-	-	-	-	-	-	-	-	-
1-090 Indirect obstetric deaths O98-O99	-	-	-	-	-	-	-	-	-	-	-	-
1-091 Remainder of pregnancy,childbirth and the puerperium O95-O97	-	-	-	-	-	-	-	-	-	-	-	-
1-092 Certain condition originating in the perinatal period P00-P96	50	37	18	15	10	6	2	5	80	63		
1-093 Congenital malformations,deformations and chromosomal abnormalities	76	61	63	54	31	31	14	12	184	158		
1-094 Symptoms ,signs and abnormal clinical and laboratory findings, not elsewhere classified R00-R99	9	6	8	3	7	3	2	8	26	20		
1-095 External causes of morbidity and mortality V01-Y99	10	8	7	6	8	6	2	5	27	25		
1-096 Transport accidents V01-V99	-	-	1	2	-	1	-	2	1	5		
1-097 Falls W00-W19	-	-	-	-	-	-	-	1	-	1		
1-098 Accidental drowning and submersion W65-W74	-	-	-	-	1	-	-	1	1	1		
1-099 Exposure to smoke,fire and flames X00-X09	-	1	-	-	-	-	-	-	-	1		
1-100 Accidental poisoning by and exposure to noxious substances X40-X49	-	-	-	-	-	-	-	-	-	-		
1-101 Intentional self-harm X60-X84	-	-	-	-	-	-	-	-	-	-		
1-102 Assault X85-Y09	-	-	-	-	-	-	-	-	-	-		
1-103 All other external causes W20-W64,W75-W99,X10-X39, .	10	7	6	4	7	5	2	1	25	17		
1-106 Dissaprance	-	-	-	-	-	-	-	-	-	-		
Total	217	164	156	132	113	98	48	46	534	440		

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2007 (List 1 - ICD10) (Cont.)

Cause of death	Under 1 year		Age at death in years								Total	
	M F		1		2		3		4		1-4 years	
	M	F	M	F	M	F	M	F	M	F	M	F
1-001 Certain infectious and parasitic diseases A00-B99	66	59	11	13	8	8	7	11	6	3	32	35
1-002 Cholera A00	-	-	-	-	-	-	-	-	-	-	-	-
1-003 Diarrhoea and gastroenteritis of presumed Infectious origin A09	7	5	4	2	2	2	-	4	1	-	7	8
1-004 Other intestinal infectious diseases A01-A08	-	-	-	-	-	-	-	-	-	-	-	-
1-005 Respiratory tuberculosis A15-A16	1	-	-	1	-	-	-	-	-	-	-	1
1-006 Other tuberculosis A17-A19	-	-	-	-	-	-	1	-	-	-	1	-
1-007 Plague A20	-	-	-	-	-	-	-	-	-	-	-	-
1-008 Tetanus A33-A35	-	-	-	-	-	-	-	-	-	-	-	-
1-009 Diphtheria A36	-	-	-	-	-	-	-	-	-	-	-	-
1-010 Whooping cough A37	-	-	-	-	-	-	-	-	-	-	-	-
1-011 Meningococcal infection A39	-	1	-	1	-	1	-	-	-	-	-	2
1-012 Septicaemia A40-A41	55	48	7	7	4	3	5	5	2	-	18	15
1-013 Infection with a predominantly sexual mode of transmission A50-A64	-	-	-	-	-	-	-	-	-	-	-	-
1-014 Acute poliomyelitis A80	-	-	-	-	-	-	-	-	-	-	-	-
1-015 Rabies A82	-	-	-	-	-	-	-	-	1	1	1	1
1-016 Yellow fever A95	-	-	-	-	-	-	-	-	-	-	-	-
1-017 Other arthropod-borne viral fevers and viral haemorrhagic fevers	1	3	-	-	1	1	1	1	1	1	3	3
1-018 Measles B05	-	-	-	-	-	-	-	-	-	-	-	-
1-019 Viral hepatitis B15-B19	-	-	-	-	-	-	-	-	1	-	1	-
1-020 Human immunodeficiency virus [HIV] disease B20-B24	-	-	-	-	-	-	-	-	-	-	-	-
1-021 Malaria B50-B54	-	-	-	-	-	-	-	-	-	-	-	-
1-022 Leishmaniasis B55	-	-	-	-	-	-	-	-	-	-	-	-
1-023 Trypanosomiasis B56-B57	-	-	-	-	-	-	-	-	-	-	-	-
1-024 Schistosomiasis B65	-	-	-	-	-	-	-	-	-	-	-	-
1-025 Remainder of certain infectious and parasitic diseases	2	2	-	2	1	1	-	1	-	1	1	5

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2007 (List 1 - ICD10) (Cont.)

Cause of death	Under 1 year		Age at death in years								Total 1-4 years	
	M	F	1		2		3		4		M	F
			M	F	M	F	M	F	M	F		
1-026 Neoplasms C00-D48	18	10	7	3	6	2	5	8	7	5	25	18
1-027 Malignant neoplasm of lip, oral cavity and pharynx C00-C14	-	-	-	-	-	-	-	-	-	1	-	1
1-028 Malignant neoplasm of oesophagus C15	1	2	-	-	-	-	-	-	-	-	-	-
1-029 Malignant neoplasm of stomach C16	-	-	-	-	-	-	-	-	-	-	-	-
1-030 Malignant neoplasm of colon, rectum and anus C18-C21	-	-	-	-	-	-	-	-	-	-	-	-
1-031 Malignant neoplasm of liver and intrahepatic bile ducts C22	5	-	-	-	-	-	-	-	-	1	-	1
1-032 Malignant neoplasm of pancreas C25	-	-	-	-	-	-	-	-	-	-	-	-
1-033 Malignant neoplasm of larynx C32	-	-	-	-	-	-	-	-	-	-	-	-
1-034 Malignant neoplasm of trachea, bronchus and lung C33-C34	2	-	-	-	-	-	1	-	-	-	1	-
1-035 Malignant melanoma of skin C43	-	-	-	-	-	-	-	-	-	-	-	-
1-036 Malignant neoplasm of breast C50	-	-	-	-	-	-	-	-	-	-	-	-
1-037 Malignant neoplasm of cervix uteri C53	-	-	-	-	-	-	-	-	-	-	-	-
1-038 Malignant neoplasm of other and unspecified parts of uterus C54-C55	-	-	-	-	-	1	-	-	-	-	-	1
1-039 Malignant neoplasm of ovary C56	-	-	-	-	-	-	-	-	-	-	-	-
1-040 Malignant neoplasm of prostate C61	-	-	-	-	-	-	-	-	-	-	-	-
1-041 Malignant neoplasm of bladder C67	-	-	-	-	-	-	-	-	-	-	-	-
1-042 Malignant neoplasm of meninges, brain and other parts of central nervous system C70-C72	-	-	-	1	1	-	-	2	-	-	1	3
1-043 Non-Hodgkin s lymphoma C82-C85	-	2	1	-	-	-	-	-	1	1	2	1
1-044 Multiple myeloma and malignant plasma cell neoplasms C90	-	-	-	-	-	-	-	-	-	-	-	-
1-045 Leukaemia C91-C95	1	1	2	2	3	1	1	3	1	1	7	7
1-046 Remainder of malignant neoplasm	9	5	3	-	2	-	3	3	5	1	13	4
1-047 Remainder of neoplasms D00-D48	-	-	1	-	-	-	-	-	-	-	1	-

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2007 (List 1 - ICD10) (Cont.)

Cause of death	Under 1 year		Age at death in years								Total	
			1		2		3		4		1-4 years	
	M	F	M	F	M	F	M	F	M	F	M	F
1-048 Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D50-D89 1-049 Anaemias D50-D64 1-050 Remainder of diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D65-D89	3	-	1	-	2	-	-	-	2	-	5	-
	2	-	1	-	1	-	-	-	2	-	4	-
	1	-	-	-	1	-	-	-	-	-	1	-
1-051 Endocrine, nutritional and metabolic diseases E00-E88 1-052 Diabetes mellitus E10-E14 1-053 Malnutrition E40-E46 1-054 Remainder of endocrine, nutritional and metabolic diseases	11	8	4	2	1	6	-	-	1	-	6	8
	3	1	2	-	1	1	-	-	1	-	4	1
	1	-	1	1	-	2	-	-	-	-	1	3
	7	7	1	1	-	3	-	-	-	-	1	4
1-055 Mental and behavioural disorders F01-F99 1-056 Mental and behavioural disorders due to psychoactive substance use 1-057 Remainder of mental and behavioural disorders F01-F09, F20-F99	-	-	1	-	-	-	-	-	-	-	1	-
	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	-	-	-	-	-	1	-
1-058 Diseases of the nervous system G00-G98 1-059 Meningitis G00, G03 1-060 Alzheimer's diseases G30 1-061 Remainder of disease of the nervous system G04-G25, G31-G98	25	24	8	6	5	5	4	4	3	4	21	17
	8	8	2	-	-	1	-	-	-	1	2	2
	-	-	-	-	-	-	-	-	-	-	-	-
	17	16	6	6	5	4	4	4	3	4	19	15
1-062 Diseases of the eye and adnexa H00-H57 1-063 Diseases of the ear and mastoid process H60-H93 1-064 Diseases of the circulatory system I00-I99 1-065 Acute rheumatic fever and chronic rheumatic heart diseases I00-I09 1-066 Hypertensive diseases I10-I14 1-067 Ischaemic heart diseases I20-I25 1-068 Other heart diseases I26-I51 1-069 Cerebrovascular diseases I60-I69 1-070 Atherosclerotic I70 1-071 Remainder of diseases of the circulatory system I71-I99	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
	60	50	16	12	11	9	7	7	6	8	40	36
	-	-	-	-	-	-	-	-	1	-	-	-
	5	3	1	1	2	2	1	-	1	2	5	5
	2	6	3	1	-	-	1	-	1	-	5	1
	46	35	11	6	7	4	4	5	3	4	25	19
	6	6	1	4	2	3	1	1	1	2	5	10
	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2007 (List 1 – ICD10) (Cont.)

Cause of death	Under 1 year		Age at death in years								Total	
	1		2		3		4		5		1-4 years	
	M	F	M	F	M	F	M	F	M	F	M	F
1-072 Diseases of the respiratory system J00-J98												
1-073 Influenza J10-J11	91	75	20	15	11	5	16	10	9	7	56	37
1-074 Pneumonia J12-J18	-	-	-	-	-	-	-	-	-	-	-	-
1-075 Other acute lower respiratory infections J20-J22	47	51	13	9	6	1	12	6	2	5	33	21
1-076 Chronic lower respiratory diseases J40-J47	13	10	2	2	2	1	2	2	1	1	7	6
1-077 Remainder of diseases of the respiratory system	15	5	1	2	2	1	1	2	6	1	10	6
	16	9	4	2	1	2	1	-	-	-	6	4
1-078 Diseases of the digestive system K00-K92												
1-079 Gastric and duodenal ulcer K25-K27	12	13	2	3	5	2	3	2	3	2	13	9
1-080 Diseases of the liver K70-K76	-	-	-	-	-	-	-	-	-	-	-	-
1-081 Remainder of diseases of the digestive system	10	7	2	2	3	-	3	1	2	-	10	3
	2	6	-	1	2	2	-	1	1	2	3	6
1-082 Diseases of the skin and subcutaneous tissue L00-L98												
1-083 Diseases of the musculoskeletal system and connective tissue M00-M99	1	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-
1-084 Diseases of the genitourinary system N00-N98												
1-085 Glomerular and renal tubulo-interstitial diseases N00-N15	13	5	2	3	1	1	3	1	4	-	10	5
1-086 Remainder of diseases of the genitourinary System N17-N98	-	2	1	1	-	-	-	-	2	-	3	1
	13	3	1	2	1	1	3	1	2	-	7	4

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2007 (List 1 - ICD10) (Cont.)

Cause of death	Under 1 year		Age at death in years								Total	
	M F		1		2		3		4		1-4 years	
	M	F	M	F	M	F	M	F	M	F	M	F
1-087 Pregnancy, childbirth and the puerperium O00-O09	-	-	-	-	-	-	-	-	-	-	-	-
1-088 Pregnancy with abortive outcome O00-O07	-	-	-	-	-	-	-	-	-	-	-	-
1-089 Other direct obstetric deaths O10-O92	-	-	-	-	-	-	-	-	-	-	-	-
1-090 Indirect obstetric deaths O98-O99	-	-	-	-	-	-	-	-	-	-	-	-
1-091 Remainder of pregnancy, childbirth and the puerperium O95-O97	-	-	-	-	-	-	-	-	-	-	-	-
1-092 Certain condition originating in the perinatal period P00-P96	1,085	833	4	2	1	1	1	1	1	1	7	4
1-093 Congenital malformations, deformations and chromosomal abnormalities	404	309	27	25	13	18	8	5	9	12	57	60
1-094 Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified R00-R99	50	33	16	5	7	3	3	5	7	1	33	14
1-095 External causes of morbidity and mortality V01-Y99	33	34	23	15	29	16	14	20	17	13	83	64
1-096 Transport accidents V01-Y99	2	9	2	3	5	1	2	5	3	2	12	11
1-097 Falls W00-W19	1	1	1	2	6	1	1	4	2	1	10	8
1-098 Accidental drowning and submersion W65-W74	1	1	11	5	9	2	5	4	4	5	29	16
1-099 Exposure to smoke, fire and flames X00-X09	-	1	1	-	-	-	-	-	-	2	1	2
1-100 Accidental poisoning by and exposure to noxious substances X40-X49	2	1	-	1	1	2	-	-	-	-	1	3
1-101 Intentional self-harm X60-X84	-	-	-	-	-	-	-	-	-	-	-	-
1-102 Assault X85-Y09	-	-	-	-	1	-	1	-	1	2	3	2
1-103 All other external causes W20-W64, W75-W99, X10-X39, .	27	21	8	4	7	10	5	7	7	1	27	22
1-106 Dissaperance	-	-	-	-	-	-	-	-	-	-	-	-
Total	1,873	1,453	142	104	100	76	71	73	76	54	389	307

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2007 (List 1 - ICD10) (Cont.)

Cause of death	Age at death in years						Total			Age at death in years						Total	
	5-9		10-14		15-19		5-14 years		Total	15-19		20-24		25-29		30-34	
	M	F	M	F	M	F	M	F		M	F	M	F	M	F	M	F
1-001 Certain infectious and parasitic diseases A00-B99	18	15	11	15	16	13	29	30		16	13	30	21	46	34		
1-002 Cholera A00	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-
1-003 Diarrhoea and gastroenteritis of presumed Infectious origin A09	2	3	-	-	-	-	2	3		-	-	-	-	-	-	-	-
1-004 Other intestinal infectious diseases A01-A08	-	1	-	-	-	-	-	1		-	-	-	-	-	-	-	-
1-005 Respiratory tuberculosis A15-A16	1	-	1	2	2	1	2	2		2	1	3	4	5	5		
1-006 Other tuberculosis A17-A19	-	-	-	-	-	-	-	-		-	-	-	2	-	2		
1-007 Plague A20	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-
1-008 Tetanus A33-A35	-	-	-	-	1	-	-	-		1	-	-	-	1	-	-	-
1-009 Diphtheria A36	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-
1-010 Whooping cough A37	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-
1-011 Meningococcal infection A39	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-
1-012 Septicaemia A40-A41	9	8	7	10	6	9	16	18		6	9	14	9	20	18		
1-013 Infection with a predominantly sexual mode of transmission A50-A64	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-
1-014 Acute poliomyelitis A80	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-
1-015 Rabies A82	1	1	2	-	-	1	3	1		-	1	1	-	1	1		
1-016 Yellow fever A95	-	1	-	-	-	-	-	1		-	-	-	1	-	1		
1-017 Other arthropod-borne viral fevers and viral haemorrhagic fevers	2	-	1	2	3	-	3	2		3	-	2	2	5	2		
1-018 Measles B05	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-
1-019 Viral hepatitis B15-B19	-	-	-	-	-	-	-	-		-	-	-	1	-	1		
1-020 Human immunodeficiency virus [HIV] disease B20-B24	1	-	-	-	-	-	1	-		-	-	-	-	-	-	-	-
1-021 Malaria B50-B54	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-
1-022 Leishmaniasis B55	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-
1-023 Trypanosomiasis B56-B57	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-
1-024 Schistosomiasis B65	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-
1-025 Remainder of certain infectious and parasitic diseases	2	1	-	1	2	2	2	2		4	2	10	2	14	4		

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2007 (List 1 - ICD10) (Cont.)

Cause of death	Age at death in years						Total		Age at death in years						Total		15-24 years	
	5-9		10-14		15-19		5-14 years		15-19		20-24		25-29		5-14 years		15-24 years	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1-026 Neoplasms C00-D48	29	19	27	22	34	41	56	41	34	46	55	33	89	79				
1-027 Malignant neoplasm of lip, oral cavity and pharynx C00-C24	-	1	1	-	1	1	1	1	1	1	4	1	5	2				
1-028 Malignant neoplasm of oesophagus C15	1	-	1	-	-	-	2	-	-	-	2	1	2	1				
1-029 Malignant neoplasm of stomach C16	1	1	-	-	-	1	1	1	-	1	1	1	1	2				
1-030 Malignant neoplasm of colon, rectum and anus C18-C21	-	-	-	-	-	-	-	-	1	-	2	-	3	-				
1-031 Malignant neoplasm of liver and intrahepatic bile ducts C22	3	1	1	-	1	1	4	1	1	-	-	-	1	-				
1-032 Malignant neoplasm of pancreas C25	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
1-033 Malignant neoplasm of larynx C32	-	-	-	1	-	1	-	1	-	-	-	-	-	-				
1-034 Malignant neoplasm of trachea, bronchus and lung C33-C34	-	2	1	3	2	5	1	5	2	1	2	1	4	2				
1-035 Malignant melanoma of skin C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
1-036 Malignant neoplasm of breast C50	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
1-037 Malignant neoplasm of cervix uteri C53	-	-	-	-	-	-	-	-	-	1	-	-	-	1				
1-038 Malignant neoplasm of other and unspecified parts of uterus C54-C55	-	-	-	-	-	-	-	-	-	-	-	2	-	2				
1-039 Malignant neoplasm of ovary C56	-	-	-	2	-	2	-	2	-	-	-	-	-	-				
1-040 Malignant neoplasm of prostate C61	1	-	-	-	-	-	1	-	-	-	-	-	-	-				
1-041 Malignant neoplasm of bladder C67	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
1-042 Malignant neoplasm of meninges, brain and other parts of central nervous system C70-C72	3	2	2	3	2	5	5	5	2	5	-	4	2	9				
1-043 Non-Hodgkin s lymphoma C82-C85	3	1	-	-	-	1	3	1	1	6	6	4	7	10				
1-044 Multiple myeloma and malignant plasma cell neoplasms C90	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
1-045 Leukaemia C91-C95	11	5	14	4	10	9	25	9	10	10	18	7	28	17				
1-046 Remainder of malignant neoplasm	5	6	7	9	16	15	12	15	16	19	20	11	36	30				
1-047 Remainder of neoplasms D00-D48	1	-	-	-	-	-	1	-	-	2	-	1	-	3				

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2007 (List 1 - ICD10) (Cont.)

Cause of death	Age at death in years						Total		Age at death in years						Total	
	5-9		10-14		15-19		5-14 years		15-19		20-24		15-24 years		Total	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1-048 Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D50-D89																
1-049 Anaemias D50-D64	3	3	6	6			9	9	5	1	3	2	8	3		
1-050 Remainder of diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D65-D89	2	3	3	6			5	9	3	1	1	2	4	3		
	1	-	3	-			4	-	2	-	2	-	4	-		
1-051 Endocrine, nutritional and metabolic diseases E00-E88																
1-052 Diabetes mellitus E10-E14	9	6	4	4			13	10	9	2	14	10	23	12		
1-053 Malnutrition E40-E46	2	5	3	2			5	7	5	1	10	8	15	9		
1-054 Remainder of endocrine, nutritional and metabolic diseases	3	-	-	1			3	1	3	1	1	-	4	1		
	4	1	1	1			5	2	1	-	3	2	4	2		
1-055 Mental and behavioural disorders F01-F99																
1-056 Mental and behavioural disorders due to psychoactive substance use	1	-	1	1			2	1	-	-	3	1	3	1		
1-057 Remainder of mental and behavioural disorders F01-F09, F20-F99	-	-	-	-			-	-	-	-	2	-	2	-		
	1	-	1	1			2	1	-	-	1	1	1	1		
1-058 Diseases of the nervous system G00-G98																
1-059 Meningitis G00, G03	20	19	28	15			48	34	31	20	31	22	62	42		
1-060 Alzheimer's diseases G30	3	3	3	1			6	4	1	5	3	3	4	8		
1-061 Remainder of disease of the nervous system G04-G25, G31-G98	-	-	-	-			-	-	-	-	-	-	-	-		
	17	16	25	14			42	30	30	15	28	19	58	34		
1-062 Diseases of the eye and adnexa H00-H57																
1-063 Diseases of the ear and mastoid process H60-H93	-	-	-	-			-	-	-	-	-	-	-	-		
	-	-	-	-			-	-	-	-	-	-	-	-		
1-064 Diseases of the circulatory system I00-I99																
1-065 Acute rheumatic fever and chronic rheumatic heart diseases I00-I09	25	24	31	36			56	60	56	33	89	57	145	90		
1-066 Hypertensive diseases I10-I14	-	-	2	3			2	3	-	1	1	1	1	2		
1-067 Ischaemic heart diseases I20-I25	3	-	3	3			6	3	2	2	6	11	8	13		
1-068 Other heart diseases I26-I51	4	1	3	2			7	3	7	4	12	5	19	9		
1-069 Cerebrovascular diseases I60-I69	15	19	19	21			34	40	38	20	47	30	85	50		
1-070 Atherosclerosis I70	2	3	4	6			6	9	8	5	19	9	27	14		
1-071 Remainder of diseases of the circulatory system I71-I99	-	1	-	-			-	1	-	-	1	-	1	-		
	1	-	-	1			1	1	1	1	3	1	4	2		

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2007 (List 1 - ICD10) (Cont.)

Cause of death	Age at death in years						Total			Age at death in years						Total		
	5-9			10-14			5-14 years			15-19			20-24			15-24 years		
	M	F		M	F		M	F		M	F		M	F		M	F	
1-072 Diseases of the respiratory system J00-J98	30	30		24	26		54	56		36	36		43	34		79	70	
1-073 Influenza J10-J11	-	-		-	-		-	-		-	-		-	-		-	-	
1-074 Pneumonia J12-J18	18	14		12	10		30	24		14	16		21	16		35	32	
1-075 Other acute lower respiratory infections J20-J22	3	4		4	3		7	7		3	1		-	1		3	2	
1-076 Chronic lower respiratory diseases J40-J47	9	10		6	8		15	18		14	12		14	8		28	20	
1-077 Remainder of diseases of the respiratory system	-	2		2	5		2	7		5	7		8	9		13	16	
1-078 Diseases of the digestive system K00-K92	8	9		5	6		13	15		8	5		15	5		23	10	
1-079 Gastric and duodenal ulcer K25-K27	-	1		-	-		-	1		1	-		-	-		1	-	
1-080 Diseases of the liver K70-K76	2	7		4	5		6	12		3	3		10	4		13	7	
1-081 Remainder of diseases of the digestive system	6	1		1	1		7	2		4	2		5	1		9	3	
1-082 Diseases of the skin and subcutaneous tissue L00-L98	-	-		-	-		-	-		-	-		1	2		1	2	
1-083 Diseases of the musculoskeletal system and connective tissue M00-M99	1	1		1	1		2	2		1	-		-	3		1	3	
1-084 Diseases of the genitourinary system N00-N98	9	8		6	7		15	15		11	11		22	8		33	19	
1-085 Glomerular and renal tubulo-interstitial diseases N00-N15	-	2		1	3		1	5		-	1		2	2		2	3	
1-086 Remainder of diseases of the genitourinary System N17-N98	9	6		5	4		14	10		11	10		20	6		31	16	

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2007 (List 1 - ICD10) (Cont.)

Cause of death	Age at death in years				Total		Age at death in years				Total	
	5-9		10-14		5-14 years		15-19		20-24		15-24 years	
	M	F	M	F	M	F	M	F	M	F	M	F
1-087 Pregnancy, childbirth and the puerperium O00-O09												
1-088 Pregnancy with abortive outcome O00-O07	-	-	-	-	-	-	-	2	-	5	-	7
1-089 Other direct obstetric deaths O10-O92	-	-	-	-	-	-	-	-	-	1	-	1
1-090 Indirect obstetric deaths O98-O99	-	-	-	-	-	-	-	2	-	2	-	4
1-091 Remainder of pregnancy,childbirth and the puerperium O95-O97	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	-	2
1-092 Certain condition originating in the perinatal period P00-P96	-	1	-	-	-	1	1	3	-	1	1	4
1-093 Congenital malformations,deformations and chromosomal abnormalities	23	30	20	20	43	50	31	10	22	15	53	25
1-094 Symptoms ,signs and abnormal clinical and laboratory findings, not elsewhere classified R00-R99	27	17	18	16	45	33	28	28	54	31	82	59
1-095 External causes of morbidity and mortality V01-Y99	85	58	110	70	195	128	503	236	1,229	278	1,732	514
1-096 Transport accidents V01-Y99	23	12	26	8	49	20	79	12	189	21	268	33
1-097 Falls W00-W19	10	6	8	1	18	7	23	5	21	4	44	9
1-098 Accidental drowning and submersion W65-W74	24	14	27	12	51	26	90	10	80	14	170	24
1-099 Exposure to smoke,fire and flames X00-X09	-	1	-	5	-	6	2	14	7	25	9	39
1-100 Accidental poisoning by and exposure to noxious substances X40-X49	1	1	1	2	2	3	3	5	17	8	20	13
1-101 Intentional self-harm X60-X84	3	1	10	20	13	21	106	141	224	142	330	283
1-102 Assault X85-Y09	-	-	2	2	2	2	34	3	79	9	113	12
1-103 All other external causes W20-W64,W75-W99,X10-X39, .	24	23	36	20	60	43	166	46	612	55	778	101
1-106 Dissappearance	288	240	295	245	583	485	779	447	1,643	528	2,422	975

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2007 (List 1 - ICD10) (Cont.)

Cause of death	25-29						Age at death in years						40-44						Total					
	M			F			30-34			35-39			40-44			M			25-44 years			M		
	M	F		M	F		M	F		M	F		M	F		M	F		M	F		M	F	
1-001 Certain infectious and parasitic diseases A00-B99	42	20		49	36		80	39		119	40		290	135		290	135		290	135		290	135	
1-002 Cholera A00	-	-		-	-		-	-		-	-		-	-		-	-		-	-		-	-	
1-003 Diarrhoea and gastroenteritis of presumed Infectious origin A09	1	-		-	-		2	-		5	5		8	5		8	5		8	5		8	5	
1-004 Other intestinal infectious diseases A01-A08	-	-		1	-		-	1		1	-		2	1		2	1		2	1		2	1	
1-005 Respiratory tuberculosis A15-A16	6	5		12	7		22	9		35	12		75	33		75	33		75	33		75	33	
1-006 Other tuberculosis A17-A19	4	-		1	-		1	2		-	-		6	2		6	2		6	2		6	2	
1-007 Plague A20	-	-		-	-		-	-		-	-		-	-		-	-		-	-		-	-	
1-008 Tetanus A33-A35	-	-		-	1		-	-		-	-		-	1		-	-		-	-		-	-	
1-009 Diphtheria A36	-	-		-	-		-	-		-	-		-	-		-	-		-	-		-	-	
1-010 Whooping cough A37	-	-		-	-		-	-		-	-		-	-		-	-		-	-		-	-	
1-011 Meningococcal infection A39	-	-		-	-		-	1		-	-		-	1		-	-		-	-		-	-	
1-012 Septicaemia A40-A41	16	12		15	19		29	18		44	16		104	65		104	65		104	65		104	65	
1-013 Infection with a predominantly sexual mode of transmission A50-A64	-	-		-	-		-	-		-	-		-	-		-	-		-	-		-	-	
1-014 Acute poliomyelitis A80	-	-		-	1		-	-		-	-		-	1		-	-		-	-		-	-	
1-015 Rabies A82	-	-		2	-		2	1		2	1		6	2		6	2		6	2		6	2	
1-016 Yellow fever A95	-	-		-	-		1	-		-	-		1	-		1	-		1	-		1	-	
1-017 Other arthropod-borne viral fevers and viral haemorrhagic fevers	5	1		3	2		2	3		2	1		12	7		12	7		12	7		12	7	
1-018 Measles B05	-	-		-	-		-	-		-	-		-	-		-	-		-	-		-	-	
1-019 Viral hepatitis B15-B19	-	-		-	1		-	-		-	-		-	1		-	-		-	-		-	-	
1-020 Human immunodeficiency virus [HIV] disease B20-B24	-	-		1	-		1	-		-	-		2	-		2	-		2	-		2	-	
1-021 Malaria B50-B54	1	-		-	1		-	-		1	-		2	1		2	1		2	1		2	1	
1-022 Leishmaniasis B55	-	-		-	-		-	-		-	-		-	-		-	-		-	-		-	-	
1-023 Trypanosomiasis B56-B57	-	-		-	-		-	-		-	-		-	-		-	-		-	-		-	-	
1-024 Schistosomiasis B65	-	-		-	-		-	-		-	-		-	-		-	-		-	-		-	-	
1-025 Remainder of certain infectious and parasitic diseases	9	2		14	4		20	4		29	5		72	15		72	15		72	15		72	15	

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2007 (List 1 - ICD10) (Cont.)

Cause of death	25-29						Age at death in years						40-44		Total	
	M		F		M		30-34		35-39		F		M		25-44 years	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1-026 Neoplasms C00-D48	66	65	80	80	107	109	196	197							449	451
1-027 Malignant neoplasm of lip, oral cavity and pharynx C00-C14	1	1	6	2	12	2	23	7							42	12
1-028 Malignant neoplasm of oesophagus C15	1	1	6	2	5	4	11	5							23	12
1-029 Malignant neoplasm of stomach C16	1	2	1	5	5	-	8	8							15	15
1-030 Malignant neoplasm of colon, rectum and anus C18-C21	2	3	5	1	2	3	6	2							15	9
1-031 Malignant neoplasm of liver and intrahepatic bile ducts C22	2	1	1	5	6	2	9	9							18	17
1-032 Malignant neoplasm of pancreas C25	-	2	-	-	-	-	4	2							4	4
1-033 Malignant neoplasm of larynx C32	-	-	-	-	1	-	2	1							3	1
1-034 Malignant neoplasm of trachea, bronchus and lung C33-C34	4	1	5	2	12	7	20	13							41	23
1-035 Malignant melanoma of skin C43	-	-	-	-	-	-	1	-							1	-
1-036 Malignant neoplasm of breast C50	-	4	1	11	-	22	-	32							1	69
1-037 Malignant neoplasm of cervix uteri C53	-	-	-	2	-	-	-	5							-	7
1-038 Malignant neoplasm of other and unspecified parts of uterus C54-C55	-	2	-	1	-	6	-	8							-	17
1-039 Malignant neoplasm of ovary C56	-	3	-	2	-	7	-	9							-	21
1-040 Malignant neoplasm of prostate C61	2	-	-	-	-	-	2	-							4	-
1-041 Malignant neoplasm of bladder C67	-	-	-	-	-	-	1	-							1	-
1-042 Malignant neoplasm of meninges, brain and other parts of central nervous system C70-C72	5	6	6	5	10	6	13	11							34	28
1-043 Non-Hodgkin's lymphoma C82-C85	6	3	6	4	5	1	4	4							21	12
1-044 Multiple myeloma and malignant plasma cell neoplasms C90	2	1	-	1	-	1	3	-							5	3
1-045 Leukaemia C91-C95	16	12	10	9	9	4	20	8							55	33
1-046 Remainder of malignant neoplasm	24	23	33	26	39	41	67	70							163	160
1-047 Remainder of neoplasms D00-D48	-	-	-	2	1	3	2	3							3	8

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2007 (List 1 - ICD10) (Cont.)

Cause of death	Age at death in years						Total	
	25-29		30-34		35-39		40-44	
	M	F	M	F	M	F	M	F
1-072 Diseases of the respiratory system J00-J98	45	29	62	40	93	43	167	77
1-073 Influenza J10-J11	-	-	-	-	-	-	-	-
1-074 Pneumonia J12-J18	27	15	26	11	47	15	79	21
1-075 Other acute lower respiratory infections J20-J22	-	-	1	-	2	1	1	1
1-076 Chronic lower respiratory diseases J40-J47	10	10	18	17	27	22	64	39
1-077 Remainder of diseases of the respiratory system	8	4	17	12	17	5	23	16
1-078 Diseases of the digestive system K00-K92	47	12	92	10	197	19	352	26
1-079 Gastric and duodenal ulcer K25-K27	-	-	1	-	-	-	2	-
1-080 Diseases of the liver K70-K76	37	9	85	8	185	15	326	21
1-081 Remainder of diseases of the digestive system	10	3	6	2	12	4	24	5
1-082 Diseases of the skin and subcutaneous tissue L00-L98	2	3	-	2	1	-	5	2
1-083 Diseases of the musculoskeletal system and connective tissue M00-M99	1	-	1	1	1	-	1	1
1-084 Diseases of the genitourinary system N00-N98	35	18	37	20	49	42	100	27
1-085 Glomerular and renal tubulo-interstitial diseases N00-N15	2	2	2	1	1	2	2	1
1-086 Remainder of diseases of the genitourinary system N17-N98	33	16	35	19	48	40	98	26
							221	107
							7	6
							214	101

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2007 (List 1 - ICD10) (Cont.)

Cause of death	45-49						Age at death in years						Total						Age at death in years					
	M			F			50-54		55-59		60-64		45-64 years		65-69		70-74		M		F		M	
	M	F		M	F		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1-001 Certain infectious and parasitic diseases A00-B99	161	65	187	62	208	86	184	87					740	300	182	131	185	123						
1-002 Cholera A00	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-						
1-003 Diarrhoea and gastroenteritis of presumed Infectious origin A09	7	5	11	5	10	7	14	7					42	24	13	13	28	12						
1-004 Other intestinal infectious diseases A01-A08	1	-	-	-	1	-	1	-					3	-	-	-	1	-						
1-005 Respiratory tuberculosis A15-A16	48	19	65	15	79	23	67	21					259	78	66	23	55	21						
1-006 Other tuberculosis A17-A19	5	-	2	1	1	1	-	-					8	2	1	2	2	-						
1-007 Plague A20	-	-	-	-	-	-	-	-					-	-	-	-	-	-						
1-008 Tetanus A33-A35	-	-	1	-	4	1	-	-					5	1	-	-	2	1						
1-009 Diphtheria A36	-	-	-	-	-	-	-	-					-	-	-	-	-	-						
1-010 Whooping cough A37	-	-	-	-	-	-	-	-					-	-	-	-	-	-						
1-011 Meningococcal infection A39	-	-	-	-	-	-	-	-					-	-	-	-	-	-						
1-012 Septicaemia A40-A41	53	29	71	31	76	45	70	44					270	149	75	80	71	78						
1-013 Infection with a predominantly sexual mode of transmission A50-A64	-	-	-	-	-	-	1	-					1	-	-	-	-	-						
1-014 Acute poliomyelitis A80	-	-	1	-	-	-	-	-					1	-	-	-	-	-						
1-015 Rabies A82	4	1	3	1	2	-	1	1					10	3	-	2	1	1						
1-016 Yellow fever A95	-	-	-	-	1	-	-	-					1	-	-	-	-	-						
1-017 Other arthropod-borne viral fevers and viral haemorrhagic fevers	6	4	6	2	5	2	3	4					20	12	5	2	4	4						
1-018 Measles B05	-	-	-	-	-	-	-	-					-	-	-	-	-	-						
1-019 Viral hepatitis B15-B19	-	-	-	-	-	-	-	-					-	-	-	-	-	-						
1-020 Human immunodeficiency virus [HIV] disease B20-B24	-	-	-	-	-	-	-	-					-	-	1	-	-	-						
1-021 Malaria B50-B54	-	-	2	-	-	-	-	-					2	-	-	1	1	1						
1-022 Leishmaniasis B55	-	-	-	-	-	-	-	-					-	-	-	-	-	-						
1-023 Trypanosomiasis B56-B57	-	-	-	-	-	-	-	-					-	-	-	-	-	-						
1-024 Schistosomiasis B65	-	-	-	-	-	-	-	-					-	-	-	-	-	-						
1-025 Remainder of certain infectious and parasitic diseases	37	6	25	7	29	7	27	10					118	30	21	7	20	4						

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2007 (List 1 - ICD10) (Cont.)

Cause of death	45-49						Age at death in years						Total		Age at death in years					
	50-54			55-59			60-64			45-64 years		65-69			70-74					
	M	F		M	F		M	F		M	F	M	F	M	F					
1-026 Neoplasms C00-D48 1-027 Malignant neoplasm of lip,oral cavity and pharynx C00-C14 1-028 Malignant neoplasm of oesophagus C15 1-029 Malignant neoplasm of stomach C16 1-030 Malignant neoplasm of colon,rectum and anus C18-C21 1-031 Malignant neoplasm of liver and intrahepatic bile ducts C22 1-032 Malignant neoplasm of pancreas C25 1-033 Malignant neoplasm of larynx C32 1-034 Malignant neoplasm of trachea, bronchus and lung C33-C34 1-035 Malignant melanoma of skin C43 1-036 Malignant neoplasm of breast C50 1-037 Malignant neoplasm of cervix uteri C53 1-038 Malignant neoplasm of other and unspecified parts of uterus C54-C55 1-039 Malignant neoplasm of ovary C56 1-040 Malignant neoplasm of prostate C61 1-041 Malignant neoplasm of bladder C67 1-042 Malignant neoplasm of meninges , brain and other parts of central nervous system C70-C72 1-043 Non-Hodgkin s lymphoma C82-C85 1-044 Multiple myeloma and malignant plasma cell neoplasms C90 1-045 Leukaemia C91-C95 1-046 Remainder of malignant neoplasm 1-047 Remainder of neoplasms D00-D48	408	335		555	520		743	648		769	609	2,475	2,112	828	641	769	583			
	59	15		84	17		106	37		97	35	346	104	85	38	79	44			
	36	19		47	40		63	50		62	56	208	165	64	59	54	56			
	14	13		40	11		45	24		37	25	136	73	39	40	39	38			
	8	5		12	9		20	22		14	10	54	46	8	18	17	9			
	18	13		27	14		49	31		42	22	136	80	66	34	45	32			
	4	2		11	7		5	5		8	7	28	21	11	5	6	4			
	3	-		3	3		5	-		8	1	19	4	9	1	12	2			
	54	14		58	39		87	28		106	26	305	107	114	27	93	38			
	-	-		-	-		-	1		-	-	-	1	-	-	1	1	-		
	2	64		-	80		2	76		-	51	4	271	1	40	3	29			
	-	8		-	15		-	15		-	18	-	56	-	13	-	9			
	-	18		-	28		-	34		-	33	-	113	-	36	-	42			
	-	13		-	16		-	36		-	37	-	102	-	27	-	11			
	1	-		6	-		8	-		6	-	21	-	20	-	21	-			
	5	-		8	2		8	-		14	4	35	6	18	2	13	2			
	12	10		26	23		24	20		18	9	80	62	19	10	17	8			
9	5		12	10		14	5		12	11	47	31	11	6	9	7				
4	3		7	7		8	5		11	12	30	27	12	13	12	8				
22	15		15	24		25	27		23	19	85	85	19	22	17	18				
154	116		197	174		270	224		309	229	930	743	328	243	322	223				
3	2		2	1		4	8		2	4	11	15	4	6	9	3				

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2007 (List 1 - ICD10) (Cont.)

Cause of death	Age at death in years								Total		Age at death in years			
	45-49		50-54		55-59		60-64		45-64 years		65-69		70-74	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1-048 Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D50-D89														
1-049 Anaemias D50-D64	14	6	8	9	13	7	12	15	47	37	16	9	21	15
1-050 Remainder of diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D65-D89	7	5	7	7	13	6	10	11	37	29	14	8	20	14
	7	1	1	2	-	1	2	4	10	8	2	1	1	1
1-051 Endocrine, nutritional and metabolic diseases E00-E88	178	99	274	192	475	274	514	406	1,441	971	637	546	649	660
1-052 Diabetes mellitus E10-E14	171	92	261	189	458	259	506	395	1,396	935	624	523	632	640
1-053 Malnutrition E40-E46	2	1	2	1	4	3	1	2	9	7	2	3	7	6
1-054 Remainder of endocrine, nutritional and metabolic diseases	5	6	11	2	13	12	7	9	36	29	11	20	10	14
1-055 Mental and behavioural disorders F01-F99	46	7	48	10	38	8	28	10	160	35	30	9	23	11
1-056 Mental and behavioural disorders due to psychoactive substance use	38	1	44	3	28	2	18	1	128	7	21	-	9	4
1-057 Remainder of mental and behavioural disorders F01-F09, F20-F99	8	6	4	7	10	6	10	9	32	28	9	9	14	7
1-058 Diseases of the nervous system G00-G98	111	51	130	77	228	113	389	193	858	434	547	351	800	646
1-059 Meningitis G00, G03	7	1	4	1	7	3	7	3	25	8	6	3	5	-
1-060 Alzheimer's diseases G30	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-061 Remainder of disease of the nervous system G04-G25, G31-G98	104	50	126	76	221	110	382	190	833	426	541	348	795	646
1-062 Diseases of the eye and adnexa H00-H57	-	-	1	-	1	-	-	-	2	-	2	-	-	-
1-063 Diseases of the ear and mastoid process H60-H93	-	1	-	-	-	-	-	-	-	1	-	-	-	-
1-064 Diseases of the circulatory system I00-I99	949	332	1,479	471	2,044	741	2,087	1,026	6,559	2,570	2,254	1,318	2,382	1,831
1-065 Acute rheumatic fever and chronic rheumatic heart diseases I00-I09	2	1	1	4	3	2	1	4	7	11	4	4	1	-
1-066 Hypertensive diseases I10-I14	95	46	159	78	304	137	351	250	909	511	413	326	558	567
1-067 Ischaemic heart diseases I20-I25	214	66	345	94	521	152	465	210	1,545	522	524	299	518	350
1-068 Other heart diseases I26-I51	507	165	745	234	946	338	997	430	3,195	1,167	973	505	960	684
1-069 Cerebrovascular diseases I60-I69	115	47	199	54	227	94	249	119	790	314	300	167	304	208
1-070 Atherosclerotic I70	1	-	3	-	2	2	3	2	9	4	1	2	4	3
1-071 Remainder of diseases of the circulatory system I71-I99	15	7	27	7	41	16	21	11	104	41	39	15	37	19

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2007 (List 1 - ICD10) (Cont.)

Cause of death	Age at death in years						Total		Age at death in years			
	45-49		50-54		55-59		60-64		65-69		70-74	
	M	F	M	F	M	F	M	F	M	F	M	F
1-072 Diseases of the respiratory system J00-J98												
1-073 Influenza J10-J11	244	110	335	150	547	220	626	324	788	414	1,138	631
1-074 Pneumonia J12-J18	1	-	-	1	1	-	1	-	-	-	-	-
1-075 Other acute lower respiratory infections J20-J22	96	26	113	42	154	56	119	68	160	73	174	103
1-076 Chronic lower respiratory diseases J40-J47	4	1	5	2	3	2	6	3	7	11	6	11
1-077 Remainder of diseases of the respiratory system	109	64	169	79	330	136	430	209	547	292	837	449
	34	19	48	26	59	26	70	44	74	38	121	68
1-078 Diseases of the digestive system K00-K92												
1-079 Gastric and duodenal ulcer K25-K27	466	36	472	54	494	65	343	90	262	77	229	118
1-080 Diseases of the liver K70-K76	3	1	1	-	4	-	-	2	5	3	3	5
1-081 Remainder of diseases of the digestive system	426	27	431	40	452	46	306	69	212	53	182	77
	37	8	40	14	38	19	37	19	45	21	44	36
1-082 Diseases of the skin and subcutaneous tissue L00-L98	6	3	4	1	6	2	11	3	8	7	10	7
1-083 Diseases of the musculoskeletal system and connective tissue M00-M99	3	4	4	3	6	12	8	11	9	17	9	28
1-084 Diseases of the genitourinary system N00-N98	163	54	227	87	237	109	239	89	255	111	256	127
1-085 Glomerular and renal tubulo-interstitial diseases N00-N15	8	4	13	6	21	7	12	7	12	5	8	9
1-086 Remainder of diseases of the genitourinary system N17-N98	155	50	214	81	216	102	227	82	243	106	248	118

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2007 (List 1 - ICD10) (Cont.)

Cause of death	Age at death in years								Total		Age at death in years			
	45-49		50-54		55-59		60-64		45-64 years		65-69		70-74	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1-087 Pregnancy, childbirth and the puerperium O00-O09	-	-	-	-	-	1	-	-	-	1	-	-	-	-
1-088 Pregnancy with abortive outcome O00-O07	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-089 Other direct obstetric deaths O10-O92	-	-	-	-	-	1	-	-	-	1	-	-	-	-
1-090 Indirect obstetric deaths O98-O99	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-091 Remainder of pregnancy,childbirth and the puerperium O95-O97	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-092 Certain condition originating in the perinatal period P00-P96	1	-	-	-	-	-	1	-	2	-	-	1	-	1
1-093 Congenital malformations,deformations and chromosomal abnormalities Q00-Q99	11	8	4	6	6	6	3	2	24	22	3	4	1	3
1-094 Symptoms ,signs and abnormal clinical and laboratory findings, not elsewhere classified R00-R99	146	62	193	96	281	155	397	246	1,017	559	602	434	1,030	1,023
1-095 External causes of morbidity and mortality V01-Y99	857	135	774	160	703	130	491	122	2,825	547	433	143	399	124
1-096 Transport accidents V01-V99	158	21	172	36	163	35	115	37	608	129	122	30	101	21
1-097 Falls W00-W19	60	11	78	14	66	8	63	11	267	44	51	12	66	22
1-098 Accidental drowning and submersion W65-W74	68	8	43	13	49	10	32	9	192	40	17	14	17	13
1-099 Exposure to smoke,fire and flames X00-X09	6	11	7	4	5	4	8	6	26	25	8	9	6	7
1-100 Accidental poisoning by and exposure to noxious substances X40-X49	23	2	20	3	13	4	6	3	62	12	6	2	4	-
1-101 Intentional self-harm X60-X84	316	36	271	39	226	32	173	24	986	131	150	40	140	33
1-102 Assault X85-Y09	49	13	42	11	32	5	19	6	142	35	12	4	9	3
1-103 All other external causes W20-W64, W75-W99,X10-X39, .	177	33	141	40	149	32	75	26	542	131	67	32	56	25
1-106 Dissapereance	9	-	9	1	12	2	4	-	34	3	5	2	4	1
Total	3,773	1,308	4,704	1,899	6,042	2,579	6,106	3,233	20,625	9,019	6,861	4,215	7,905	5,932

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2007 (List 1 - ICD10) (Cont.)

Cause of death	Total 65-74 years		Total 75-79		Age at death in years						Total 75 years and over		Not Stated	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1-001 Certain infectious and parasitic diseases A00-B99	367	254	168	114	129	101	140	84	437	299	1	-	1	-
1-002 Cholera A00	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-003 Diarrhoea and gastroenteritis of presumed Infectious origin A09	41	25	27	26	16	27	32	26	75	79	-	-	-	-
1-004 Other intestinal infectious diseases A01-A08	1	-	-	-	-	-	1	-	1	-	-	-	-	-
1-005 Respiratory tuberculosis A15-A16	121	44	50	19	42	14	21	6	113	39	-	-	-	-
1-006 Other tuberculosis A17-A19	3	2	1	2	-	-	1	-	2	2	-	-	-	-
1-007 Plague A20	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-008 Tetanus A33-A35	2	1	2	-	-	-	1	1	3	1	-	-	-	-
1-009 Diphtheria A36	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-010 Whooping cough A37	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-011 Meningococcal infection A39	-	2	-	-	-	-	-	-	-	-	-	-	-	-
1-012 Septicaemia A40-A41	146	158	68	56	60	54	76	46	204	156	-	-	-	-
1-013 Infection with a predominantly sexual mode of transmission A50-A64	-	-	2	-	1	1	-	-	3	1	-	-	-	-
1-014 Acute poliomyelitis A80	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-015 Rabies A82	1	3	1	1	1	-	-	1	2	2	-	-	-	-
1-016 Yellow fever A95	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-017 Other arthropod-borne viral fevers and viral haemorrhagic fevers	9	6	5	8	5	3	6	3	16	14	-	-	-	-
1-018 Measles B05	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-019 Viral hepatitis B15-B19	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-020 Human immunodeficiency virus [HIV] disease B20-B24	1	-	-	-	-	-	-	-	-	-	-	-	-	-
1-021 Malaria B50-B54	1	2	1	1	-	-	-	-	1	1	-	-	-	-
1-022 Leishmaniasis B55	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-023 Trypanosomiasis B56-B57	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-024 Schistosomiasis B65	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-025 Remainder of certain infectious and parasitic diseases	41	11	11	1	4	2	2	1	17	4	1	-	1	-

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2007 (List 1 - ICD10) (Cont.)

Cause of death	Total 65-74 years		Age at death in years						Total 75 years and over		Not Stated		
	M	F	75-79			80-84			85+			M	F
			M	F	M	F	M	F	M	F			
1-026 Neoplasms C00-D48	1,597	1,224	567	389	334	287	217	193	1,118	869	-	-	
1-027 Malignant neoplasm of lip,oral cavity and pharynx C00-C14	164	82	66	28	43	26	33	13	142	67	-	-	
1-028 Malignant neoplasm of oesophagus C15	118	115	40	33	21	25	18	16	79	74	-	-	
1-029 Malignant neoplasm of stomach C16	78	78	23	30	16	26	10	14	49	70	-	-	
1-030 Malignant neoplasm of colon,rectum and anus C18-C21	25	27	18	7	9	3	4	4	31	14	-	-	
1-031 Malignant neoplasm of liver and intrahepatic bile ducts C22	111	66	39	18	18	13	6	4	63	35	-	-	
1-032 Malignant neoplasm of pancreas C25	17	9	5	4	2	2	3	6	10	12	-	-	
1-033 Malignant neoplasm of larynx C32	21	3	10	1	2	-	3	-	15	1	-	-	
1-034 Malignant neoplasm of trachea, bronchus and lung C33-C34	207	65	66	19	33	14	7	10	106	43	-	-	
1-035 Malignant melanoma of skin C43	1	1	-	-	-	-	-	-	-	-	-	-	
1-036 Malignant neoplasm of breast C50	4	69	1	19	-	15	-	9	1	43	-	-	
1-037 Malignant neoplasm of cervix uteri C53	-	22	-	6	-	-	-	2	-	8	-	-	
1-038 Malignant neoplasm of other and unspecified parts of uterus C54-C55	-	78	-	24	-	15	-	15	-	54	-	-	
1-039 Malignant neoplasm of ovary C56	-	38	-	12	-	8	-	2	-	22	-	-	
1-040 Malignant neoplasm of prostate C61	41	-	15	-	12	-	8	-	35	-	-	-	
1-041 Malignant neoplasm of bladder C67	31	4	14	3	8	1	5	-	27	4	-	-	
1-042 Malignant neoplasm of meninges , brain and other parts of central nervous system C70-C72	36	18	6	4	6	5	3	-	15	9	-	-	
1-043 Non-Hodgkin s lymphoma C82-C85	20	13	10	4	6	1	2	3	18	8	-	-	
1-044 Multiple myeloma and malignant plasma cell neoplasms C90	24	21	4	3	3	1	1	-	8	4	-	-	
1-045 Leukaemia C91-C95	36	40	20	17	5	11	9	6	34	34	-	-	
1-046 Remainder of malignant neoplasm	650	466	226	153	147	117	100	85	473	355	-	-	
1-047 Remainder of neoplasms D00-D48	13	9	4	4	3	4	5	4	12	12	-	-	

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2007 (List 1 - ICD10) (Cont.)

Cause of death	Total 65-74 years		Age at death in years						Total 75 years and over		Not Stated	
			75-79		80-84		85+					
	M	F	M	F	M	F	M	F	M	F	M	F
1-048 Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D50-D89 1-049 Anaemias D50-D64 1-050 Remainder of diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D65-D89	37	24	14	11	9	15	7	10	30	36	-	-
	34	22	12	11	7	14	7	9	26	34	-	-
	3	2	2	-	2	1	-	1	4	2	-	-
	1,286	1,206	606	613	440	602	371	440	1,417	1,655	-	-
	1,256	1,163	596	596	424	579	360	416	1,380	1,591	-	-
1-051 Endocrine,nutritional and metabolic diseases E00-E88 1-052 Diabetes mellitus E10-E14 1-053 Malnutrition E40-E46 1-054 Remainder of endocrine, nutritional and metabolic diseases	9	9	5	9	8	11	7	13	20	33	-	-
	21	34	5	8	8	12	4	11	17	31	-	-
	53	20	17	13	15	8	16	17	48	38	-	-
	30	4	7	1	8	2	5	1	20	4	-	-
	23	16	10	12	7	6	11	16	28	34	-	-
1-055 Mental and behavioural disorders F01-F99 1-056 Mental and behavioural disorders due to psychoactive substance use 1-057 Remainder of mental and behavioural disorders F01-F09, F20-F99	1,347	997	974	807	928	940	929	1,105	2,831	2,852	-	-
	11	3	9	4	6	2	4	2	19	8	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
	1,336	994	965	803	922	938	925	1,103	2,812	2,844	-	-
	2	-	2	-	2	-	-	-	4	-	-	-
1-062 Diseases of the eye and adnexa H00-H57 1-063 Diseases of the ear and mastoid process H60-H93 1-064 Diseases of the circulatory system I00-I99 1-065 Acute rheumatic fever and chronic rheumatic heart diseases I00-I09 1-066 Hypertensive diseases I10-I14 1-067 Ischaemic heart diseases I20-I25 1-068 Other heart diseases I26-I51 1-069 Cerebrovascular diseases I60-I69 1-070 Atherosclerotic I70 1-071 Remainder of diseases of the circulatory system I71-I99	-	-	-	-	-	-	-	-	-	-	-	-
	4,636	3,149	2,111	1,808	1,797	1,796	1,538	1,653	5,446	5,257	-	-
	5	4	1	5	1	4	1	1	3	10	-	-
	971	893	565	590	430	607	424	549	1,419	1,746	-	-
	1,042	649	465	357	400	353	304	315	1,169	1,025	-	-
	1,933	1,189	822	625	712	596	584	572	2,118	1,793	-	-
	604	375	225	212	227	216	204	198	656	626	-	-
	5	5	1	3	1	2	2	3	4	8	-	-
	76	34	32	16	26	18	19	15	77	49	-	-

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2007 (List 1 - ICD10) (Cont.)

Cause of death	Total 65-74 years		Age at death in years						Total 75 years and over		Not Stated	
	M	F	75-79		80-84		85+		M	F	M	F
			M	F	M	F	M	F				
1-072 Diseases of the respiratory system J00-J98												
1-073 Influenza J10-J11	1,926	1,045	951	671	853	744	886	844	2,690	2,259	-	-
1-074 Pneumonia J12-J18	-	-	-	-	-	-	1	1	1	1	-	-
1-075 Other acute lower respiratory infections J20-J22	334	176	129	84	126	116	145	125	400	325	-	-
1-076 Chronic lower respiratory diseases J40-J47	13	22	7	5	9	7	13	9	29	21	-	-
1-077 Remainder of diseases of the respiratory system	1,384	741	728	515	623	563	652	656	2,003	1,734	-	-
	195	106	87	67	95	58	75	53	257	178	-	-
1-078 Diseases of the digestive system K00-K92												
1-079 Gastric and duodenal ulcer K25-K27	491	195	162	90	95	69	73	56	330	215	-	-
1-080 Diseases of the liver K70-K76	8	8	3	7	2	1	1	5	6	13	-	-
1-081 Remainder of diseases of the digestive system	394	130	119	45	48	34	38	21	205	100	-	-
	89	57	40	38	45	34	34	30	119	102	-	-
1-082 Diseases of the skin and subcutaneous tissue L00-L98												
1-083 Diseases of the musculoskeletal system and connective tissue M00-M99	18	14	5	3	5	11	2	13	12	27	-	-
	18	45	11	20	17	25	16	24	44	69	-	-
1-084 Diseases of the genitourinary system N00-N98												
1-085 Glomerular and renal tubulo-interstitial diseases N00-N15	511	238	222	139	195	73	169	74	586	286	-	-
1-086 Remainder of diseases of the genitourinary system N17-N98	20	14	9	7	9	6	11	4	29	17	-	-
	491	224	213	132	186	67	158	70	557	269	-	-

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2007 (List 1 - ICD10) (Cont.)

Cause of death	Total 65-74 years		Age at death in years						Total 75 years and over		Not Stated	
	M	F	75-79		80-84		85+		M	F	M	F
			M	F	M	F	M	F				
1-087 Pregnancy, childbirth and the puerperium O00-O09	-	-	-	-	-	-	-	-	-	-	-	-
1-088 Pregnancy with abortive outcome O00-O07	-	-	-	-	-	-	-	-	-	-	-	-
1-089 Other direct obstetric deaths O10-O92	-	-	-	-	-	-	-	-	-	-	-	-
1-090 Indirect obstetric deaths O98-O99	-	-	-	-	-	-	-	-	-	-	-	-
1-091 Remainder of pregnancy, childbirth and the puerperium O95-O97	-	-	-	-	-	-	-	-	-	-	-	-
1-092 Certain condition originating in the perinatal period P00-P96	-	2	1	1	1	-	1	2	3	3	-	-
1-093 Congenital malformations, deformations and chromosomal abnormalities Q00-Q99	4	7	-	4	2	6	2	3	4	13	-	-
1-094 Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified R00-R99	1,632	1,457	1,430	1,419	2,053	2,513	3,206	4,523	6,689	8,455	-	-
1-095 External causes of morbidity and mortality V01-Y99	832	267	264	165	197	128	192	148	653	441	1	-
1-096 Transport accidents V01-Y99	223	51	55	34	40	22	27	11	122	67	-	-
1-097 Falls W00-W19	117	34	48	42	41	48	50	71	139	161	-	-
1-098 Accidental drowning and submersion W65-W74	34	27	9	13	9	9	14	10	32	32	-	-
1-099 Exposure to smoke, fire and flames X00-X09	14	16	7	1	6	5	3	5	16	11	-	-
1-100 Accidental poisoning by and exposure to noxious substances X40-X49	10	2	7	1	4	1	2	-	13	2	-	-
1-101 Intentional self-harm X60-X84	290	73	85	34	72	25	60	21	217	80	1	-
1-102 Assault X85-Y09	21	7	5	3	5	2	5	2	15	7	-	-
1-103 All other external causes W20-W64, W75-W99, X10-X39, .	123	57	48	37	20	16	31	28	99	81	-	-
1-106 Disappearance	9	3	1	2	1	2	-	-	2	4	-	-
Total	14,766	10,147	7,506	6,269	7,073	7,320	7,765	9,189	22,344	22,778	2	-

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2009 (List 1 - ICD10)

Cause of death	Total deaths			Age at death in days						Total	
	T	M	F	0-7			8-29			0-29 days	
				M	F	M	M	F	F	M	F
1-001 Certain infectious and parasitic diseases A00-B99	4,139	2,588	1,551	13	7	11	13	24	20		
1-002 Cholera A00	-	-	-	-	-	-	-	-	-	-	-
1-003 Diarrhoea and gastroenteritis of presumed Infectious origin A09	452	251	201	1	-	-	1	1	1	1	1
1-004 Other intestinal infectious diseases A01-A08	16	11	5	-	-	-	-	-	-	-	-
1-005 Respiratory tuberculosis A15-A16	837	609	228	-	-	-	-	-	-	-	-
1-006 Other tuberculosis A17-A19	40	27	13	-	-	-	-	-	-	-	-
1-007 Plague A20	1	1	-	-	-	-	-	-	-	-	-
1-008 Tetanus A33-A35	16	13	3	-	-	-	-	-	-	-	-
1-009 Diphtheria A36	-	-	-	-	-	-	-	-	-	-	-
1-010 Whooping cough A37	-	-	-	-	-	-	-	-	-	-	-
1-011 Meningococcal infection A39	8	5	3	-	-	-	-	-	-	-	-
1-012 Septicaemia A40-A41	1,830	1,063	767	12	7	11	12	23	19		
1-013 Infection with a predominantly sexual mode of transmission A50-A64	4	3	1	-	-	-	-	-	-	-	-
1-014 Acute poliomyelitis A80	-	-	-	-	-	-	-	-	-	-	-
1-015 Rabies A82	37	25	12	-	-	-	-	-	-	-	-
1-016 Yellow fever A95	-	-	-	-	-	-	-	-	-	-	-
1-017 Other arthropod-borne viral fevers and viral haemorrhagic fevers	344	158	186	-	-	-	-	-	-	-	-
1-018 Measles B05	-	-	-	-	-	-	-	-	-	-	-
1-019 Viral hepatitis B15-B19	2	1	1	-	-	-	-	-	-	-	-
1-020 Human immunodeficiency virus [HIV] disease B20-B24	-	-	-	-	-	-	-	-	-	-	-
1-021 Malaria B50-B54	4	4	-	-	-	-	-	-	-	-	-
1-022 Leishmaniasis B55	-	-	-	-	-	-	-	-	-	-	-
1-023 Trypanosomiasis B56-B57	-	-	-	-	-	-	-	-	-	-	-
1-024 Schistosomiasis B65	-	-	-	-	-	-	-	-	-	-	-
1-025 Remainder of certain infectious and parasitic diseases	548	417	131	-	-	-	-	-	-	-	-

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2009 (List 1 - ICD10)(Cont.)

Cause of death	Total deaths			Age at death in days			Total	
	T	M	F	M	F	M	F	
1-026 Neoplasms C00-D48	11,286	6,105	5,181	3	-	1	4	1
1-027 Malignant neoplasm of lip,oral cavity and pharynx C00-C14	1,102	816	286	1	-	-	1	-
1-028 Malignant neoplasm of oesophagus C15	765	431	334	-	-	-	-	-
1-029 Malignant neoplasm of stomach C16	583	299	284	-	-	-	-	-
1-030 Malignant neoplasm of colon,rectum and anus C18-C21	217	125	92	-	-	-	-	-
1-031 Malignant neoplasm of liver and intrahepatic bile ducts C22	532	335	197	1	-	-	1	-
1-032 Malignant neoplasm of pancreas C25	106	66	40	-	-	-	-	-
1-033 Malignant neoplasm of larynx C32	137	113	24	-	-	-	-	-
1-034 Malignant neoplasm of trachea, bronchus and lung C33-C34	1,031	777	254	-	-	-	1	1
1-035 Malignant melanoma of skin C43	9	7	2	-	-	-	-	-
1-036 Malignant neoplasm of breast C50	628	3	625	-	-	-	-	-
1-037 Malignant neoplasm of cervix uteri C53	120	-	120	-	-	-	-	-
1-038 Malignant neoplasm of other and unspecified parts of uterus C54-C55	293	-	293	-	-	-	-	-
1-039 Malignant neoplasm of ovary C56	175	-	175	-	-	-	-	-
1-040 Malignant neoplasm of prostate C61	120	120	-	-	-	-	-	-
1-041 Malignant neoplasm of bladder C67	147	116	31	-	-	-	-	-
1-042 Malignant neoplasm of meninges , brain and other parts of central nervous system C70-C72	345	198	147	-	-	-	-	-
1-043 Non-Hodgkin s lymphoma C82-C85	221	137	84	-	-	-	-	-
1-044 Multiple myeloma and malignant plasma cell neoplasms C90	115	63	52	-	-	-	-	-
1-045 Leukaemia C91-C95	557	308	249	-	-	1	1	-
1-046 Remainder of malignant neoplasm	3,968	2,138	1,830	1	-	-	1	-
1-047 Remainder of neoplasms D00-D48	115	53	62	-	-	-	-	-

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2009 (List 1 - ICD10)(Cont.)

Cause of death	Total deaths			Age at death in days						Total	
	T	M	F	0-7			8-29			0-29 days	
				M	F	M	M	F	M	F	
1-048 Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D50-D89											
1-049 Anaemias D50-D64	271	124	147	1	-	3	-	-	4	-	
1-050 Remainder of diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D65-D89	223	106	117	1	-	2	-	-	3	-	
	48	18	30	-	-	1	-	-	1	-	
1-051 Endocrine,nutritional and metabolic diseases E00-E88											
1-052 Diabetes mellitus E10-E14	9,680	4,970	4,710	1	-	1	-	-	2	-	
1-053 Malnutrition E40-E46	9,362	4,818	4,544	-	-	-	-	-	-	-	
1-054 Remainder of endocrine, nutritional and metabolic diseases	63	29	34	-	-	1	-	-	1	-	
	255	123	132	1	-	-	-	-	1	-	
1-055 Mental and behavioural disorders F01-F99											
1-056 Mental and behavioural disorders due to psychoactive substance use	486	355	131	-	-	-	-	-	-	-	
1-057 Remainder of mental and behavioural disorders F01-F09, F20-F99	230	224	6	-	-	-	-	-	-	-	
	256	131	125	-	-	-	-	-	-	-	
1-058 Diseases of the nervous system G00-G98											
1-059 Meningitis G00,G03	10,014	5,271	4,743	4	2	6	1	10	3		
1-060 Alzheimer s diseases G30	170	110	60	1	1	3	1	4	2		
1-061 Remainder of disease of the nervous system G04-G25, G31-G98	2	-	2	-	-	-	-	-	-	-	
	9,842	5,161	4,681	3	1	3	-	6	1		
1-062 Diseases of the eye and adnexa H00-H57											
1-063 Diseases of the ear and mastoid process H60-H93	-	-	-	-	-	-	-	-	-	-	
	1	-	1	-	-	-	-	-	-	-	
1-064 Diseases of the circulatory system I00-I99											
1-065 Acute rheumatic fever and chronic rheumatic heart diseases I00-I09	31,389	18,569	12,820	13	9	5	8	18	17		
1-066 Hypertensive diseases I10-I14	56	16	40	-	-	-	-	-	-	-	
1-067 Ischaemic heart diseases I20-I25	7,468	3,652	3,816	-	1	-	-	-	1		
1-068 Other heart diseases I26-I51	5,521	3,395	2,126	-	-	-	1	-	1		
1-069 Cerebrovascular diseases I60-I69	14,128	9,003	5,125	12	6	5	6	17	12		
1-070 Atherosclerotic I70	3,745	2,189	1,556	1	2	-	1	1	3		
1-071 Remainder of diseases of the circulatory system I71-I99	53	36	17	-	-	-	-	-	-	-	
	418	278	140	-	-	-	-	-	-	-	

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2009 (List 1 - ICD10)(Cont.)

Cause of death	Total deaths			Age at death in days						Total	
	T	M	F	0-7			8-29			0-29 days	
				M	F	M	M	F	F	M	F
1-072 Diseases of the respiratory system J00-J98	12,310	7,429	4,881	9	9	3	3	3	12	12	12
1-073 Influenza J10-J11	10	5	5	-	-	-	-	-	-	-	-
1-074 Pneumonia J12-J18	2,949	1,805	1,144	7	6	2	3	3	9	9	9
1-075 Other acute lower respiratory infections J20-J22	138	70	68	-	-	-	-	-	-	-	-
1-076 Chronic lower respiratory diseases J40-J47	8,029	4,835	3,194	-	2	-	-	-	-	-	2
1-077 Remainder of diseases of the respiratory system	1,184	714	470	2	1	1	1	-	3	1	1
1-078 Diseases of the digestive system K00-K92	3,988	3,166	822	3	2	2	1	1	5	3	3
1-079 Gastric and duodenal ulcer K25-K27	27	19	8	-	-	-	-	-	-	-	-
1-080 Diseases of the liver K70-K76	3,296	2,709	587	2	-	-	-	-	2	2	-
1-081 Remainder of diseases of the digestive system	665	438	227	1	2	2	1	1	3	3	3
1-082 Diseases of the skin and subcutaneous tissue L00-L98	107	60	47	-	-	-	-	-	-	-	-
1-083 Diseases of the musculoskeletal system and connective tissue M00-M99	182	69	113	-	-	-	-	-	-	-	-
1-084 Diseases of the genitourinary system N00-N98	3,731	2,630	1,101	-	-	2	-	-	2	-	-
1-085 Glomerular and renal tubulo-interstitial diseases N00-N15	219	151	68	-	-	1	-	-	1	1	-
1-086 Remainder of diseases of the genitourinary System N17-N98	3,512	2,479	1,033	-	-	1	-	-	1	1	-

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2009 (List 1 - ICD10)(Cont.)

Cause of death	Total deaths			Age at death in days				Total	
	T	M	F	0-7		8-29		0-29 days	
				M	F	M	F	M	F
1-087 Pregnancy, childbirth and the puerperium O00-O09	27	-	27	-	-	-	-	-	-
1-088 Pregnancy with abortive outcome O00-O07	11	-	11	-	-	-	-	-	-
1-089 Other direct obstetric deaths O10-O92	15	-	15	-	-	-	-	-	-
1-090 Indirect obstetric deaths O98-O99	1	-	1	-	-	-	-	-	-
1-091 Remainder of pregnancy,childbirth and the puerperium O95-O97	-	-	-	-	-	-	-	-	-
1-092 Certain condition originating in the perinatal period P00-P96	1,922	1,093	829	815	600	233	185	1,048	785
1-093 Congenital malformations,deformations and chromosomal abnormalities Q00-Q99	1,263	669	594	142	98	56	47	198	145
1-094 Symptoms ,signs and abnormal clinical and laboratory findings, not elsewhere classified R00-R99	19,134	8,945	10,189	21	13	6	4	27	17
1-095 External causes of morbidity and mortality V01-Y99	17,831	14,039	3,792	3	1	4	-	7	1
1-096 Transport accidents V01-V99	2,457	2,012	445	-	-	1	-	1	-
1-097 Falls W00-W19	1,068	769	299	-	-	-	-	-	-
1-098 Accidental drowning and submersion W65-W74	800	652	148	-	-	-	-	-	-
1-099 Exposure to smoke,fire and flames X00-X09	266	89	177	-	-	-	-	-	-
1-100 Accidental poisoning by and exposure to noxious substances X40-X49	160	119	41	-	-	-	-	-	-
1-101 Intentional self-harm X60-X84	3,597	2,793	804	-	-	-	-	-	-
1-102 Assault X85-Y09	605	485	120	-	-	-	-	-	-
1-103 All other external causes W20-W64,W75-W99,X10-X39, .	8,878	7,120	1,758	3	1	3	-	6	1
1-106 Dissaperance	15	12	3	-	-	-	-	-	-
Total	127,776	76,094	51,682	1,028	741	333	263	1,361	1,004

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2009 (List 1 - ICD10)(Cont.)

Cause of death	Age at death in months										Total	
	1-2		3-5		6-8		9-11				1-11 months	
	M	F	M	F	M	F	M	F	M	F	M	F
1-001 Certain infectious and parasitic diseases A00-B99	23	19	23	16	29	12	15	5	90	52		
1-002 Cholera A00	-	-	-	-	-	-	-	-	-	-	-	-
1-003 Diarrhoea and gastroenteritis of presumed Infectious origin A09	2	1	5	2	6	1	6	-	19	4		
1-004 Other intestinal infectious diseases A01-A08	-	-	-	-	-	-	1	-	1	-		
1-005 Respiratory tuberculosis A15-A16	-	-	-	-	-	1	1	-	1	1		
1-006 Other tuberculosis A17-A19	-	-	-	-	-	1	-	-	-	1		
1-007 Plague A20	-	-	-	-	-	-	-	-	-	-		
1-008 Tetanus A33-A35	-	-	-	-	-	-	-	-	-	-		
1-009 Diphtheria A36	-	-	-	-	-	-	-	-	-	-		
1-010 Whooping cough A37	-	-	-	-	-	-	-	-	-	-		
1-011 Meningococcal infection A39	-	-	-	-	1	-	-	-	1	-		
1-012 Septicaemia A40-A41	19	16	18	10	15	7	5	4	57	37		
1-013 Infection with a predominantly sexual mode of transmission A50-A64	-	-	-	-	-	-	-	-	-	-		
1-014 Acute poliomyelitis A80	-	-	-	-	-	-	-	-	-	-		
1-015 Rabies A82	-	-	-	-	-	-	-	-	-	-		
1-016 Yellow fever A95	-	-	-	-	-	-	-	-	-	-		
1-017 Other arthropod-borne viral fevers and viral haemorrhagic fevers	-	1	-	3	5	1	2	-	7	5		
1-018 Measles B05	-	-	-	-	-	-	-	-	-	-		
1-019 Viral hepatitis B15-B19	-	-	-	-	-	-	-	-	-	-		
1-020 Human immunodeficiency virus [HIV] disease B20-B24	-	-	-	-	-	-	-	-	-	-		
1-021 Malaria B50-B54	-	-	-	-	-	-	-	-	-	-		
1-022 Leishmaniasis B55	-	-	-	-	-	-	-	-	-	-		
1-023 Trypanosomiasis B56-B57	-	-	-	-	-	-	-	-	-	-		
1-024 Schistosomiasis B65	-	-	-	-	-	-	-	-	-	-		
1-025 Remainder of certain infectious and parasitic diseases	2	1	-	1	2	1	-	1	4	4		

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2009 (List 1 - ICD10)(Cont.)

Cause of death	1-2		3-5				6-8				9-11		Total 1-11 months	
	M		F		M		F		M		F		M	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1-026 Neoplasms C00-D48	3	3	2	4	2	1	2	4	3	3	10	11		
1-027 Malignant neoplasm of lip,oral cavity and pharynx C00-C14	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-028 Malignant neoplasm of oesophagus C15	-	1	-	-	-	-	-	-	-	-	-	1	-	1
1-029 Malignant neoplasm of stomach C16	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-030 Malignant neoplasm of colon,rectum and anus C18-C21	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-031 Malignant neoplasm of liver and intrahepatic bile ducts C22	-	-	-	-	-	-	-	-	-	2	-	2	-	2
1-032 Malignant neoplasm of pancreas C25	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-033 Malignant neoplasm of larynx C32	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-034 Malignant neoplasm of trachea, bronchus and lung C33-C34	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-035 Malignant melanoma of skin C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-036 Malignant neoplasm of breast C50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-037 Malignant neoplasm of cervix uteri C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-038 Malignant neoplasm of other and unspecified parts of uterus C54-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-039 Malignant neoplasm of ovary C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-040 Malignant neoplasm of prostate C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-041 Malignant neoplasm of bladder C67	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-042 Malignant neoplasm of meninges , brain and other parts of central nervous system C70-C72	-	-	1	1	-	-	-	1	-	-	1	1	1	1
1-043 Non-Hodgkin s lymphoma C82-C85	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-044 Multiple myeloma and malignant plasma cell neoplasms C90	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-045 Leukaemia C91-C95	1	1	-	2	1	1	2	1	2	1	4	5	4	5
1-046 Remainder of malignant neoplasm	2	-	1	1	1	1	-	1	1	-	5	1	5	1
1-047 Remainder of neoplasms D00-D48	-	1	-	-	-	-	-	-	-	-	-	1	-	1

Table 7.2 : Number of deaths according to Cause by Age and Sex - 2009 (List 1 - ICD10)(Cont.)

Cause of death	Age at death in months						Total	
	1-2		3-5		6-8		9-11	
	M	F	M	F	M	F	M	F
1-048 Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D50-D89								
1-049 Anaemias D50-D64	1	1	1	4	-	1	1	1
1-050 Remainder of diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D65-D89	-	-	-	1	-	1	1	-
	1	1	1	3	-	-	2	5
1-051 Endocrine, nutritional and metabolic diseases E00-E88	2	2	1	3	3	-	2	1
1-052 Diabetes mellitus E10-E14	-	-	-	-	-	-	-	-
1-053 Malnutrition E40-E46	1	-	-	-	-	-	2	-
1-054 Remainder of endocrine, nutritional and metabolic diseases	1	2	1	3	3	-	5	6
1-055 Mental and behavioural disorders F01-F99	-	-	-	-	-	-	-	-
1-056 Mental and behavioural disorders due to psychoactive substance use	-	-	-	-	-	-	-	-
1-057 Remainder of mental and behavioural disorders F01-F09, F20-F99	-	-	-	-	-	-	-	-
1-058 Diseases of the nervous system G00-G98	12	4	13	6	12	10	8	5
1-059 Meningitis G00, G03	3	2	7	2	4	1	3	-
1-060 Alzheimer's diseases G30	-	-	-	-	-	-	-	-
1-061 Remainder of disease of the nervous system G04-G25, G31-G98	9	2	6	4	8	9	5	20
1-062 Diseases of the eye and adnexa H00-H57	-	-	-	-	-	-	-	-
1-063 Diseases of the ear and mastoid process H60-H93	-	-	-	-	-	-	-	-
1-064 Diseases of the circulatory system I00-I99	7	10	11	12	3	5	6	5
1-065 Acute rheumatic fever and chronic rheumatic heart diseases I00-I09	-	-	-	-	-	-	-	-
1-066 Hypertensive diseases I10-I14	-	-	-	-	-	-	-	-
1-067 Ischaemic heart diseases I20-I25	-	-	1	1	-	-	-	1
1-068 Other heart diseases I26-I51	7	9	9	11	3	5	6	25
1-069 Cerebrovascular diseases I60-I69	-	1	1	-	-	-	-	2
1-070 Atherosclerotic I70	-	-	-	-	-	-	-	-
1-071 Remainder of diseases of the circulatory system I71-I99	-	-	-	-	-	-	-	-

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2009 (List 1 - ICD10)(Cont.)

Cause of death	Age at death in months										Total	
	1-2		3-5		6-8		9-11				1-11 months	
	M	F	M	F	M	F	M	F	M	F	M	F
1-072 Diseases of the respiratory system J00-J98	25	28	47	26	28	30	20	14	120	98		
1-073 Influenza J10-J11	-	-	1	-	-	-	-	-	1	-		
1-074 Pneumonia J12-J18	22	20	32	20	23	23	17	8	94	71		
1-075 Other acute lower respiratory infections J20-J22	1	3	4	2	2	3	-	3	7	11		
1-076 Chronic lower respiratory diseases J40-J47	-	1	4	2	2	-	1	1	7	4		
1-077 Remainder of diseases of the respiratory system	2	4	6	2	1	4	2	2	11	12		
1-078 Diseases of the digestive system K00-K92	-	3	2	3	4	3	1	1	7	10		
1-079 Gastric and duodenal ulcer K25-K27	-	-	-	-	-	-	-	-	-	-		
1-080 Diseases of the liver K70-K76	-	2	2	3	2	3	-	1	4	9		
1-081 Remainder of diseases of the digestive system	-	1	-	-	2	-	1	-	3	1		
1-082 Diseases of the skin and subcutaneous tissue L00-L98	-	-	-	-	-	-	-	-	-	-		
1-083 Diseases of the musculoskeletal system and connective tissue M00-M99	-	-	-	-	-	-	-	-	-	-		
1-084 Diseases of the genitourinary system N00-N98	2	3	3	1	2	1	1	3	8	8		
1-085 Glomerular and renal tubulo-interstitial diseases N00-N15	-	1	-	-	1	-	-	1	1	2		
1-086 Remainder of diseases of the genitourinary System N17-N98	2	2	3	1	1	1	1	2	7	6		

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2009 (List 1 - ICD10)(Cont.)

Cause of death	Age at death in months								Total	
	1-2		3-5		6-8		9-11		1-11 months	
	M	F	M	F	M	F	M	F	M	F
1-087 Pregnancy, childbirth and the puerperium O00-O09	-	-	-	-	-	-	-	-	-	-
1-088 Pregnancy with abortive outcome O00-O07	-	-	-	-	-	-	-	-	-	-
1-089 Other direct obstetric deaths O10-O92	-	-	-	-	-	-	-	-	-	-
1-090 Indirect obstetric deaths O98-O99	-	-	-	-	-	-	-	-	-	-
1-091 Remainder of pregnancy,childbirth and the puerperium O95-O97	-	-	-	-	-	-	-	-	-	-
1-092 Certain condition originating in the perinatal period P00-P96	23	32	15	5	4	5	3	1	45	43
1-093 Congenital malformations,deformations and chromosomal abnormalities Q00-Q99	90	78	63	76	38	44	27	31	218	229
1-094 Symptoms ,signs and abnormal clinical and laboratory findings, not elsewhere classified R00-R99	8	5	3	5	4	1	1	4	16	15
1-095 External causes of morbidity and mortality V01-Y99	13	11	7	11	7	12	3	4	30	38
1-096 Transport accidents V01-V99	1	-	2	-	2	2	-	-	5	2
1-097 Falls W00-W19	-	-	-	-	-	-	-	1	-	1
1-098 Accidental drowning and submersion W65-W74	-	-	-	1	-	1	-	-	-	2
1-099 Exposure to smoke,fire and flames X00-X09	-	-	-	-	-	-	-	1	-	1
1-100 Accidental poisoning by and exposure to noxious substances X40-X49	-	-	-	-	-	-	-	-	-	-
1-101 Intentional self-harm X60-X84	-	-	-	-	-	-	-	-	-	-
1-102 Assault X85-Y09	-	-	1	-	-	-	-	-	1	-
1-103 All other external causes W20-W64,W75-W99,X10-X39, .	12	11	4	10	5	9	3	2	24	32
1-106 Dissaperance	-	-	-	-	-	-	-	-	-	-
Total	209	199	191	172	136	125	91	78	627	574

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2009 (List 1 - ICD10)(Cont.)

Cause of death	Under 1 year		Age at death in years						Total 1-4 years	
			1		2		3		4	
	M	F	M	F	M	F	M	F	M	F
1-001 Certain infectious and parasitic diseases A00-B99	114	72	21	17	12	20	12	14	14	14
1-002 Cholera A00	-	-	-	-	-	-	-	-	-	-
1-003 Diarrhoea and gastroenteritis of presumed Infectious origin A09	20	5	8	6	1	5	2	2	1	4
1-004 Other intestinal infectious diseases A01-A08	1	-	-	-	-	-	1	-	-	-
1-005 Respiratory tuberculosis A15-A16	1	1	-	-	-	1	-	-	1	2
1-006 Other tuberculosis A17-A19	-	1	-	-	-	-	1	-	1	-
1-007 Plague A20	-	-	1	-	-	-	-	-	1	-
1-008 Tetanus A33-A35	-	-	-	-	-	1	-	-	-	1
1-009 Diphtheria A36	-	-	-	-	-	-	-	-	-	-
1-010 Whooping cough A37	-	-	-	-	-	-	-	-	-	-
1-011 Meningococcal infection A39	1	-	-	-	-	-	-	-	-	-
1-012 Septicaemia A40-A41	80	56	9	6	10	9	5	3	7	2
1-013 Infection with a predominantly sexual mode of transmission A50-A64	-	-	-	-	-	-	-	-	-	-
1-014 Acute poliomyelitis A80	-	-	-	-	-	-	-	-	-	-
1-015 Rabies A82	-	-	-	-	-	-	-	-	-	-
1-016 Yellow fever A95	-	-	-	-	-	-	-	-	-	-
1-017 Other arthropod-borne viral fevers and viral haemorrhagic fevers	7	5	1	4	1	3	3	9	5	4
1-018 Measles B05	-	-	-	-	-	-	-	-	-	-
1-019 Viral hepatitis B15-B19	-	-	-	-	-	-	-	-	-	-
1-020 Human immunodeficiency virus [HIV] disease B20-B24	-	-	-	-	-	-	-	-	-	-
1-021 Malaria B50-B54	-	-	-	-	-	-	-	-	-	-
1-022 Leishmaniasis B55	-	-	-	-	-	-	-	-	-	-
1-023 Trypanosomiasis B56-B57	-	-	-	-	-	-	-	-	-	-
1-024 Schistosomiasis B65	-	-	-	-	-	-	-	-	-	-
1-025 Remainder of certain infectious and parasitic diseases	4	4	2	1	-	1	-	-	-	3
									2	5

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2009 (List 1 - ICD10)(Cont.)

Cause of death	Under 1 year		Age at death in years								Total 1-4 years	
	M	F	1		2		3		4		M	F
			M	F	M	F	M	F	M	F		
1-026 Neoplasms C00-D48	14	12	11	6	8	13	9	7	7	2	35	28
1-027 Malignant neoplasm of lip,oral cavity and pharynx C00-C14	1	-	-	-	-	-	-	-	-	-	-	-
1-028 Malignant neoplasm of oesophagus C15	-	1	-	-	-	-	-	-	-	-	-	-
1-029 Malignant neoplasm of stomach C16	-	-	-	-	-	-	-	-	-	-	-	-
1-030 Malignant neoplasm of colon,rectum and anus C18-C21	-	-	-	-	-	-	-	-	-	-	-	-
1-031 Malignant neoplasm of liver and intrahepatic bile ducts C22	1	2	-	-	-	1	-	1	-	-	-	2
1-032 Malignant neoplasm of pancreas C25	-	-	-	-	-	-	-	-	-	-	-	-
1-033 Malignant neoplasm of larynx C32	-	-	-	-	-	-	-	-	-	-	-	-
1-034 Malignant neoplasm of trachea, bronchus and lung C33-C34	-	1	-	-	-	1	-	-	-	-	-	1
1-035 Malignant melanoma of skin C43	-	-	-	-	-	-	-	-	-	-	-	-
1-036 Malignant neoplasm of breast C50	-	-	-	-	-	-	-	-	-	-	-	-
1-037 Malignant neoplasm of cervix uteri C53	-	-	-	-	-	-	-	-	-	-	-	-
1-038 Malignant neoplasm of other and unspecified parts of uterus C54-C55	-	-	-	-	-	-	-	-	-	-	-	-
1-039 Malignant neoplasm of ovary C56	-	-	-	-	-	-	-	-	-	-	-	-
1-040 Malignant neoplasm of prostate C61	-	-	-	-	-	-	-	-	-	-	-	-
1-041 Malignant neoplasm of bladder C67	-	-	-	-	-	-	-	-	-	-	-	-
1-042 Malignant neoplasm of meninges , brain and other parts of central nervous system C70-C72	1	1	1	-	1	2	1	-	1	-	4	2
1-043 Non-Hodgkin s lymphoma C82-C85	-	-	1	-	-	-	-	-	-	-	1	-
1-044 Multiple myeloma and malignant plasma cell neoplasms C90	-	-	-	-	-	-	-	-	1	-	1	-
1-045 Leukaemia C91-C95	5	5	4	4	5	7	4	3	4	1	17	15
1-046 Remainder of malignant neoplasm	6	1	3	2	1	2	3	3	1	1	8	8
1-047 Remainder of neoplasms D00-D48	-	1	2	-	1	-	1	-	-	-	4	-

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2009 (List 1 - ICD10)(Cont.)

Cause of death	Under 1 year		Age at death in years								Total	
			1		2		3		4		1-4 years	
	M	F	M	F	M	F	M	F	M	F	M	F
1-048 Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D50-D89												
1-049 Anaemias D50-D64	7	7	-	1	-	2	1	1	-	1	1	5
1-050 Remainder of diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D65-D89	4	2	-	1	-	-	1	1	-	1	1	3
	3	5	-	-	-	2	-	-	-	-	-	2
1-051 Endocrine, nutritional and metabolic diseases E00-E88												
1-052 Diabetes mellitus E10-E14	10	6	1	3	1	2	-	1	1	1	3	7
1-053 Malnutrition E40-E46	-	-	-	-	-	-	-	-	-	-	-	-
1-054 Remainder of endocrine, nutritional and metabolic diseases	4	-	1	2	-	2	-	1	-	-	1	5
	6	6	-	1	1	-	-	-	1	1	2	2
1-055 Mental and behavioural disorders F01-F99												
1-056 Mental and behavioural disorders due to psychoactive substance use	-	-	-	-	-	-	-	-	-	-	-	-
1-057 Remainder of mental and behavioural disorders F01-F09, F20-F99	-	-	-	-	-	-	-	-	-	-	-	-
1-058 Diseases of the nervous system G00-G98												
1-059 Meningitis G00, G03	55	28	21	11	6	6	6	4	10	1	43	22
1-060 Alzheimer's diseases G30	21	7	8	-	1	-	2	-	-	-	11	-
1-061 Remainder of disease of the nervous system G04-G25, G31-G98	-	-	-	-	-	-	-	-	-	-	-	-
	34	21	13	11	5	6	4	4	10	1	32	22
1-062 Diseases of the eye and adnexa H00-H57												
1-063 Diseases of the ear and mastoid process H60-H93	-	-	-	-	-	-	-	-	-	-	-	-
1-064 Diseases of the circulatory system I00-I99												
1-065 Acute rheumatic fever and chronic rheumatic heart diseases I00-I09	45	49	11	7	1	4	3	4	4	1	19	16
1-066 Hypertensive diseases I10-I14	-	-	-	-	-	-	-	-	-	-	-	-
1-067 Ischaemic heart diseases I20-I25	-	1	-	-	-	-	-	-	-	-	-	-
1-068 Other heart diseases I26-I51	1	2	1	-	-	-	-	-	-	-	1	-
1-069 Cerebrovascular diseases I60-I69	42	40	8	5	1	3	2	3	4	1	15	12
1-070 Atherosclerotic I70	2	6	2	2	-	1	1	1	-	-	3	4
1-071 Remainder of diseases of the circulatory system I71-I99	-	-	-	-	-	-	-	-	-	-	-	-

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2009 (List 1 - ICD10)(Cont.)

Cause of death	Under 1 year		Age at death in years								Total 1-4 years	
			1		2		3		4			
	M	F	M	F	M	F	M	F	M	F	M	F
1-072 Diseases of the respiratory system J00-J98	132	110	26	28	23	11	10	13	7	6	66	58
1-073 Influenza J10-J11	1	-	-	-	-	-	-	-	-	-	-	-
1-074 Pneumonia J12-J18	103	80	18	19	17	8	5	10	6	5	46	42
1-075 Other acute lower respiratory infections J20-J22	7	11	4	3	2	1	1	2	-	-	7	6
1-076 Chronic lower respiratory diseases J40-J47	7	6	2	2	3	1	1	1	1	1	7	5
1-077 Remainder of diseases of the respiratory system	14	13	2	4	1	1	3	-	-	-	6	5
1-078 Diseases of the digestive system K00-K92	12	13	6	2	3	-	6	3	2	2	17	7
1-079 Gastric and duodenal ulcer K25-K27	-	-	-	-	-	-	-	-	-	-	-	-
1-080 Diseases of the liver K70-K76	6	9	4	1	2	-	4	2	-	2	10	5
1-081 Remainder of diseases of the digestive system	6	4	2	1	1	-	2	1	2	-	7	2
1-082 Diseases of the skin and subcutaneous tissue L00-L98	-	-	-	-	-	-	-	-	-	-	-	-
1-083 Diseases of the musculoskeletal system and connective tissue M00-M99	-	-	-	-	-	-	-	-	-	-	-	-
1-084 Diseases of the genitourinary system N00-N98	10	8	4	-	2	2	1	1	-	-	7	3
1-085 Glomerular and renal tubulo-interstitial diseases N00-N15	2	2	-	-	1	1	-	-	-	-	1	1
1-086 Remainder of diseases of the genitourinary System N17-N98	8	6	4	-	1	1	1	1	-	-	6	2

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2009 (List 1 - ICD10)(Cont.)

Cause of death	Under 1 year		Age at death in years								Total	
	M F		1		2		3		4		1-4 years	
	M	F	M	F	M	F	M	F	M	F	M	F
1-087 Pregnancy, childbirth and the puerperium O00-O09	-	-	-	-	-	-	-	-	-	-	-	-
1-088 Pregnancy with abortive outcome O00-O07	-	-	-	-	-	-	-	-	-	-	-	-
1-089 Other direct obstetric deaths O10-O92	-	-	-	-	-	-	-	-	-	-	-	-
1-090 Indirect obstetric deaths O98-O99	-	-	-	-	-	-	-	-	-	-	-	-
1-091 Remainder of pregnancy,childbirth and the puerperium O95-O97	-	-	-	-	-	-	-	-	-	-	-	-
1-092 Certain condition originating in the perinatal period P00-P96	1,093	828	-	1	-	-	-	-	-	-	-	1
1-093 Congenital malformations,deformations and chromosomal abnormalities Q00-Q99	416	374	25	34	17	20	11	8	11	9	64	71
1-094 Symptoms ,signs and abnormal clinical and laboratory findings, not elsewhere classified R00-R99	43	32	3	10	3	8	7	2	2	4	15	24
1-095 External causes of morbidity and mortality V01-Y99	37	39	44	29	30	31	29	24	34	20	137	104
1-096 Transport accidents V01-V99	6	2	1	1	-	4	4	4	3	3	8	12
1-097 Falls W00-W19	-	1	3	3	5	1	1	-	5	2	14	6
1-098 Accidental drowning and submersion W65-W74	-	2	8	4	6	2	2	1	5	1	21	8
1-099 Exposure to smoke,fire and flames X00-X09	-	1	-	1	-	-	-	-	2	2	2	3
1-100 Accidental poisoning by and exposure to noxious substances X40-X49	-	-	1	1	1	-	-	1	-	1	2	3
1-101 Intentional self-harm X60-X84	-	-	-	-	-	-	-	-	-	-	-	-
1-102 Assault X85-Y09	1	-	-	-	1	-	1	-	-	-	2	-
1-103 All other external causes W20-W64,W75-W99,X10-X39, .	30	33	31	19	17	24	21	18	19	11	88	72
1-106 Dissaperance	-	-	-	-	-	-	1	-	-	-	1	-
Total	1,988	1,578	173	149	106	119	96	82	92	61	467	411

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2009 (List 1 - ICD10)(Cont.)

Cause of death	Age at death in years						Total		Age at death in years						Total	
	5-9			10-14			5-14 years		15-19			20-24			15-24 years	
	M	F	M	M	F	F	M	F	M	F	M	M	F	M	M	F
1-001 Certain infectious and parasitic diseases A00-B99	37	42	24	24	31		61	73	42	24	52	34		94	58	
1-002 Cholera A00	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-
1-003 Diarrhoea and gastroenteritis of presumed Infectious origin A09	2	2	1	1	1		3	3	1	1	3	-	-	4	1	
1-004 Other intestinal infectious diseases A01-A08	-	-	1	-	-		1	-	1	1	-	-	-	1	1	
1-005 Respiratory tuberculosis A15-A16	2	-	-	2	2		2	2	1	6	4	3		5	9	
1-006 Other tuberculosis A17-A19	-	-	-	-	-		-	-	-	-	1	-	-	1	-	
1-007 Plague A20	-	-	-	-	-		-	-	-	-	-	-	-	-	-	
1-008 Tetanus A33-A35	-	-	-	-	-		-	-	1	-	-	-	-	1	-	
1-009 Diphtheria A36	-	-	-	-	-		-	-	-	-	-	-	-	-	-	
1-010 Whooping cough A37	-	-	-	-	-		-	-	-	-	-	-	-	-	-	
1-011 Meningococcal infection A39	-	-	1	-	-		1	-	-	-	-	-	-	-	-	
1-012 Septicaemia A40-A41	9	11	8	13	13		17	24	17	6	18	13		35	19	
1-013 Infection with a predominantly sexual mode of transmission A50-A64	-	-	-	-	-		-	-	-	-	-	-	-	-	-	
1-014 Acute poliomyelitis A80	-	-	-	-	-		-	-	-	-	-	-	-	-	-	
1-015 Rabies A82	1	1	2	1	1		3	2	1	-	2	-	-	3	-	
1-016 Yellow fever A95	-	-	-	-	-		-	-	-	-	-	-	-	-	-	
1-017 Other arthropod-borne viral fevers and viral haemorrhagic fevers	16	28	9	13	13		25	41	7	5	12	15		19	20	
1-018 Measles B05	-	-	-	-	-		-	-	-	-	-	-	-	-	-	
1-019 Viral hepatitis B15-B19	1	-	-	-	-		1	-	-	-	-	-	-	-	-	
1-020 Human immunodeficiency virus [HIV] disease B20-B24	-	-	-	-	-		-	-	-	-	-	-	-	-	-	
1-021 Malaria B50-B54	1	-	-	-	-		1	-	-	-	-	-	-	-	-	
1-022 Leishmaniasis B55	-	-	-	-	-		-	-	-	-	-	-	-	-	-	
1-023 Trypanosomiasis B56-B57	-	-	-	-	-		-	-	-	-	-	-	-	-	-	
1-024 Schistosomiasis B65	-	-	-	-	-		-	-	-	-	-	-	-	-	-	
1-025 Remainder of certain infectious and parasitic diseases	5	-	2	1	1		7	1	13	5	12	3		25	8	

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2009 (List 1 - ICD10)(Cont.)

Cause of death	Age at death in years				Total				Age at death in years				Total			
	5-9		10-14		5-14 years		15-19		20-24		15-24 years		5-14 years		15-24 years	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1-026 Neoplasms C00-D48	39	28	34	34	73	62	50	40	68	29	118	69				
1-027 Malignant neoplasm of lip,oral cavity and pharynx C00-C14	2	1	1	-	3	1	3	1	-	-	3	1				
1-028 Malignant neoplasm of oesophagus C15	-	-	-	1	-	1	-	1	-	-	-	1				
1-029 Malignant neoplasm of stomach C16	-	-	-	-	-	-	-	1	2	1	2	2				
1-030 Malignant neoplasm of colon,rectum and anus C18-C21	-	-	1	-	1	-	-	-	3	-	3	-				
1-031 Malignant neoplasm of liver and intrahepatic bile ducts C22	1	-	1	1	2	1	2	1	2	-	4	1				
1-032 Malignant neoplasm of pancreas C25	-	-	-	-	-	-	1	-	-	-	1	-				
1-033 Malignant neoplasm of larynx C32	-	-	-	-	-	-	-	-	2	-	2	-				
1-034 Malignant neoplasm of trachea, bronchus and lung C33-C34	1	1	1	1	2	2	2	2	5	2	7	4				
1-035 Malignant melanoma of skin C43	-	-	-	-	-	-	-	-	-	-	-	-				
1-036 Malignant neoplasm of breast C50	-	-	-	-	-	-	-	-	-	1	-	1				
1-037 Malignant neoplasm of cervix uteri C53	-	-	-	-	-	-	-	-	-	-	-	-				
1-038 Malignant neoplasm of other and unspecified parts of uterus C54-C55	-	-	-	-	-	-	-	-	-	2	-	2				
1-039 Malignant neoplasm of ovary C56	-	-	-	-	-	-	-	-	-	1	-	1				
1-040 Malignant neoplasm of prostate C61	-	-	-	-	-	-	-	-	-	-	-	-				
1-041 Malignant neoplasm of bladder C67	-	-	1	-	1	-	-	-	-	-	-	-				
1-042 Malignant neoplasm of meninges , brain and other parts of central nervous system C70-C72	6	5	-	5	6	10	3	5	7	2	10	7				
1-043 Non-Hodgkin s lymphoma C82-C85	4	2	1	3	5	5	3	2	6	2	9	4				
1-044 Multiple myeloma and malignant plasma cell neoplasms C90	-	-	-	-	-	-	-	-	-	-	-	-				
1-045 Leukaemia C91-C95	15	9	23	5	38	14	17	16	16	7	33	23				
1-046 Remainder of malignant neoplasm	9	7	5	14	14	21	16	11	25	10	41	21				
1-047 Remainder of neoplasms D00-D48	1	3	-	4	1	7	3	-	-	1	3	1				

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2009 (List 1 - ICD10)(Cont.)

Cause of death	Age at death in years				Total		Age at death in years				Total	
	5-9		10-14		5-14 years		15-19		20-24		15-24 years	
	M	F	M	F	M	F	M	F	M	F	M	F
1-048 Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D50-D89												
1-049 Anaemias D50-D64	2	4	5	10	7	14	7	1	2	3	9	4
1-050 Remainder of diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D65-D89	1	2	5	8	6	10	6	1	2	2	8	3
	1	2	-	2	1	4	1	-	-	1	1	1
1-051 Endocrine, nutritional and metabolic diseases E00-E88												
1-052 Diabetes mellitus E10-E14	4	3	2	3	6	6	4	6	9	7	13	13
1-053 Malnutrition E40-E46	1	2	-	1	1	3	3	3	7	6	10	9
1-054 Remainder of endocrine, nutritional and metabolic diseases	-	-	-	1	-	1	1	1	1	1	2	2
	3	1	2	1	5	2	-	2	1	-	1	2
1-055 Mental and behavioural disorders F01-F99												
1-056 Mental and behavioural disorders due to psychoactive substance use F10-F19	-	-	1	1	1	1	1	1	2	-	3	1
1-057 Remainder of mental and behavioural disorders F01-F09, F20-F99	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	1	1	1	1	1	2	-	3	1
1-058 Diseases of the nervous system G00-G98												
1-059 Meningitis G00, G03	28	26	18	26	46	52	26	24	40	24	66	48
1-060 Alzheimer's diseases G30	2	2	-	1	2	3	4	3	6	1	10	4
1-061 Remainder of disease of the nervous system G04-G25, G31-G98	-	-	-	-	-	-	-	-	-	-	-	-
	26	24	18	25	44	49	22	21	34	23	56	44
1-062 Diseases of the eye and adnexa H00-H57												
1-063 Diseases of the ear and mastoid process H60-H93	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	1
1-064 Diseases of the circulatory system I00-I99												
1-065 Acute rheumatic fever and chronic rheumatic heart diseases I00-I09	21	22	28	20	49	42	44	21	69	50	113	71
1-066 Hypertensive diseases I10-I14	-	1	1	3	1	4	1	-	1	2	2	2
1-067 Ischaemic heart diseases I20-I25	-	-	-	1	-	1	1	2	8	7	9	9
1-068 Other heart diseases I26-I51	1	3	2	-	3	3	3	1	4	1	7	2
1-069 Cerebrovascular diseases I60-I69	18	16	21	9	39	25	26	15	43	29	69	44
1-070 Atherosclerotic I70	2	2	4	7	6	9	11	3	13	10	24	13
1-071 Remainder of diseases of the circulatory system I71-I99	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	2	-	-	1	2	1

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2009 (List 1 - ICD10)(Cont.)

Cause of death	Age at death in years						Total			Age at death in years						Total			Age at death in years						Total		
	5-9			10-14			5-14 years			15-19			20-24			15-24 years			15-19			20-24			15-24 years		
	M	F		M	F		M	F		M	F		M	F		M	F		M	F		M	F		M	F	
1-072 Diseases of the respiratory system J00-J98	40	25		23	21		63	46		44	20		43	31		87	51		44	20		43	31		87	51	
1-073 Influenza J10-J11	-	1		1	-		1	1		-	-		-	-		-	-		-	-		-	-		-	-	
1-074 Pneumonia J12-J18	22	12		13	8		35	20		24	10		17	25		41	35		24	10		17	25		41	35	
1-075 Other acute lower respiratory infections J20-J22	2	2		1	2		3	4		1	-		1	-		2	-		1	-		1	-		2	-	
1-076 Chronic lower respiratory diseases J40-J47	11	6		5	8		16	14		12	7		16	3		28	10		12	7		16	3		28	10	
1-077 Remainder of diseases of the respiratory system	5	4		3	3		8	7		7	3		9	3		16	6		7	3		9	3		16	6	
1-078 Diseases of the digestive system K00-K92	7	11		6	9		13	20		10	2		13	9		23	11		10	2		13	9		23	11	
1-079 Gastric and duodenal ulcer K25-K27	-	-		-	-		-	-		-	-		-	-		-	-		-	-		-	-		-	-	
1-080 Diseases of the liver K70-K76	6	9		3	7		9	16		8	1		9	6		17	7		8	1		9	6		17	7	
1-081 Remainder of diseases of the digestive system	1	2		3	2		4	4		2	1		4	3		6	4		2	1		4	3		6	4	
1-082 Diseases of the skin and subcutaneous tissue L00-L98	-	-		-	-		-	-		1	-		-	2		1	2		1	-		-	2		1	2	
1-083 Diseases of the musculoskeletal system and connective tissue M00-M99	-	1		2	-		2	1		2	1		1	1		3	2		2	1		1	1		3	2	
1-084 Diseases of the genitourinary system N00-N98	7	3		8	5		15	8		17	8		15	14		32	22		17	8		15	14		32	22	
1-085 Glomerular and renal tubulo-interstitial diseases N00-N15	1	-		2	1		3	1		1	1		-	-		1	1		1	1		-	-		1	1	
1-086 Remainder of diseases of the genitourinary system N17-N98	6	3		6	4		12	7		16	7		15	14		31	21		16	7		15	14		31	21	

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2009 (List 1 - ICD10)(Cont.)

Cause of death	Age at death in years				Total		Age at death in years				Total		Age at death in years				Total	
	5-9		10-14		M	F	15-19		20-24		M	F	25-29		30-34		M	F
	M	F	M	F			M	F	M	F			M	F	M	F		
1-087 Pregnancy, childbirth and the puerperium O00-O09	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-088 Pregnancy with abortive outcome O00-O07	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-089 Other direct obstetric deaths O10-O92	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-090 Indirect obstetric deaths O98-O99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-091 Remainder of pregnancy,childbirth and the puerperium O95-O97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-092 Certain condition originating in the perinatal period P00-P96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-093 Congenital malformations,deformations and chromosomal abnormalities Q00-Q99	38	31	36	27	74	58	34	16	17	17	51	33	21	25	27	23	48	48
1-094 Symptoms ,signs and abnormal clinical and laboratory findings, not elsewhere classified R00-R99	22	22	12	19	34	41	21	25	27	23	48	48	21	25	27	23	48	48
1-095 External causes of morbidity and mortality V01-Y99	131	109	152	155	283	264	1,160	295	2,497	365	3,657	660	1,160	295	2,497	365	3,657	660
1-096 Transport accidents V01-V99	13	14	21	10	34	24	102	12	173	23	275	35	102	12	173	23	275	35
1-097 Falls W00-W19	8	5	5	5	13	10	17	3	22	2	39	5	17	3	22	2	39	5
1-098 Accidental drowning and submersion W65-W74	18	7	20	7	38	14	77	10	83	9	160	19	77	10	83	9	160	19
1-099 Exposure to smoke,fire and flames X00-X09	1	2	-	2	1	4	2	19	5	27	7	46	2	19	5	27	7	46
1-100 Accidental poisoning by and exposure to noxious substances X40-X49	1	2	1	3	2	5	1	5	11	7	12	12	1	5	11	7	12	12
1-101 Intentional self-harm X60-X84	1	-	9	19	10	19	109	126	206	135	315	261	109	126	206	135	315	261
1-102 Assault X85-Y09	7	2	3	5	10	7	25	12	53	8	78	20	25	12	53	8	78	20
1-103 All other external causes W20-W64,W75-W99,X10-X39, .	82	77	93	104	175	181	827	108	1,944	154	2,771	262	827	108	1,944	154	2,771	262
1-106 Dissaperance	-	1	-	1	-	2	-	-	1	-	1	-	-	-	1	-	1	-
Total	376	328	351	362	727	690	1,463	487	2,856	613	4,319	1,100	1,463	487	2,856	613	4,319	1,100

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2009 (List 1 - ICD10)(Cont.)

Cause of death	Age at death in years								Total	
	25-29		30-34		35-39		40-44		25-44 years	
	M	F	M	F	M	F	M	F	M	F
1-001 Certain infectious and parasitic diseases A00-B99	63	41	60	49	107	47	138	55	368	192
1-002 Cholera A00	-	-	-	-	-	-	-	-	-	-
1-003 Diarrhoea and gastroenteritis of presumed Infectious origin A09	1	1	2	2	7	-	5	6	15	9
1-004 Other intestinal infectious diseases A01-A08	1	-	-	1	2	-	-	-	3	1
1-005 Respiratory tuberculosis A15-A16	6	9	15	4	30	11	37	11	88	35
1-006 Other tuberculosis A17-A19	2	2	-	1	-	-	1	-	3	3
1-007 Plague A20	-	-	-	-	-	-	-	-	-	-
1-008 Tetanus A33-A35	1	-	-	-	-	-	3	-	4	-
1-009 Diphtheria A36	-	-	-	-	-	-	-	-	-	-
1-010 Whooping cough A37	-	-	-	-	-	-	-	-	-	-
1-011 Meningococcal infection A39	-	-	-	-	-	-	1	-	1	-
1-012 Septicaemia A40-A41	21	10	15	22	24	20	37	22	97	74
1-013 Infection with a predominantly sexual mode of transmission A50-A64	-	-	-	-	-	-	-	-	-	-
1-014 Acute poliomyelitis A80	-	-	-	-	-	-	-	-	-	-
1-015 Rabies A82	-	-	1	1	1	2	3	-	5	3
1-016 Yellow fever A95	-	-	-	-	-	-	-	-	-	-
1-017 Other arthropod-borne viral fevers and viral haemorrhagic fevers	10	13	11	12	16	4	10	9	47	38
1-018 Measles B05	-	-	-	-	-	-	-	-	-	-
1-019 Viral hepatitis B15-B19	-	-	-	-	-	-	-	-	-	-
1-020 Human immunodeficiency virus [HIV] disease B20-B24	-	-	-	-	-	-	-	-	-	-
1-021 Malaria B50-B54	-	-	-	-	-	-	-	-	-	-
1-022 Leishmaniasis B55	-	-	-	-	-	-	-	-	-	-
1-023 Trypanosomiasis B56-B57	-	-	-	-	-	-	-	-	-	-
1-024 Schistosomiasis B65	-	-	-	-	-	-	-	-	-	-
1-025 Remainder of certain infectious and parasitic diseases	21	6	16	6	27	10	41	7	105	29

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2009 (List 1 - ICD10)(Cont.)

Cause of death	Age at death in years										Total	
	25-29		30-34		35-39		40-44		25-44 years			
	M	F	M	F	M	F	M	F	M	F		
1-026 Neoplasms C00-D48	53	52	79	75	91	120	186	222	409	469		
1-027 Malignant neoplasm of lip,oral cavity and pharynx C00-C14	1	1	8	3	15	3	20	4	44	11		
1-028 Malignant neoplasm of oesophagus C15	1	-	5	3	5	8	9	10	20	21		
1-029 Malignant neoplasm of stomach C16	1	2	-	1	6	-	5	6	12	9		
1-030 Malignant neoplasm of colon,rectum and anus C18-C21	4	1	3	1	4	1	4	5	15	8		
1-031 Malignant neoplasm of liver and intrahepatic bile ducts C22	-	1	2	-	3	3	12	2	17	6		
1-032 Malignant neoplasm of pancreas C25	1	-	-	-	2	1	2	2	5	3		
1-033 Malignant neoplasm of larynx C32	-	-	-	-	-	-	6	-	6	-		
1-034 Malignant neoplasm of trachea, bronchus and lung C33-C34	4	3	7	3	2	6	18	11	31	23		
1-035 Malignant melanoma of skin C43	-	-	-	-	-	-	-	-	-	-		
1-036 Malignant neoplasm of breast C50	-	9	-	12	-	24	-	51	-	96		
1-037 Malignant neoplasm of cervix uteri C53	-	-	-	-	-	3	-	8	-	11		
1-038 Malignant neoplasm of other and unspecified parts of uterus C54-C55	-	2	-	4	-	7	-	8	-	21		
1-039 Malignant neoplasm of ovary C56	-	1	-	1	-	5	-	13	-	20		
1-040 Malignant neoplasm of prostate C61	-	-	-	-	1	-	1	-	2	-		
1-041 Malignant neoplasm of bladder C67	3	-	-	-	-	1	1	-	4	1		
1-042 Malignant neoplasm of meninges , brain and other parts of central nervous system C70-C72	4	2	9	7	9	4	11	3	33	16		
1-043 Non-Hodgkin s lymphoma C82-C85	3	2	3	1	5	1	7	4	18	8		
1-044 Multiple myeloma and malignant plasma cell neoplasms C90	2	-	-	-	-	-	1	1	3	1		
1-045 Leukaemia C91-C95	12	5	11	19	10	10	17	15	50	49		
1-046 Remainder of malignant neoplasm	14	22	30	20	27	39	67	77	138	158		
1-047 Remainder of neoplasms D00-D48	3	1	1	-	2	4	5	2	11	7		

Table 7.2 : Number of Deaths according to Cause, Age and Sex - 2009 (List 1 - ICD10)(Cont.)

Cause of death	Age at death in years										Total	
	25-29		30-34		35-39		40-44		25-44 years		M	F
	M	F	M	F	M	F	M	F	M	F		
1-048 Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D50-D89												
1-049 Anaemias D50-D64	2	4	6	2	1	4	5	6	14	16		
1-050 Remainder of diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D65-D89	2	2	4	1	1	1	4	5	11	9		
	-	2	2	1	-	3	1	1	3	7		
1-051 Endocrine, nutritional and metabolic diseases E00-E88												
1-052 Diabetes mellitus E10-E14	24	17	22	21	37	32	108	53	191	123		
1-053 Malnutrition E40-E46	20	15	21	20	32	28	100	51	173	114		
1-054 Remainder of endocrine, nutritional and metabolic diseases	-	1	-	-	-	-	1	-	1	1		
	4	1	1	1	5	4	7	2	17	8		
1-055 Mental and behavioural disorders F01-F99												
1-056 Mental and behavioural disorders due to psychoactive substance use	3	1	10	6	17	2	21	2	51	11		
1-057 Remainder of mental and behavioural disorders F01-F09, F20-F99	1	-	7	1	14	-	18	-	40	1		
	2	1	3	5	3	2	3	2	11	10		
1-058 Diseases of the nervous system G00-G98												
1-059 Meningitis G00, G03	36	26	40	33	44	23	68	41	188	123		
1-060 Alzheimer's diseases G30	6	-	3	2	6	1	6	2	21	5		
1-061 Remainder of disease of the nervous system G04-G25, G31-G98	-	-	-	-	-	-	-	-	-	-		
	30	26	37	31	38	22	62	39	167	118		
1-062 Diseases of the eye and adnexa H00-H57												
	-	-	-	-	-	-	-	-	-	-		
1-063 Diseases of the ear and mastoid process H60-H93												
	-	-	-	-	-	-	-	-	-	-		
1-064 Diseases of the circulatory system I00-I99												
1-065 Acute rheumatic fever and chronic rheumatic heart diseases I00-I09	104	65	160	86	267	119	510	204	1,041	474		
1-066 Hypertensive diseases I10-I14	2	1	1	1	1	2	-	5	4	9		
1-067 Ischaemic heart diseases I20-I25	10	3	10	12	17	12	41	26	78	53		
1-068 Other heart diseases I26-I51	9	6	27	10	36	10	83	24	155	50		
1-069 Cerebrovascular diseases I60-I69	71	42	102	51	168	70	311	111	652	274		
1-070 Atherosclerosis I70	5	12	13	10	39	21	67	32	124	75		
1-071 Remainder of diseases of the circulatory system I71-I99	1	-	-	-	-	-	1	-	2	-		
	6	1	7	2	6	4	7	6	26	13		

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2009 (List 1 - ICD10)(Cont.)

Cause of death	Age at death in years								Total	
	25-29		30-34		35-39		40-44		25-44 years	
	M	F	M	F	M	F	M	F	M	F
1-072 Diseases of the respiratory system J00-J98	45	57	64	52	88	62	155	68	352	239
1-073 Influenza J10-J11	-	1	-	-	-	1	-	-	-	2
1-074 Pneumonia J12-J18	30	29	42	22	46	31	68	35	186	117
1-075 Other acute lower respiratory infections J20-J22	-	-	-	-	1	-	-	-	1	-
1-076 Chronic lower respiratory diseases J40-J47	11	14	16	20	27	21	58	25	112	80
1-077 Remainder of diseases of the respiratory system	4	13	6	10	14	9	29	8	53	40
1-078 Diseases of the digestive system K00-K92	30	13	74	18	162	17	311	38	577	86
1-079 Gastric and duodenal ulcer K25-K27	-	-	-	-	-	-	1	-	1	-
1-080 Diseases of the liver K70-K76	23	9	64	16	144	12	295	25	526	62
1-081 Remainder of diseases of the digestive system	7	4	10	2	18	5	15	13	50	24
1-082 Diseases of the skin and subcutaneous tissue L00-L98	-	-	1	-	-	-	2	4	3	4
1-083 Diseases of the musculoskeletal system and connective tissue M00-M99	-	1	1	-	-	4	1	2	2	7
1-084 Diseases of the genitourinary system N00-N98	31	20	37	25	60	34	113	32	241	111
1-085 Glomerular and renal tubulo-interstitial diseases N00-N15	1	1	5	3	4	4	11	3	21	11
1-086 Remainder of diseases of the genitourinary System N17-N98	30	19	32	22	56	30	102	29	220	100

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2009 (List 1 - ICD10)(Cont.)

Cause of death	25-29						Age at death in years						40-44		Total	
	M			F			30-34			35-39			M		25-44 years	
	M	F		M	F		M	F		M	F		M	F	M	F
1-087 Pregnancy, childbirth and the puerperium O00-O09	-	7		-	9		-	4		-	21		-	21	-	
1-088 Pregnancy with abortive outcome O00-O07	-	4		-	2		-	2		-	8		-	8	-	
1-089 Other direct obstetric deaths O10-O92	-	3		-	7		-	2		-	13		-	13	-	
1-090 Indirect obstetric deaths O98-O99	-	-		-	-		-	-		-	-		-	-	-	
1-091 Remainder of pregnancy,childbirth and the puerperium O95-O97	-	-		-	-		-	-		-	-		-	-	-	
1-092 Certain condition originating in the perinatal period P00-P96	-	-		-	-		-	-		-	-		-	-	-	
1-093 Congenital malformations,deformations and chromosomal abnormalities Q00-Q99	10	5		10	6		11	10		10	30		7	9	38	30
1-094 Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified R00-R99	43	32		47	35		60	30		30	34		79	34	229	131
1-095 External causes of morbidity and mortality V01-Y99	1,692	343		1,317	257		1,059	227		227	934		196	1,023	5,002	1,023
1-096 Transport accidents V01-V99	218	28		165	15		177	26		26	180		25	94	740	94
1-097 Falls W00-W19	22	1		32	5		44	4		4	67		6	16	165	16
1-098 Accidental drowning and submersion W65-W74	55	4		42	3		45	12		12	50		8	27	192	27
1-099 Exposure to smoke,fire and flames X00-X09	4	35		8	24		6	7		7	7		4	70	25	70
1-100 Accidental poisoning by and exposure to noxious substances X40-X49	13	5		5	4		7	3		3	15		1	13	40	13
1-101 Intentional self-harm X60-X84	225	102		215	58		243	60		60	261		48	268	944	268
1-102 Assault X85-Y09	70	12		60	14		62	10		10	58		10	46	250	46
1-103 All other external causes W20-W64,W75-W99,X10-X39, .	1,085	156		790	134		475	105		105	296		94	489	2,646	489
1-106 Disappearance	2	-		1	1		2	-		-	1		-	1	6	1
Total	2,138	684		1,929	675		2,006	735		735	2,639		967	3,061	8,712	3,061

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2009 (List 1 - ICD10)(Cont.)

Cause of death	Age at death in years								Total		Age at death in years					
	45-49		50-54		55-59		60-64		45-64 years		65-69		70-74			
	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
1-001 Certain infectious and parasitic diseases A00-B99	204	87	241	99	251	110	251	121	947	417	223	143	242	169		
1-002 Cholera A00	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1-003 Diarrhoea and gastroenteritis of presumed Infectious origin A09	13	3	9	7	15	13	16	13	53	36	19	23	34	26		
1-004 Other inestinal infectious diseases A01-A08	-	1	-	-	-	1	1	-	1	2	2	-	-	-		
1-005 Respiratory tuberculosis A15-A16	68	16	72	21	80	26	85	29	305	92	59	23	60	29		
1-006 Other tuberculosis A17-A19	1	2	2	1	3	-	4	3	10	6	2	2	7	1		
1-007 Plague A20	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1-008 Tetanus A33-A35	2	-	1	-	1	-	2	-	6	-	-	1	1	-		
1-009 Diphtheria A36	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1-010 Whooping cough A37	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1-011 Meningococcal infection A39	-	-	1	-	-	-	-	1	1	1	-	-	-	-		
1-012 Septicaemia A40-A41	50	44	86	40	88	49	103	56	327	189	105	68	115	92		
1-013 infection with a predominantly sexual mode of transmission A50-59	-	-	-	1	-	-	-	-	-	1	1	-	1	-		
1-014 Acute poliomyelitis A80	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1-015 Rabies A82	3	1	2	1	3	-	2	2	10	4	2	-	-	1		
1-016 Yellow fever A95	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1-017 Other arthropod-borne viral fevers and viral haemorrhagic fevers	11	13	8	11	8	9	3	7	30	40	7	7	3	6		
1-018 Measles B05	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1-019 Viral hepatitis B15-B19	-	-	-	-	-	-	-	-	-	-	-	1	-	-		
1-020 Human immunodeficiency virus [HIV] disease B20-B24	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1-021 Malaria B50-B54	-	-	1	-	-	-	-	-	1	-	-	-	1	-		
1-022 Leishmaniasis B55	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1-023 Trypanosomiasis B56-B57	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1-024 Schistosomiasis B65	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1-025 Remainder of certain infectious and parasitic diseases	56	7	59	17	53	12	35	10	203	46	26	18	20	14		

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2009 (List 1 - ICD10)(Cont.)

Cause of death	Age at death in years												Total		Age at death in years					
	45-49			50-54			55-59			60-64			45-64 years		65-69			70-74		
	M	F		M	F		M	F		M	F		M	F	M	F	M	F		
1-026 Neoplasms C00-D48	368	339	584	522	822	677	882	720		2,656	2,258		901	736	774	611				
1-027 Malignant neoplasm of lip,oral cavity and pharynx C00-C14	62	14	87	17	114	26	107	42		370	99		110	39	112	46				
1-028 Malignant neoplasm of oesophagus C15	29	10	40	30	80	48	71	55		220	143		66	52	54	48				
1-029 Malignant neoplasm of stomach C16	20	14	30	20	56	38	29	41		135	113		40	43	48	39				
1-030 Malignant neoplasm of colon,rectum and anus C18-C21	8	10	14	7	11	9	10	11		43	37		20	14	16	13				
1-031 Malignant neoplasm of liver and intrahepatic bile ducts C22	15	10	32	16	46	22	55	32		148	80		63	39	56	27				
1-032 Malignant neoplasm of pancreas C25	7	5	13	4	10	9	10	5		40	23		12	4	2	5				
1-033 Malignant neoplasm of larynx C32	6	2	17	1	21	3	16	3		60	9		13	3	13	6				
1-034 Malignant neoplasm of trachea, bronchus and lung C33-C34	46	9	88	25	117	28	135	35		386	97		117	37	118	39				
1-035 Malignant melanoma of skin C43	-	-	1	-	1	-	1	1		3	1		1	-	1	1				
1-036 Malignant neoplasm of breast C50	-	62	-	92	-	98	1	84		1	336		2	80	-	45				
1-037 Malignant neoplasm of cervix uteri C53	-	13	-	15	-	18	-	27		-	73		-	14	-	12				
1-038 Malignant neoplasm of other and unspecified parts of uterus C54-	-	13	-	39	-	44	-	40		-	136		-	44	-	40				
1-039 Malignant neoplasm of ovary C56	-	17	-	26	-	34	-	24		-	101		-	23	-	12				
1-040 Malignant neoplasm of prostate C61	1	-	6	-	6	-	12	-		25	-		17	-	17	-				
1-041 Malignant neoplasm of bladder C67	2	1	7	2	11	6	17	2		37	11		22	7	21	3				
1-042 Malignant neoplasm of meninges , brain and other parts of central nervous system C70-C72	12	9	23	13	23	16	20	20		78	58		28	23	21	15				
1-043 Non-Hodgkin s lymphoma C82-C85	9	10	13	6	19	6	19	15		60	37		18	12	12	12				
1-044 Multiple myeloma and malignant plasma cell neoplasms C90	3	2	5	6	8	12	11	6		27	26		9	11	9	6				
1-045 Leukaemia C91-C95	26	14	18	21	17	25	22	15		83	75		25	26	23	15				
1-046 Remainder of malignant neoplasm	120	120	186	175	275	227	341	256		922	778		337	257	246	223				
1-047 Remainder of neoplasms D00-D48	2	4	4	7	7	8	5	6		18	25		1	8	5	4				

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2009 (List 1 - ICD10)(Cont.)

Cause of death	Age at death in years								Total		Age at death in years			
	45-49		50-54		55-59		60-64		45-64 years		65-69		70-74	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1-048 Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D50-D89 1-049 Anaemias D50-D64 1-050 Remainder of diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D65-D89	7	9	7	12	4	10	12	15	30	46	21	13	9	10
	6	8	4	10	4	8	11	13	25	39	20	10	7	9
	1	1	3	2	-	2	1	2	5	7	1	3	2	1
	193	119	311	217	487	362	652	520	1,643	1,218	739	622	742	766
	187	112	299	208	479	348	636	507	1,601	1,175	722	599	725	749
1-051 Endocrine, nutritional and metabolic diseases E00-E88 1-052 Diabetes mellitus E10-E14 1-053 Malnutrition E40-E46 1-054 Remainder of endocrine, nutritional and metabolic diseases	2	2	-	2	-	2	3	-	5	6	2	3	3	3
	4	5	12	7	8	12	13	13	37	37	15	20	14	14
1-055 Mental and behavioural disorders F01-F99 1-056 Mental and behavioural disorders due to psychoactive substance use 1-057 Remainder of mental and behavioural disorders F01-F09, F20-F29	59	7	37	6	47	13	47	12	190	38	38	15	23	12
	50	1	22	1	37	-	32	-	141	2	24	-	9	-
	9	6	15	5	10	13	15	12	49	36	14	15	14	12
	77	47	135	69	258	143	362	218	832	477	555	382	822	646
	4	1	5	7	7	5	5	5	21	18	3	6	10	1
1-058 Diseases of the nervous system G00-G98 1-059 Meningitis G00, G03 1-060 Alzheimer's diseases G30 1-061 Remainder of disease of the nervous system G04-G25, G31-G98	-	-	-	-	-	-	-	-	-	-	-	2	-	-
	73	46	130	62	251	138	357	213	811	459	552	374	812	645
1-062 Diseases of the eye and adnexa H00-H57	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-063 Diseases of the ear and mastoid process H60-H93	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-064 Diseases of the circulatory system I00-I99 1-065 Acute rheumatic fever and chronic rheumatic heart diseases I00-I02 1-066 Hypertensive diseases I10-I14 1-067 Ischaemic heart diseases I20-I25 1-068 Other heart diseases I26-I51 1-069 Cerebrovascular diseases I60-I69 1-070 Atherosclerotic I70 1-071 Remainder of diseases of the circulatory system I71-I99	969	340	1,447	547	2,051	815	2,362	1,134	6,829	2,836	2,391	1,505	2,519	1,915
	-	5	2	4	3	2	1	3	6	14	1	1	-	4
	73	45	159	103	258	137	364	245	854	530	462	384	628	582
	197	62	256	69	366	142	496	236	1,315	509	468	284	474	365
	556	175	823	282	1,138	406	1,192	477	3,709	1,340	1,108	635	1,097	713
	126	50	177	80	250	112	266	151	819	393	311	188	287	236
	6	1	7	1	4	4	5	1	22	7	5	2	2	-
	11	2	23	8	32	12	38	21	104	43	36	11	31	15

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2009 (List 1 - ICD10)(Cont.)

Cause of death	Age at death in years										Total		Age at death in years					
	45-49		50-54		55-59		60-64		45-64 years		Total		65-69		70-74			
	M	F	M	F	M	F	M	F	M	F			M	F	M	F		
1-072 Diseases of the respiratory system J00-J98																		
1-073 Influenza J10-J11	239	100	356	148	520	252	790	354	1,905	854			922	480	1,074	692		
1-074 Pneumonia J12-J18	-	1	-	-	-	-	-	-	-	1			1	-	-	-		
1-075 Other acute lower respiratory infections J20-J22	101	31	146	53	137	70	187	95	571	249			200	106	183	115		
1-076 Chronic lower respiratory diseases J40-J47	1	-	3	1	2	4	4	2	10	7			7	4	9	10		
1-077 Remainder of diseases of the respiratory system	102	50	158	77	320	141	502	221	1,082	489			625	316	798	507		
	35	18	49	17	61	37	97	36	242	108			89	54	84	60		
1-078 Diseases of the digestive system K00-K92																		
1-079 Gastric and duodenal ulcer K25-K27	447	30	438	53	460	77	379	102	1,724	262			297	109	200	100		
1-080 Diseases of the liver K70-K76	-	-	2	-	3	1	2	-	7	1			1	1	1	-		
1-081 Remainder of diseases of the digestive system	414	23	398	39	412	62	329	86	1,553	210			248	83	151	69		
	33	7	38	14	45	14	48	16	164	51			48	25	48	31		
1-082 Diseases of the skin and subcutaneous tissue L00-L98	4	2	5	1	7	2	5	3	21	8			9	4	8	4		
1-083 Diseases of the musculoskeletal system and connective tissue M00-M99	4	2	3	10	5	5	5	2	17	19			5	17	12	17		
1-084 Diseases of the genitourinary system N00-N98	169	58	236	80	296	118	312	119	1,013	375			323	139	318	124		
1-085 Glomerular and renal tubulo-interstitial diseases N00-N15	7	2	19	8	13	6	18	7	57	23			27	6	14	4		
1-086 Remainder of diseases of the genitourinary system N17-N98	162	56	217	72	283	112	294	112	956	352			296	133	304	120		

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2009 (List 1 - ICD10)(Cont.)

Cause of death	Age at death in years						Total		Age at death in years			
	45-49		50-54		55-59		45-64 years		65-69		70-74	
	M	F	M	F	M	F	M	F	M	F	M	F
1-087 Pregnancy, childbirth and the puerperium O00-O09	-	-	-	-	-	-	-	-	-	-	-	-
1-088 Pregnancy with abortive outcome O00-O07	-	-	-	-	-	-	-	-	-	-	-	-
1-089 Other direct obstetric deaths O10-O92	-	-	-	-	-	-	-	-	-	-	-	-
1-090 Indirect obstetric deaths O98-O99	-	-	-	-	-	-	-	-	-	-	-	-
1-091 Remainder of pregnancy, childbirth and the puerperium O95-O97	-	-	-	-	-	-	-	-	-	-	-	-
1-092 Certain condition originating in the perinatal period P00-P96	-	-	-	-	-	-	-	-	-	-	-	-
1-093 Congenital malformations, deformations and chromosomal abnormalities Q00-Q99	4	3	5	4	5	5	19	18	1	3	1	2
1-094 Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified R00-R99	97	68	141	87	193	125	678	461	502	415	1,010	963
1-095 External causes of morbidity and mortality V01-Y99	988	242	869	192	800	222	3,248	835	508	171	440	181
1-096 Transport accidents V01-V99	196	28	151	35	143	39	620	142	115	36	109	31
1-097 Falls W00-W19	68	9	75	7	78	15	279	43	60	15	57	32
1-098 Accidental drowning and submersion W65-W74	54	10	49	8	38	11	158	32	25	7	19	10
1-099 Exposure to smoke, fire and flames X00-X09	14	8	4	7	4	7	28	27	9	4	5	5
1-100 Accidental poisoning by and exposure to noxious substances X40-X49	19	2	13	2	6	2	46	8	7	-	5	-
1-101 Intentional self-harm X60-X84	336	48	303	26	260	39	1,069	146	133	23	121	31
1-102 Assault X85-Y09	39	11	33	11	21	6	113	32	12	5	6	2
1-103 All other external causes W20-W64, W75-W99, X10-X39, .	262	126	241	96	250	103	935	405	147	81	118	70
1-106 Dissaperance	-	-	1	-	-	-	2	-	1	-	-	-
Total	3,829	1,453	4,816	2,047	6,206	2,936	21,754	10,122	7,436	4,754	8,194	6,212

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2009 (List 1 - ICD10)(Cont.)

Cause of death	Total 65-74 years		Age at death in years						Total 75 years and over		Not Stated	
	M	F	75-79		80-84		85+		M	F	M	F
			M	F	M	F	M	F				
1-001 Certain infectious and parasitic diseases A00-B99	465	312	180	134	145	107	153	121	478	362	2	-
1-002 Cholera A00	-	-	-	-	-	-	-	-	-	-	-	-
1-003 Diarrhoea and gastroenteritis of presumed Infectious origin A09	53	49	36	30	25	24	30	27	91	81	-	-
1-004 Other intestinal infectious diseases A01-A08	2	-	-	-	-	-	1	1	1	1	-	-
1-005 Respiratory tuberculosis A15-A16	119	52	39	23	27	7	21	5	87	35	1	-
1-006 Other tuberculosis A17-A19	9	3	-	-	1	-	2	-	3	-	-	-
1-007 Plague A20	-	-	-	-	-	-	-	-	-	-	-	-
1-008 Tetanus A33-A35	1	1	1	1	-	-	-	-	1	1	-	-
1-009 Diphtheria A36	-	-	-	-	-	-	-	-	-	-	-	-
1-010 Whooping cough A37	-	-	-	-	-	-	-	-	-	-	-	-
1-011 Meningococcal infection A39	-	-	-	-	1	2	-	-	1	2	-	-
1-012 Septicaemia A40-A41	220	160	86	75	80	67	89	83	255	225	1	-
1-013 Infection with a predominantly sexual mode of transmission A50-A64	2	-	-	-	1	-	-	-	1	-	-	-
1-014 Acute poliomyelitis A80	-	-	-	-	-	-	-	-	-	-	-	-
1-015 Rabies A82	2	1	2	1	-	-	-	1	2	2	-	-
1-016 Yellow fever A95	-	-	-	-	-	-	-	-	-	-	-	-
1-017 Other arthropod-borne viral fevers and viral haemorrhagic fevers	10	13	4	3	4	4	2	2	10	9	-	-
1-018 Measles B05	-	-	-	-	-	-	-	-	-	-	-	-
1-019 Viral hepatitis B15-B19	-	1	-	-	-	-	-	-	-	-	-	-
1-020 Human immunodeficiency virus [HIV] disease B20-B24	-	-	-	-	-	-	-	-	-	-	-	-
1-021 Malaria B50-B54	1	-	1	-	-	-	-	-	1	-	-	-
1-022 Leishmaniasis B55	-	-	-	-	-	-	-	-	-	-	-	-
1-023 Trypanosomiasis B56-B57	-	-	-	-	-	-	-	-	-	-	-	-
1-024 Schistosomiasis B65	-	-	-	-	-	-	-	-	-	-	-	-
1-025 Remainder of certain infectious and parasitic diseases	46	32	11	1	6	3	8	2	25	6	-	-

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2009 (List 1 - ICD10)(Cont.)

Cause of death	Total 65-74 years		Age at death in years						Total 75 years and over		Not Stated	
	M	F	75-79		80-84		85+		M	F	M	F
			M	F	M	F	M	F				
1-026 Neoplasms C00-D48	1,675	1,347	563	446	345	269	216	221	1,124	936	1	-
1-027 Malignant neoplasm of lip,oral cavity and pharynx C00-C14	222	85	82	40	57	29	34	20	173	89	-	-
1-028 Malignant neoplasm of oesophagus C15	120	100	40	38	14	20	17	9	71	67	-	-
1-029 Malignant neoplasm of stomach C16	88	82	36	33	15	24	11	21	62	78	-	-
1-030 Malignant neoplasm of colon,rectum and anus C18-C21	36	27	14	7	9	7	4	6	27	20	-	-
1-031 Malignant neoplasm of liver and intrahepatic bile ducts C22	119	66	20	17	13	14	11	8	44	39	-	-
1-032 Malignant neoplasm of pancreas C25	14	9	4	2	2	2	-	1	6	5	-	-
1-033 Malignant neoplasm of larynx C32	26	9	9	4	6	2	4	-	19	6	-	-
1-034 Malignant neoplasm of trachea, bronchus and lung C33-C34	235	76	69	20	33	16	14	14	116	50	-	-
1-035 Malignant melanoma of skin C43	2	1	-	-	-	-	2	-	2	-	-	-
1-036 Malignant neoplasm of breast C50	2	125	-	31	-	17	-	19	-	67	-	-
1-037 Malignant neoplasm of cervix uteri C53	-	26	-	5	-	2	-	3	-	10	-	-
1-038 Malignant neoplasm of other and unspecified parts of uterus C54-C55	-	84	-	25	-	14	-	11	-	50	-	-
1-039 Malignant neoplasm of ovary C56	-	35	-	9	-	6	-	3	-	18	-	-
1-040 Malignant neoplasm of prostate C61	34	-	29	-	20	-	10	-	59	-	-	-
1-041 Malignant neoplasm of bladder C67	43	10	11	6	13	2	7	1	31	9	-	-
1-042 Malignant neoplasm of meninges, brain and other parts of central nervous system C70-C72	49	38	10	6	5	5	2	4	17	15	-	-
1-043 Non-Hodgkin s lymphoma C82-C85	30	24	9	5	2	-	3	1	14	6	-	-
1-044 Multiple myeloma and malignant plasma cell neoplasms C90	18	17	10	6	2	1	2	1	14	8	-	-
1-045 Leukaemia C91-C95	48	41	12	9	12	12	10	6	34	27	-	-
1-046 Remainder of malignant neoplasm	583	480	205	180	141	93	79	90	425	363	1	-
1-047 Remainder of neoplasms D00-D48	6	12	3	3	1	3	6	3	10	9	-	-

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2009 (List 1 - ICD10)(Cont.)

Cause of death	Total 65-74 years		Age at death in years				Total 75 years and over		Not Stated	
	M	F	75-79		80-84		85+		M	F
			M	F	M	F	M	F		
1-048 Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D50-D89										
1-049 Anaemias D50-D64	30	23	9	15	9	6	8	11	26	32
1-050 Remainder of diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D65-D89	27	19	8	15	8	6	8	11	24	32
	3	4	1	-	1	-	-	-	2	-
1-051 Endocrine, nutritional and metabolic diseases E00-E88	1,481	1,388	680	766	543	628	398	555	1,621	1,949
1-052 Diabetes mellitus E10-E14	1,447	1,348	668	746	526	610	391	539	1,585	1,895
1-053 Malnutrition E40-E46	5	6	2	6	7	3	1	4	10	13
1-054 Remainder of endocrine, nutritional and metabolic diseases	29	34	10	14	10	15	6	12	26	41
1-055 Mental and behavioural disorders F01-F99	61	27	18	20	13	12	18	21	49	53
1-056 Mental and behavioural disorders due to psychoactive substance use F10-F19	33	-	4	1	4	-	2	2	10	3
1-057 Remainder of mental and behavioural disorders F01-F09, F20-F99	28	27	14	19	9	12	16	19	39	50
1-058 Diseases of the nervous system G00-G98	1,377	1,028	1,017	911	845	978	802	1,076	2,664	2,965
1-059 Meningitis G00, G03	13	7	4	7	4	6	3	3	11	16
1-060 Alzheimer's diseases G30	-	2	-	-	-	-	-	-	-	-
1-061 Remainder of disease of the nervous system G04-G25, G31-G98	1,364	1,019	1,013	904	841	972	799	1,073	2,653	2,949
1-062 Diseases of the eye and adnexa H00-H57	-	-	-	-	-	-	-	-	-	-
1-063 Diseases of the ear and mastoid process H60-H93	-	-	-	-	-	-	-	-	-	-
1-064 Diseases of the circulatory system I00-I99	4,910	3,420	2,213	2,133	1,781	1,941	1,563	1,837	5,557	5,911
1-065 Acute rheumatic fever and chronic rheumatic heart diseases I00-I09	1	5	1	4	-	2	1	-	2	6
1-066 Hypertensive diseases I10-I14	1,090	966	620	805	518	736	483	714	1,621	2,255
1-067 Ischaemic heart diseases I20-I25	942	649	406	342	320	311	245	258	971	911
1-068 Other heart diseases I26-I51	2,205	1,348	945	751	704	640	620	651	2,269	2,042
1-069 Cerebrovascular diseases I60-I69	598	424	215	213	207	224	188	195	610	632
1-070 Atherosclerotic I70	7	2	3	5	1	2	1	1	5	8
1-071 Remainder of diseases of the circulatory system I71-I99	67	26	23	13	31	26	25	18	79	57

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2009 (List 1 - ICD10)(Cont.)

Cause of death	Total		Age at death in years						Total		75 years and over		Not Stated	
	65-74 years		75-79		80-84		85+		75 years and over		75 years and over		Not Stated	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1-072 Diseases of the respiratory system J00-J98	1,996	1,172	1,095	800	880	702	853	848	2,828	2,350	-	1	-	-
1-073 Influenza J10-J11	1	-	-	1	1	-	1	-	2	1	-	-	-	-
1-074 Pneumonia J12-J18	383	221	182	131	140	102	118	146	440	379	-	1	-	-
1-075 Other acute lower respiratory infections J20-J22	16	14	7	7	7	9	10	10	24	26	-	-	-	-
1-076 Chronic lower respiratory diseases J40-J47	1,423	823	826	610	668	532	666	625	2,160	1,767	-	-	-	-
1-077 Remainder of diseases of the respiratory system	173	114	80	51	64	59	58	67	202	177	-	-	-	-
1-078 Diseases of the digestive system K00-K92	497	209	136	98	94	55	73	61	303	214	-	-	-	-
1-079 Gastric and duodenal ulcer K25-K27	2	1	2	4	4	-	3	2	9	6	-	-	-	-
1-080 Diseases of the liver K70-K76	399	152	100	68	59	30	30	28	189	126	-	-	-	-
1-081 Remainder of diseases of the digestive system	96	56	34	26	31	25	40	31	105	82	-	-	-	-
1-082 Diseases of the skin and subcutaneous tissue L00-L98	17	8	4	8	6	9	8	8	18	25	-	-	-	-
1-083 Diseases of the musculoskeletal system and connective tissue M00-M99	17	34	14	14	10	20	4	16	28	50	-	-	-	-
1-084 Diseases of the genitourinary system N00-N98	641	263	263	122	221	108	186	81	670	311	1	-	-	-
1-085 Glomerular and renal tubulo-interstitial diseases N00-N15	41	10	12	8	7	4	6	7	25	19	-	-	-	-
1-086 Remainder of diseases of the genitourinary system N17-N98	600	253	251	114	214	104	180	74	645	292	1	-	-	-

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2009 (List 1 - ICD10)(Cont.)

Cause of death	Total 65-74 years		Age at death in years						Total 75 years and over		Not Stated	
	M	F	M	F	M	F	M	F	M	F	M	F
1-087 Pregnancy, childbirth and the puerperium O00-O09	-	-	-	-	-	-	-	-	-	-	-	-
1-088 Pregnancy with abortive outcome O00-O07	-	-	-	-	-	-	-	-	-	-	-	-
1-089 Other direct obstetric deaths O10-O92	-	-	-	-	-	-	-	-	-	-	-	-
1-090 Indirect obstetric deaths O98-O99	-	-	-	-	-	-	-	-	-	-	-	-
1-091 Remainder of pregnancy, childbirth and the puerperium O95-O97	-	-	-	-	-	-	-	-	-	-	-	-
1-092 Certain condition originating in the perinatal period P00-P96	-	-	-	-	-	-	-	-	-	-	-	-
1-093 Congenital malformations, deformations and chromosomal abnormalities Q00-Q99	2	5	1	1	2	-	4	3	5	2	-	-
1-094 Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified R00-R99	1,512	1,378	1,434	1,489	1,870	2,290	3,078	4,294	6,382	8,073	4	1
1-095 External causes of morbidity and mortality V01-Y99	948	352	302	188	231	152	187	174	720	514	7	1
1-096 Transport accidents V01-V99	224	67	47	36	43	17	12	16	102	69	3	-
1-097 Falls W00-W19	117	47	49	38	39	47	54	86	142	171	-	-
1-098 Accidental drowning and submersion W65-W74	44	17	17	11	13	11	8	7	38	29	1	-
1-099 Exposure to smoke, fire and flames X00-X09	14	9	4	5	4	8	4	4	12	17	-	-
1-100 Accidental poisoning by and exposure to noxious substances X40-X49	12	-	3	-	2	-	-	-	5	-	-	-
1-101 Intentional self-harm X60-X84	254	54	80	22	63	16	56	18	199	56	2	-
1-102 Assault X85-Y09	18	7	6	2	1	4	5	1	12	7	1	1
1-103 All other external causes W20-W64, W75-W99, X10-X39, .	265	151	96	74	66	49	48	42	210	165	-	-
1-106 Dissappearance	1	-	-	-	-	-	-	-	-	-	1	-
Total	15,630	10,966	7,929	7,145	6,995	7,277	7,547	9,328	22,471	23,750	26	4

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2010 (List 1 - ICD10)

Cause of death	Total deaths			Age at death in days						Total 0-29 days		
	T	M	F	0-7			8-29			M	F	Total
				M	F	M	M	F	M			
1-001 Certain infectious and parasitic diseases A00-B99	4,042	2,483	1,559	12	16	12	6	6	24	22	22	
1-002 Cholera A00	-	-	-	-	-	-	-	-	-	-	-	-
1-003 Diarrhoea and gastroenteritis of presumed Infectious origin A09	321	161	160	-	1	-	-	-	-	-	1	-
1-004 Other intestinal infectious diseases A01-A08	5	1	4	-	-	-	-	-	-	-	-	-
1-005 Respiratory tuberculosis A15-A16	745	577	168	-	-	-	-	-	-	-	-	-
1-006 Other tuberculosis A17-A19	25	11	14	-	-	-	-	-	-	-	-	-
1-007 Plague A20	-	-	-	-	-	-	-	-	-	-	-	-
1-008 Tetanus A33-A35	6	5	1	-	-	-	-	-	-	-	-	-
1-009 Diphtheria A36	-	-	-	-	-	-	-	-	-	-	-	-
1-010 Whooping cough A37	-	-	-	-	-	-	-	-	-	-	-	-
1-011 Meningococcal infection A39	12	9	3	-	-	-	-	-	-	-	-	-
1-012 Septicaemia A40-A41	2,075	1,170	905	11	15	12	5	23	20	20	20	-
1-013 Infection with a predominantly sexual mode of transmission A50-A64	21	18	3	-	-	-	-	-	-	-	-	-
1-014 Acute poliomyelitis A80	4	-	4	-	-	-	-	-	-	-	-	-
1-015 Rabies A82	32	25	7	-	-	-	-	-	-	-	-	-
1-016 Yellow fever A95	-	-	-	-	-	-	-	-	-	-	-	-
1-017 Other arthropod-borne viral fevers and viral haemorrhagic fevers	303	147	156	-	-	-	1	-	1	-	1	-
1-018 Measles B05	-	-	-	-	-	-	-	-	-	-	-	-
1-019 Viral hepatitis B15-B19	8	3	5	-	-	-	-	-	-	-	-	-
1-020 Human immunodeficiency virus [HIV] disease B20-B24	2	1	1	-	-	-	-	-	-	-	-	-
1-021 Malaria B50-B54	7	5	2	-	-	-	-	-	-	-	-	-
1-022 Leishmaniasis B55	-	-	-	-	-	-	-	-	-	-	-	-
1-023 Trypanosomiasis B56-B57	-	-	-	-	-	-	-	-	-	-	-	-
1-024 Schistosomiasis B65	-	-	-	-	-	-	-	-	-	-	-	-
1-025 Remainder of certain infectious and parasitic diseases	476	350	126	1	-	-	-	-	1	-	1	-

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2010 (List 1 - ICD10)(Cont.)

Cause of death	Total deaths			Age at death in days				Total 0-29 days	
	T	M	F	0-7		8-29		M	F
				M	F	M	F		
1-026 Neoplasms C00-D48	11,836	6,438	5,398	1	1	-	1	1	2
1-027 Malignant neoplasm of lip, oral cavity and pharynx C00-C14	1,121	833	288	-	-	-	-	-	-
1-028 Malignant neoplasm of oesophagus C15	905	534	371	-	-	-	-	-	-
1-029 Malignant neoplasm of stomach C16	643	333	310	-	-	-	-	-	-
1-030 Malignant neoplasm of colon, rectum and anus C18-C21	268	148	120	-	-	-	-	-	-
1-031 Malignant neoplasm of liver and intrahepatic bile ducts C22	597	373	224	-	-	-	-	-	-
1-032 Malignant neoplasm of pancreas C25	114	70	44	-	-	-	-	-	-
1-033 Malignant neoplasm of larynx C32	94	79	15	-	-	-	-	-	-
1-034 Malignant neoplasm of trachea, bronchus and lung C33-C34	992	764	228	-	-	-	-	-	-
1-035 Malignant melanoma of skin C43	5	3	2	-	-	-	-	-	-
1-036 Malignant neoplasm of breast C50	661	2	659	-	-	-	-	-	-
1-037 Malignant neoplasm of cervix uteri C53	122	-	122	-	-	-	-	-	-
1-038 Malignant neoplasm of other and unspecified parts of uterus C54-C55	269	-	269	-	-	-	-	-	-
1-039 Malignant neoplasm of ovary C56	225	-	225	-	-	-	-	-	-
1-040 Malignant neoplasm of prostate C61	133	133	-	-	-	-	-	-	-
1-041 Malignant neoplasm of bladder C67	128	104	24	-	-	-	-	-	-
1-042 Malignant neoplasm of meninges, brain and other parts of central nervous system C70-C72	421	235	186	-	-	-	1	-	1
1-043 Non-Hodgkin's lymphoma C82-C85	247	159	88	-	-	-	-	-	-
1-044 Multiple myeloma and malignant plasma cell neoplasms C90	115	62	53	-	-	-	-	-	-
1-045 Leukaemia C91-C95	546	287	259	-	-	-	-	-	-
1-046 Remainder of malignant neoplasm	4,114	2,252	1,862	1	1	-	-	1	1
1-047 Remainder of neoplasms D00-D48	116	67	49	-	-	-	-	-	-

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2010 (List 1 - ICD10)(Cont.)

Cause of death	Total deaths			Age at death in days						Total		
	T	M	F	0-7		8-29		0-29 days		0-29 days		F
1-048 Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D50-D89 1-049 Anaemias D50-D64 1-050 Remainder of diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D65-D89	275	124	151	-	-	-	-	-	-	-	-	-
	225	99	126	-	-	-	-	-	-	-	-	-
	50	25	25	-	-	-	-	-	-	-	-	-
	9,501	4,819	4,682	2	2	-	-	2	2	4	4	4
1-051 Endocrine,nutritional and metabolic diseases E00-E88 1-052 Diabetes mellitus E10-E14 1-053 Malnutrition E40-E46 1-054 Remainder of endocrine, nutritional and metabolic diseases	9,161	4,644	4,517	2	1	-	-	-	2	1	1	1
	49	27	22	-	-	-	-	-	-	-	-	-
	291	148	143	-	1	-	-	2	-	3	3	3
	434	359	75	-	-	-	-	-	-	-	-	-
1-055 Mental and behavioural disorders F01-F99 1-056 Mental and behavioural disorders due to psychoactive substance use F10-F19 1-057 Remainder of mental and behavioural disorders F01-F09, F20-F99	285	277	8	-	-	-	-	-	-	-	-	-
	149	82	67	-	-	-	-	-	-	-	-	-
	9,877	5,151	4,726	8	1	6	6	14	14	7	7	7
	165	98	67	-	-	4	2	4	4	2	2	2
1-058 Diseases of the nervous system G00-G98 1-059 Meningitis G00, G03 1-060 Alzheimer s diseases G30 1-061 Remainder of disease of the nervous system G04-G25, G31-G98	1	-	1	-	-	-	-	-	-	-	-	-
	9,711	5,053	4,658	8	1	2	4	10	10	5	5	5
	11	7	4	-	-	-	-	-	-	-	-	-
	1	1	-	-	-	-	-	-	-	-	-	-
1-062 Diseases of the eye and adnexa H00-H57 1-063 Diseases of the ear and mastoid process H60-H93 1-064 Diseases of the circulatory system I00-I99 1-065 Acute rheumatic fever and chronic rheumatic heart diseases I00-I09 1-066 Hypertensive diseases I10-I14 1-067 Ischaemic heart diseases I20-I25 1-068 Other heart diseases I26-I51 1-069 Cerebrovascular diseases I60-I69 1-070 Atherosclerotic I70 1-071 Remainder of diseases of the circulatory system I71-I99	32,601	19,141	13,460	8	4	2	6	10	10	10	10	10
	43	21	22	-	-	-	-	-	-	-	-	-
	7,980	4,001	3,979	2	-	-	-	2	2	-	-	-
	5,943	3,604	2,339	-	-	-	-	-	-	-	-	-
	14,426	8,998	5,428	6	4	2	6	8	8	10	10	10
	3,722	2,207	1,515	-	-	-	-	-	-	-	-	-
	45	31	14	-	-	-	-	-	-	-	-	-
	442	279	163	-	-	-	-	-	-	-	-	-

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2010 (List 1 - ICD10)(Cont.)

Cause of death	Total deaths			Age at death in days						Total	
	T	M	F	0-7			8-29			0-29 days	
				M	F	M	M	F	F	M	F
1-072 Diseases of the respiratory system J00-J98	12,096	7,292	4,804	12	5	5	4	4	17	9	
1-073 Influenza J10-J11	13	8	5	-	-	-	-	-	-	-	-
1-074 Pneumonia J12-J18	2,826	1,752	1,074	7	5	2	4	4	9	9	
1-075 Other acute lower respiratory infections J20-J22	172	103	69	-	-	-	-	-	-	-	-
1-076 Chronic lower respiratory diseases J40-J47	7,894	4,684	3,210	3	-	1	-	-	4	-	-
1-077 Remainder of diseases of the respiratory system	1,191	745	446	2	-	2	-	-	4	-	-
1-078 Diseases of the digestive system K00-K92	3,584	2,854	730	1	2	-	-	-	1	2	
1-079 Gastric and duodenal ulcer K25-K27	41	26	15	-	-	-	-	-	-	-	-
1-080 Diseases of the liver K70-K76	2,914	2,417	497	-	-	-	-	-	-	-	-
1-081 Remainder of diseases of the digestive system	629	411	218	1	2	-	-	-	1	2	
1-082 Diseases of the skin and subcutaneous tissue L00-L98	129	71	58	-	-	-	-	-	-	-	
1-083 Diseases of the musculoskeletal system and connective tissue M00-M99	136	44	92	-	-	-	-	-	-	-	
1-084 Diseases of the genitourinary system N00-N98	3,904	2,657	1,247	1	-	-	-	-	1	-	
1-085 Glomerular and renal tubulo-interstitial diseases N00-N15	296	194	102	-	-	-	-	-	-	-	-
1-086 Remainder of diseases of the genitourinary System N17-N98	3,608	2,463	1,145	1	-	-	-	-	1	-	-

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2010 (List 1 - ICD10)(Cont.)

Cause of death	Total deaths			Age at death in days				Total 0-29 days	
	T	M	F	0-7	8-29	F	M	M	F
1-087 Pregnancy, childbirth and the puerperium O00-O09	39	-	39	-	-	-	-	-	-
1-088 Pregnancy with abortive outcome O00-O07	11	-	11	-	-	-	-	-	-
1-089 Other direct obstetric deaths O10-O92	28	-	28	-	-	-	-	-	-
1-090 Indirect obstetric deaths O98-O99	-	-	-	-	-	-	-	-	-
1-091 Remainder of pregnancy,childbirth and the puerperium O95-O97	-	-	-	-	-	-	-	-	-
1-092 Certain condition originating in the perinatal period P00-P96	2,056	1,125	931	823	275	689	220	1,098	909
1-093 Congenital malformations,deformations and chromosomal abnormalities Q00-Q99	1,150	614	536	156	53	104	60	209	164
1-094 Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified R00-R99	19,530	9,105	10,425	18	8	10	2	26	12
1-095 External causes of morbidity and mortality V01-Y99	19,131	13,529	5,602	4	1	4	3	5	7
1-096 Transport accidents V01-V99	2,615	2,132	483	-	-	1	-	-	1
1-097 Falls W00-W19	1,050	781	269	-	-	1	-	-	1
1-098 Accidental drowning and submersion W65-W74	896	691	205	-	-	-	-	-	-
1-099 Exposure to smoke,fire and flames X00-X09	298	74	224	-	-	-	-	-	-
1-100 Accidental poisoning by and exposure to noxious substances X40-X49	107	80	27	1	-	-	-	1	-
1-101 Intentional self-harm X60-X84	3,562	2,698	864	-	-	-	-	-	-
1-102 Assault X85-Y09	417	337	80	-	-	-	-	-	-
1-103 All other external causes W20-W64,W75-W99,X10-X39, .	10,186	6,736	3,450	3	1	2	3	4	5
1-106 Dissappearance	4	4	-	-	-	-	-	-	-
Total	130,337	75,818	54,519	1,046	362	838	310	1,408	1,148

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2010(List 1 - ICD10) (Cont.)

Cause of death	Age at death in months										Total	
	1-2		3-5		6-8		9-11		1-11 months			
	M	F	M	F	M	F	M	F	M	F	M	F
1-001 Certain infectious and parasitic diseases A00-B99	23	14	20	13	14	9	6	3	63	39		
1-002 Cholera A00	-	-	-	-	-	-	-	-	-	-	-	-
1-003 Diarrhoea and gastroenteritis of presumed Infectious origin A09	1	-	1	-	2	1	1	-	5	1		
1-004 Other intestinal infectious diseases A01-A08	-	-	-	-	-	2	-	-	-	2		
1-005 Respiratory tuberculosis A15-A16	-	-	1	-	-	-	1	-	2	-		
1-006 Other tuberculosis A17-A19	-	-	-	-	-	-	-	-	-	-		
1-007 Plague A20	-	-	-	-	-	-	-	-	-	-		
1-008 Tetanus A33-A35	-	-	-	-	-	-	-	-	-	-		
1-009 Diphtheria A36	-	-	-	-	-	-	-	-	-	-		
1-010 Whooping cough A37	-	-	-	-	-	-	-	-	-	-		
1-011 Meningococcal infection A39	-	-	-	1	-	-	-	-	-	1		
1-012 Septicaemia A40-A41	21	12	16	12	11	4	4	3	52	31		
1-013 Infection with a predominantly sexual mode of transmission A50-A64	-	-	-	-	-	-	-	-	-	-		
1-014 Acute poliomyelitis A80	-	-	-	-	-	-	-	-	-	-		
1-015 Rabies A82	-	-	-	-	-	-	-	-	-	-		
1-016 Yellow fever A95	-	-	-	-	-	-	-	-	-	-		
1-017 Other arthropod-borne viral fevers and viral haemorrhagic fevers	-	-	1	-	1	1	-	-	2	1		
1-018 Measles B05	-	-	-	-	-	-	-	-	-	-		
1-019 Viral hepatitis B15-B19	-	-	-	-	-	-	-	-	-	-		
1-020 Human immunodeficiency virus [HIV] disease B20-B24	-	-	-	-	-	-	-	-	-	-		
1-021 Malaria B50-B54	-	-	-	-	-	-	-	-	-	-		
1-022 Leishmaniasis B55	-	-	-	-	-	-	-	-	-	-		
1-023 Trypanosomiasis B56-B57	-	-	-	-	-	-	-	-	-	-		
1-024 Schistosomiasis B65	-	-	-	-	-	-	-	-	-	-		
1-025 Remainder of certain infectious and parasitic diseases	1	2	1	-	-	1	-	-	2	3		

Table 7.2 : Number of deaths according to Cause, Age and Sex - 2010 (List 1 - ICD10) (Cont.)

Cause of death	Age at death in months						Total	
	1-2		3-5		6-8		9-11	
	M	F	M	F	M	F	M	F
1-026 Neoplasms C00-D48	-	1	2	-	2	2	2	3
1-027 Malignant neoplasm of lip, oral cavity and pharynx C00-C14	-	-	-	-	-	-	-	-
1-028 Malignant neoplasm of oesophagus C15	-	-	-	-	-	-	-	-
1-029 Malignant neoplasm of stomach C16	-	-	-	-	-	-	-	-
1-030 Malignant neoplasm of colon, rectum and anus C18-C21	-	-	-	-	-	-	-	-
1-031 Malignant neoplasm of liver and intrahepatic bile ducts C22	-	-	-	-	-	-	-	-
1-032 Malignant neoplasm of pancreas C25	-	-	-	-	-	-	-	-
1-033 Malignant neoplasm of larynx C32	-	-	-	-	-	-	-	-
1-034 Malignant neoplasm of trachea, bronchus and lung C33-C34	-	-	-	-	-	-	-	-
1-035 Malignant melanoma of skin C43	-	-	-	-	-	-	-	-
1-036 Malignant neoplasm of breast C50	-	-	-	-	-	-	-	-
1-037 Malignant neoplasm of cervix uteri C53	-	-	-	-	-	-	-	-
1-038 Malignant neoplasm of other and unspecified parts of uterus C54-C55	-	-	-	-	-	-	-	-
1-039 Malignant neoplasm of ovary C56	-	-	-	-	-	-	-	-
1-040 Malignant neoplasm of prostate C61	-	-	-	-	-	-	-	-
1-041 Malignant neoplasm of bladder C67	-	-	-	-	-	-	-	-
1-042 Malignant neoplasm of meninges, brain and other parts of central nervous system C70-C72	-	-	-	-	-	1	-	1
1-043 Non-Hodgkin's lymphoma C82-C85	-	-	-	-	-	-	-	-
1-044 Multiple myeloma and malignant plasma cell neoplasms C90	-	-	-	-	-	-	-	-
1-045 Leukaemia C91-C95	-	-	1	-	1	-	2	-
1-046 Remainder of malignant neoplasm	-	1	1	-	1	1	-	2
1-047 Remainder of neoplasms D00-D48	-	-	-	-	-	-	-	-

Table 7.2 : Number of deaths according to Cause, Age and Sex - 2010 (List 1 - ICD10) (Cont.)

Cause of death	Age at death in months						Total	
	1-2		3-5		6-8		9-11	
	M	F	M	F	M	F	M	F
1-048 Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D50-D89								
1-049 Anaemias D50-D64	3	1	-	3	3	2	-	1
1-050 Remainder of diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D65-D89	1	-	-	1	-	1	-	-
	2	1	-	2	3	1	-	1
1-051 Endocrine, nutritional and metabolic diseases E00-E88								
1-052 Diabetes mellitus E10-E14	3	6	1	1	1	2	1	-
1-053 Malnutrition E40-E46	1	1	-	-	1	-	-	-
1-054 Remainder of endocrine, nutritional and metabolic diseases	1	1	1	-	-	1	-	-
	1	4	-	1	-	1	1	-
1-055 Mental and behavioural disorders F01-F99								
1-056 Mental and behavioural disorders due to psychoactive substance use F10-F19	-	1	-	-	-	-	-	-
1-057 Remainder of mental and behavioural disorders F01-F09, F20-F99	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	-	1
1-058 Diseases of the nervous system G00-G98								
1-059 Meningitis G00, G03	7	10	8	11	6	7	7	3
1-060 Alzheimer's diseases G30	1	5	1	4	2	-	2	2
1-061 Remainder of disease of the nervous system G04-G25, G31-G98	-	-	-	-	-	-	-	-
	6	5	7	7	4	7	5	1
1-062 Diseases of the eye and adnexa H00-H57								
1-063 Diseases of the ear and mastoid process H60-H93	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-
1-064 Diseases of the circulatory system I00-I99								
1-065 Acute rheumatic fever and chronic rheumatic heart diseases I00-I09	7	9	7	10	3	5	1	2
1-066 Hypertensive diseases I10-I14	-	-	-	-	-	-	-	-
1-067 Ischaemic heart diseases I20-I25	-	-	-	-	-	-	-	-
1-068 Other heart diseases I26-I51	1	-	-	-	-	-	-	-
1-069 Cerebrovascular diseases I60-I69	6	9	7	10	3	5	1	2
1-070 Atherosclerosis I70	-	-	-	-	-	-	-	-
1-071 Remainder of diseases of the circulatory system I71-I99	-	-	-	-	-	-	-	-

Table 7.2 : Number of deaths according to Cause, Age and Sex - 2010 (List 1 - ICD10) (Cont.)

Cause of death	Age at death in months										Total	
	1-2		3-5		6-8		9-11				1-11 months	
	M	F	M	F	M	F	M	F	M	F	M	F
1-072 Diseases of the respiratory system J00-J98	33	25	34	30	20	16	8	10	95	81		
1-073 Influenza J10-J11	-	-	-	-	-	-	-	1	-	1		
1-074 Pneumonia J12-J18	18	18	27	25	17	11	7	6	69	60		
1-075 Other acute lower respiratory infections J20-J22	4	2	3	2	-	4	-	2	7	10		
1-076 Chronic lower respiratory diseases J40-J47	4	-	1	1	2	-	-	1	7	2		
1-077 Remainder of diseases of the respiratory system	7	5	3	2	1	1	1	-	12	8		
1-078 Diseases of the digestive system K00-K92	2	2	3	2	5	2	4	3	14	9		
1-079 Gastric and duodenal ulcer K25-K27	-	-	-	-	-	-	-	-	-	-		
1-080 Diseases of the liver K70-K76	1	-	3	1	3	2	4	2	11	5		
1-081 Remainder of diseases of the digestive system	1	2	-	1	2	-	-	1	3	4		
1-082 Diseases of the skin and subcutaneous tissue L00-L98	-	-	-	-	-	-	-	-	-	-		
1-083 Diseases of the musculoskeletal system and connective tissue M00-M99	1	-	-	-	-	-	-	-	1	-		
1-084 Diseases of the genitourinary system N00-N98	3	-	1	2	-	-	-	-	4	2		
1-085 Glomerular and renal tubulo-interstitial diseases N00-N15	-	-	-	-	-	-	-	-	-	-		
1-086 Remainder of diseases of the genitourinary system N17-N98	3	-	1	2	-	-	-	-	4	2		

Table 7.2 : Number of deaths according to Cause, Age and Sex - 2010 (List 1 - ICD10) (Cont.)

Cause of death	Age at death in months										Total	
	1-2		3-5		6-8		9-11				1-11 months	
	M	F	M	F	M	F	M	F	M	F	M	F
1-087 Pregnancy, childbirth and the puerperium O00-O09	-	-	-	-	-	-	-	-	-	-	-	-
1-088 Pregnancy with abortive outcome O00-O07	-	-	-	-	-	-	-	-	-	-	-	-
1-089 Other direct obstetric deaths O10-O92	-	-	-	-	-	-	-	-	-	-	-	-
1-090 Indirect obstetric deaths O98-O99	-	-	-	-	-	-	-	-	-	-	-	-
1-091 Remainder of pregnancy, childbirth and the puerperium O95-O97	-	-	-	-	-	-	-	-	-	-	-	-
1-092 Certain condition originating in the perinatal period P00-P96	19	17	4	3	1	1	1	1	25	22		
1-093 Congenital malformations, deformations and chromosomal abnormalities Q00-Q99	76	81	56	60	40	33	26	21	198	195		
1-094 Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified R00-R99	5	5	5	5	3	3	4	2	17	15		
1-095 External causes of morbidity and mortality V01-Y99	27	21	25	11	15	14	8	7	75	53		
1-096 Transport accidents V01-V99	1	-	2	-	4	1	1	-	8	1		
1-097 Falls W00-W19	-	-	-	-	1	-	-	-	1	-		
1-098 Accidental drowning and submersion W65-W74	1	-	-	-	-	-	-	-	1	-		
1-099 Exposure to smoke, fire and flames X00-X09	-	-	-	1	-	1	-	1	-	3		
1-100 Accidental poisoning by and exposure to noxious substances X40-X49	-	-	-	-	-	-	-	-	-	-		
1-101 Intentional self-harm X60-X84	-	-	-	-	-	-	-	-	-	-		
1-102 Assault X85-Y09	-	-	-	-	-	-	-	-	-	-		
1-103 All other external causes W20-W64, W75-W99, X10-X39, .	25	21	23	10	10	12	7	6	65	49		
1-106 Disappearance	-	-	-	-	-	-	-	-	-	-		
Total	209	193	166	151	113	96	68	53	556	493		

Table 7.2 : Number of deaths according to cause by age and sex - 2010 (List 1 - ICD10) (Cont.)

Cause of death	Under 1 year		Age at death in years								Total	
	1		2		3		4		1-4 years			
	M	F	M	F	M	F	M	F	M	F		
1-001 Certain infectious and parasitic diseases A00-B99	87	61	20	10	7	11	8	3	6	8	41	32
1-002 Cholera A00	-	-	-	-	-	-	-	-	-	-	-	-
1-003 Diarrhoea and gastroenteritis of presumed Infectious origin	5	2	1	1	1	4	-	-	1	1	3	6
1-004 Other intestinal infectious diseases A01-A08	-	2	-	-	1	-	-	-	-	-	1	-
1-005 Respiratory tuberculosis A15-A16	2	-	-	-	-	-	1	-	-	-	1	-
1-006 Other tuberculosis A17-A19	-	-	-	-	-	-	-	-	-	-	-	-
1-007 Plague A20	-	-	-	-	-	-	-	-	-	-	-	-
1-008 Tetanus A33-A35	-	-	-	-	-	-	-	-	-	-	-	-
1-009 Diphtheria A36	-	-	-	-	-	-	-	-	-	-	-	-
1-010 Whooping cough A37	-	-	-	-	-	-	-	-	-	-	-	-
1-011 Meningococcal infection A39	-	1	-	-	-	-	-	-	-	1	1	-
1-012 Septicaemia A40-A41	75	51	18	6	2	2	3	2	1	-	24	10
1-013 Infection with a predominantly sexual mode of transmission	-	-	-	-	-	1	-	-	-	-	-	1
1-014 Acute poliomyelitis A80	-	-	-	-	-	-	-	-	-	-	-	-
1-015 Rabies A82	-	-	-	-	-	1	1	-	-	-	1	1
1-016 Yellow fever A95	-	-	-	-	-	-	-	-	-	-	-	-
1-017 Other arthropod-borne viral fevers and viral haemorrhagic fevers	2	2	-	1	3	2	3	1	3	6	9	10
1-018 Measles B05	-	-	-	-	-	-	-	-	-	-	-	-
1-019 Viral hepatitis B15-B19	-	-	-	-	-	-	-	-	-	-	-	-
1-020 Human immunodeficiency virus [HIV] disease	-	-	-	-	-	-	-	-	-	-	-	-
1-021 Malaria B50-B54	-	-	1	-	-	-	-	-	-	-	1	-
1-022 Leishmaniasis B55	-	-	-	-	-	-	-	-	-	-	-	-
1-023 Trypanosomiasis B56-B57	-	-	-	-	-	-	-	-	-	-	-	-
1-024 Schistosomiasis B65	-	-	-	-	-	-	-	-	-	-	-	-
1-025 Remainder of certain infectious and parasitic diseases	3	3	-	2	-	1	-	-	-	1	-	4

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2010 (List 1 - ICD10) (Cont.)

Cause of death	Under 1 year		Age at death in years								Total 1-4 years	
			1		2		3		4			
	M	F	M	F	M	F	M	F	M	F	M	F
1-026 Neoplasms C00-D48	7	5	3	5	10	7	5	10	7	9	25	31
1-027 Malignant neoplasm of lip,oral cavity and pharynx	-	-	-	-	-	-	-	-	-	-	-	-
1-028 Malignant neoplasm of oesophagus C15	-	-	-	-	-	-	-	-	-	-	-	-
1-029 Malignant neoplasm of stomach C16	-	-	-	-	-	-	-	-	-	-	-	-
1-030 Malignant neoplasm of colon,rectum and anus C18-C21	-	-	-	-	-	-	-	-	-	-	-	-
1-031 Malignant neoplasm of liver and intrahepatic bile ducts	-	-	-	-	-	-	-	-	-	-	-	-
1-032 Malignant neoplasm of pancreas C25	-	-	-	-	-	-	1	-	-	-	1	-
1-033 Malignant neoplasm of larynx C32	-	-	-	-	-	-	-	-	-	-	-	-
1-034 Malignant neoplasm of trachea, bronchus and lung	-	-	-	-	-	-	-	-	1	-	1	-
1-035 Malignant melanoma of skin C43	-	-	-	-	-	-	-	-	-	-	-	-
1-036 Malignant neoplasm of breast	-	-	-	-	-	-	-	-	-	-	-	-
1-037 Malignant neoplasm of cervix uteri C53	-	-	-	-	-	-	-	-	-	-	-	-
1-038 Malignant neoplasm of other and unspecified parts of uterus	-	-	-	-	-	-	-	-	-	-	-	-
1-039 Malignant neoplasm of ovary C56	-	-	-	-	-	-	-	-	-	-	-	-
1-040 Malignant neoplasm of prostate C61	-	-	-	-	-	-	-	-	-	-	-	-
1-041 Malignant neoplasm of bladder C67	-	-	-	-	-	-	-	-	-	-	-	-
1-042 Malignant neoplasm of meninges , brain and other parts of central nervous system	-	2	2	1	1	2	1	2	1	1	5	6
1-043 Non-Hodgkin s lymphoma C82-C85	-	-	-	-	1	-	-	-	1	-	2	-
1-044 Multiple myeloma and malignant plasma cell neoplasms	-	-	-	-	-	-	-	-	-	-	-	-
1-045 Leukaemia C91-C95	4	-	-	1	6	2	1	5	2	3	9	11
1-046 Remainder of malignant neoplasm	3	3	1	3	2	2	2	3	2	5	7	13
1-047 Remainder of neoplasms D00-D48	-	-	-	-	-	1	-	-	-	-	-	1

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2010 (List 1 - ICD10) (Cont.)

Cause of death	Under 1 year		Age at death in years								Total 1-4 years	
			1		2		3		4			
	M	F	M	F	M	F	M	F	M	F	M	F
1-048 Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism												
1-049 Anaemias D50-D64	6	7	-	-	3	1	1	2	-	-	4	3
1-050 Remainder of diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism	1	2	-	-	2	1	-	2	-	-	2	3
	5	5	-	-	1	-	1	-	-	-	2	-
1-051 Endocrine, nutritional and metabolic diseases E00-E88												
1-052 Diabetes mellitus E10-E14	8	13	7	-	1	-	1	1	2	-	11	1
1-053 Malnutrition E40-E46	4	2	4	-	-	-	-	-	1	-	5	-
1-054 Remainder of endocrine, nutritional and metabolic diseases	2	2	-	-	-	-	-	-	-	-	-	-
	2	9	3	-	1	-	1	1	1	-	6	1
1-055 Mental and behavioural disorders F01-F99												
1-056 Mental and behavioural disorders due to psychoactive substance use	-	1	-	-	-	-	1	-	-	-	1	-
1-057 Remainder of mental and behavioural disorders	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	1	-	-	-	1	-
1-058 Diseases of the nervous system G00-G98												
1-059 Meningitis G00, G03	42	38	11	9	7	4	9	4	5	5	32	22
1-060 Alzheimer's diseases G30	10	13	-	2	3	2	1	1	-	-	4	5
1-061 Remainder of disease of the nervous system	-	-	-	-	-	-	-	-	-	-	-	-
	32	25	11	7	4	2	8	3	5	5	28	17
1-062 Diseases of the eye and adnexa H00-H57												
1-063 Diseases of the ear and mastoid process H60-H93	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
1-064 Diseases of the circulatory system I00-I99												
1-065 Acute rheumatic fever and chronic rheumatic heart diseases	28	36	5	10	5	4	3	3	2	3	15	20
1-066 Hypertensive diseases I10-I14	-	-	-	-	-	-	-	-	-	-	-	-
1-067 Ischaemic heart diseases I20-I25	2	-	2	-	-	-	-	1	1	-	3	1
1-068 Other heart diseases I26-I51	1	-	-	1	-	-	-	-	-	-	-	1
1-069 Cerebrovascular diseases I60-I69	25	36	3	9	5	3	3	2	1	3	12	17
1-070 Atherosclerosis I70	-	-	-	-	-	1	-	-	-	-	-	1
1-071 Remainder of diseases of the circulatory system I71-I99	-	-	-	-	-	-	-	-	-	-	-	-

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2010 (List 1 - ICD10) (Cont.)

Cause of death	Under 1 year		Age at death in years								Total	
	1		2		3		4		5		1-4 years	
	M	F	M	F	M	F	M	F	M	F	M	F
1-072 Diseases of the respiratory system J00-J98	112	90	27	13	12	14	13	9	2	7	54	43
1-073 Influenza J10-J11	-	1	-	-	-	-	-	-	-	-	-	-
1-074 Pneumonia J12-J18	78	69	18	6	6	10	7	5	1	6	32	27
1-075 Other acute lower respiratory infections J20-J22	7	10	1	-	2	2	-	1	-	-	3	3
1-076 Chronic lower respiratory diseases J40-J47	11	2	3	2	2	1	3	1	1	1	9	5
1-077 Remainder of diseases of the respiratory system	16	8	5	5	2	1	3	2	-	-	10	8
1-078 Diseases of the digestive system K00-K92	15	11	5	-	1	4	-	1	2	1	8	6
1-079 Gastric and duodenal ulcer K25-K27	-	-	-	-	-	-	-	-	-	-	-	-
1-080 Diseases of the liver K70-K76	11	5	3	-	-	2	-	1	1	-	4	3
1-081 Remainder of diseases of the digestive system	4	6	2	-	1	2	-	-	1	1	4	3
1-082 Diseases of the skin and subcutaneous tissue L00-L98	-	-	-	-	-	-	-	-	-	-	-	-
1-083 Diseases of the musculoskeletal system and connective tissue	1	-	-	-	-	-	-	-	-	-	-	-
1-084 Diseases of the genitourinary system N00-N98	5	2	3	3	3	-	-	3	-	-	6	6
1-085 Glomerular and renal tubulo-interstitial diseases N00-N15	-	-	1	1	-	-	-	-	-	-	1	1
1-086 Remainder of diseases of the genitourinary system	5	2	2	2	3	-	-	3	-	-	5	5

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2010 (List 1 - ICD10) (Cont.)

Cause of death	Under 1 year		Age at death in years								Total	
	M	F	1		2		3		4		1-4 years	
			M	F	M	F	M	F	M	F	M	F
1-087 Pregnancy, childbirth and the puerperium O00-O09	-	-	-	-	-	-	-	-	-	-	-	-
1-088 Pregnancy with abortive outcome O00-O07	-	-	-	-	-	-	-	-	-	-	-	-
1-089 Other direct obstetric deaths O10-O92	-	-	-	-	-	-	-	-	-	-	-	-
1-090 Indirect obstetric deaths O98-O99	-	-	-	-	-	-	-	-	-	-	-	-
1-091 Remainder of pregnancy,childbirth and the puerperium O95-O97	-	-	-	-	-	-	-	-	-	-	-	-
1-092 Certain condition originating in the perinatal period P00-P96	1,123	931	-	-	-	-	1	-	-	-	1	-
1-093 Congenital malformations,deformations and chromosomal abnormalities Q00-Q99	407	359	29	20	23	14	14	14	9	6	75	54
1-094 Symptoms ,signs and abnormal clinical and laboratory findings, not elsewhere classified R00-R99	43	27	8	6	3	2	6	1	5	-	22	9
1-095 External causes of morbidity and mortality V01-Y99	80	60	48	41	51	35	48	25	39	37	186	138
1-096 Transport accidents V01-V99	8	2	3	4	1	1	4	2	3	5	11	12
1-097 Falls W00-W19	1	1	3	1	2	2	2	1	2	-	9	4
1-098 Accidental drowning and submersion W65-W74	1	-	10	7	2	5	4	2	-	2	16	16
1-099 Exposure to smoke,fire and flames X00-X09	-	3	1	1	-	-	1	-	-	-	2	1
1-100 Accidental poisoning by and exposure to noxious substances X40-X49	1	-	1	2	1	-	-	1	-	-	2	3
1-101 Intentional self-harm X60-X84	-	-	-	-	-	-	-	-	-	-	-	-
1-102 Assault X85-Y09	-	-	-	-	-	-	-	-	-	-	-	-
1-103 All other external causes W20-W64,W75-W99,X10-X39, .	69	54	30	26	45	27	37	19	34	30	146	102
1-106 Dissappearance	-	-	-	-	-	-	-	-	-	-	-	-
Total	1,964	1,641	166	117	126	96	110	76	79	76	481	365

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2010 (List 1 - ICD10) (Cont.)

Cause of death	Age at death in years						Total			Age at death in years						Total		
	5-9		10-14		15-19		20-24		Total	15-19		20-24		25-29		Total	30-34	
	M	F	M	F	M	F	M	F		M	F	M	F	M	F		M	F
1-001 Certain infectious and parasitic diseases A00-B99	38	34	19	26	57	60	38	16	50	33	88	49						
1-002 Cholera A00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-003 Diarrhoea and gastroenteritis of presumed Infectious origin A09	1	1	1	1	2	2	4	-	2	-	6	-	-	-	-	-	-	-
1-004 Other intestinal infectious diseases A01-A08	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-005 Respiratory tuberculosis A15-A16	-	1	-	1	-	2	1	4	8	7	9	11						
1-006 Other tuberculosis A17-A19	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
1-007 Plague A20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-008 Tetanus A33-A35	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-
1-009 Diphtheria A36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-010 Whooping cough A37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-011 Meningococcal infection A39	1	-	-	-	1	-	1	-	-	1	1	-	-	-	-	1	-	-
1-012 Septicaemia A40-A41	10	14	6	12	16	26	15	4	19	12	34	16						
1-013 Infection with a predominantly sexual mode of transmission A50-A64	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
1-014 Acute poliomyelitis A80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-015 Rabies A82	2	1	1	-	3	1	1	-	1	-	2	-	-	-	-	-	-	-
1-016 Yellow fever A95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-017 Other arthropod-borne viral fevers and viral haemorrhagic fevers	23	15	8	9	31	24	7	5	6	11	13	16						
1-018 Measles B05	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-019 Viral hepatitis B15-B19	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
1-020 Human immunodeficiency virus [HIV] disease B20-B24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-021 Malaria B50-B54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-022 Leishmaniasis B55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-023 Trypanosomiasis B56-B57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-024 Schistosomiasis B65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-025 Remainder of certain infectious and parasitic diseases	1	2	2	2	3	4	8	2	13	1	21	3						

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2010 (List 1 - ICD10) (Cont.)

Cause of death	Age at death in years						Total		Age at death in years						Total	
	5-9		10-14		15-19		5-14 years		15-19		20-24		25-29		30-34	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1-026 Neoplasms C00-D48	32	27	38	22	52	35	70	49	52	35	66	23	118	58		
1-027 Malignant neoplasm of lip,oral cavity and pharynx C00-C14	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-
1-028 Malignant neoplasm of oesophagus C15	-	-	1	1	1	1	1	1	1	-	1	1	2	1		
1-029 Malignant neoplasm of stomach C16	1	-	1	-	-	1	2	-	-	1	-	-	-	1		
1-030 Malignant neoplasm of colon,rectum and anus C18-C21	-	-	-	-	1	-	-	-	1	-	-	1	1	1		
1-031 Malignant neoplasm of liver and intrahepatic bile ducts C22	1	1	1	-	1	1	2	1	1	1	1	1	2	2		
1-032 Malignant neoplasm of pancreas C25	-	-	1	-	-	-	1	-	-	-	-	-	-	-		
1-033 Malignant neoplasm of larynx C32	-	-	-	-	-	-	-	-	-	1	1	-	1	1		
1-034 Malignant neoplasm of trachea, bronchus and lung C33-C34	-	1	1	-	1	1	1	1	1	1	6	-	7	1		
1-035 Malignant melanoma of skin C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1-036 Malignant neoplasm of breast	-	-	-	-	-	-	-	-	-	-	-	2	-	2		
1-037 Malignant neoplasm of cervix uteri C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1-038 Malignant neoplasm of other and unspecified parts of uterus C54-C55	-	-	-	-	-	-	-	-	-	1	-	-	-	1		
1-039 Malignant neoplasm of ovary C56	-	-	-	1	-	-	-	1	-	2	-	1	-	3		
1-040 Malignant neoplasm of prostate C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1-041 Malignant neoplasm of bladder C67	-	1	-	-	-	-	-	1	-	-	-	-	-	-		
1-042 Malignant neoplasm of meninges , brain and other parts of central nervous system C70-C72	7	6	7	4	5	4	14	10	5	4	12	1	17	5		
1-043 Non-Hodgkin s lymphoma C82-C85	1	1	1	2	8	1	2	3	8	1	10	1	18	2		
1-044 Multiple myeloma and malignant plasma cell neoplasms C90	-	-	1	-	-	-	1	-	-	-	1	-	1	-		
1-045 Leukaemia C91-C95	9	9	15	11	17	11	24	20	17	11	18	3	35	14		
1-046 Remainder of malignant neoplasm	12	8	8	2	17	12	20	10	17	12	16	11	33	23		
1-047 Remainder of neoplasms D00-D48	1	-	-	-	1	-	1	-	1	-	-	1	1	1		

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2010(List 1 - ICD10) (Cont.)

Cause of death	Age at death in years				Total		Age at death in years				Total	
	5-9		10-14		5-14 years		15-19		20-24		15-24 years	
	M	F	M	F	M	F	M	F	M	F	M	F
1-048 Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D50-D89												
1-049 Anaemias D50-D64	1	3	2	2	3	5	4	6	3	4	7	10
1-050 Remainder of diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D65-D89	1	3	1	2	2	5	4	6	2	3	6	9
	-	-	1	-	1	-	-	-	1	1	1	1
1-051 Endocrine, nutritional and metabolic diseases E00-E88												
1-052 Diabetes mellitus E10-E14	4	1	6	4	10	5	1	8	3	4	4	12
1-053 Malnutrition E40-E46	2	-	2	1	4	1	-	6	3	3	3	9
1-054 Remainder of endocrine, nutritional and metabolic diseases	-	1	-	-	-	1	1	-	-	-	1	-
	2	-	4	3	6	3	-	2	-	1	-	3
1-055 Mental and behavioural disorders F01-F99												
1-056 Mental and behavioural disorders due to psychoactive substance use F10-F19	-	-	-	-	-	-	3	-	2	1	5	1
1-057 Remainder of mental and behavioural disorders F01-F09, F20-F99	-	-	-	-	-	-	-	-	1	-	1	-
	-	-	-	-	-	-	3	-	1	1	4	1
1-058 Diseases of the nervous system G00-G98												
1-059 Meningitis G00, G03	16	19	19	17	35	36	30	23	30	16	60	39
1-060 Alzheimer's diseases G30	3	2	2	3	5	5	2	4	1	3	3	7
1-061 Remainder of disease of the nervous system G04-G25, G31-G98	-	-	-	-	-	-	-	-	-	-	-	-
	13	17	17	14	30	31	28	19	29	13	57	32
1-062 Diseases of the eye and adnexa H00-H57												
1-063 Diseases of the ear and mastoid process H60-H93	-	-	-	-	-	-	-	1	-	-	-	1
	-	-	-	-	-	-	-	-	-	-	-	-
1-064 Diseases of the circulatory system I00-I99												
1-065 Acute rheumatic fever and chronic rheumatic heart diseases I00-I09	21	16	31	19	52	35	47	31	85	49	132	80
1-066 Hypertensive diseases I10-I14	-	-	-	-	-	-	-	1	1	-	1	1
1-067 Ischaemic heart diseases I20-I25	3	2	1	1	4	3	2	1	6	4	8	5
1-068 Other heart diseases I26-I51	4	1	2	1	6	2	6	4	8	4	14	8
1-069 Cerebrovascular diseases I60-I69	11	10	22	15	33	25	26	18	54	29	80	47
1-070 Atherosclerotic I70	2	2	6	2	8	4	13	5	14	11	27	16
1-071 Remainder of diseases of the circulatory system I71-I99	-	-	-	-	-	-	-	2	-	-	-	2
	1	1	-	-	1	1	-	-	2	1	2	1

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2010 (List 1 - ICD10) (Cont.)

Cause of death	Age at death in years						Total		Age at death in years						Total	
	5-9			10-14			5-14 years		15-19			20-24			15-24 years	
	M	F		M	F		M	F	M	F		M	F	M	F	
1-072 Diseases of the respiratory system J00-J98 1-073 Influenza J10-J11 1-074 Pneumonia J12-J18 1-075 Other acute lower respiratory infections J20-J22 1-076 Chronic lower respiratory diseases J40-J47 1-077 Remainder of diseases of the respiratory system	29	26		33	25		62	51	40	31		33	28	73	59	
	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	
	20	14		20	16		40	30	18	18		18	17	36	35	
	1	4	-	-	-	-	1	4	3	2	1	1	-	4	2	
	5	5		9	8		14	13	10	6		11	6	21	12	
	3	3		4	1		7	4	8	5		3	5	11	10	
	4	10		7	7		11	17	8	6		9	8	17	14	
1-078 Diseases of the digestive system K00-K92 1-079 Gastric and duodenal ulcer K25-K27 1-080 Diseases of the liver K70-K76 1-081 Remainder of diseases of the digestive system	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	
	2	5		3	5		5	10	3	4		6	6	9	10	
	2	5		4	2		6	7	4	2		3	2	7	4	
	-	-	-	-	-	-	-	-	1	1		2	-	3	1	
1-082 Diseases of the skin and subcutaneous tissue L00-L98 1-083 Diseases of the musculoskeletal system and connective tissue M00-M99 1-084 Diseases of the genitourinary system N00-N98 1-085 Glomerular and renal tubulo-interstitial diseases N00-N15 1-086 Remainder of diseases of the genitourinary System N17-N98	-	-	-	-	-	-	-	-	1	3		1	1	1	4	
	8	4		11	6		19	10	13	13		16	20	29	33	
	1	-	-	-	2		1	2	1	1	-	-	1	1	2	
	7	4		11	4		18	8	12	12		16	19	28	31	

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2010 (List 1 - ICD10) (Cont.)

Cause of death	Age at death in years				Total				Age at death in years				Total			
	5-9		10-14		5-14 years		15-19		20-24		15-24 years		5-14 years		15-24 years	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1-087 Pregnancy, childbirth and the puerperium O00-O09	-	-	-	-	-	-	-	1	-	4	-	5	-	-	-	-
1-088 Pregnancy with abortive outcome O00-O07	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
1-089 Other direct obstetric deaths O10-O92	-	-	-	-	-	-	-	1	-	3	-	4	-	-	-	-
1-090 Indirect obstetric deaths O98-O99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-091 Remainder of pregnancy,childbirth and the puerperium O95-O97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-092 Certain condition originating in the perinatal period P00-P96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-093 Congenital malformations,deformations and chromosomal abnormalities Q00-Q99	35	27	24	23	59	50	20	17	18	8	38	25	59	50	38	25
1-094 Symptoms ,signs and abnormal clinical and laboratory findings, not elsewhere classified R00-R99	10	12	13	5	23	17	26	30	35	22	61	52	23	17	61	52
1-095 External causes of morbidity and mortality V01-Y99	220	199	259	226	479	425	732	479	1,536	765	2,268	1,244	479	425	2,268	1,244
1-096 Transport accidents V01-V99	26	20	20	10	46	30	97	17	229	23	326	40	46	30	326	40
1-097 Falls W00-W19	12	4	5	1	17	5	9	4	16	6	25	10	17	5	25	10
1-098 Accidental drowning and submersion W65-W74	18	13	26	10	44	23	77	14	75	19	152	33	44	23	152	33
1-099 Exposure to smoke,fire and flames X00-X09	2	3	1	6	3	9	2	20	8	34	10	54	3	9	10	54
1-100 Accidental poisoning by and exposure to noxious substances X40-X49	-	1	1	1	1	2	-	1	9	4	9	5	1	2	9	5
1-101 Intentional self-harm X60-X84	-	-	10	13	10	13	92	130	197	142	289	272	10	13	289	272
1-102 Assault X85-Y09	2	-	1	1	3	1	10	1	25	7	35	8	3	1	35	8
1-103 All other external causes W20-W64,W75-W99,X10-X39, .	160	158	195	184	355	342	445	292	977	530	1,422	822	355	342	1,422	822
1-106 Disappearance	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	418	378	462	382	880	760	1,016	701	1,888	986	2,904	1,687	880	760	2,904	1,687

Table 7.2 : Number of deaths according to cause by age and sex - 2010 (List 1 - ICD10) (Cont.)

Cause of death	Age at death in years						Total	
	25-29		30-34		35-39		40-44	
	M	F	M	F	M	F	M	F
1-001 Certain infectious and parasitic diseases A00-B99	43	36	67	37	88	52	120	55
1-002 Cholera A00	-	-	-	-	-	-	-	-
1-003 Diarrhoea and gastroenteritis of presumed Infectious origin A09	1	-	-	-	2	-	4	4
1-004 Other intestinal infectious diseases A01-A08	-	-	-	1	-	-	-	1
1-005 Respiratory tuberculosis A15-A16	7	5	10	5	18	6	25	8
1-006 Other tuberculosis A17-A19	2	3	-	-	1	1	-	-
1-007 Plague A20	-	-	-	-	-	-	-	-
1-008 Tetanus A33-A35	-	-	-	-	-	-	-	-
1-009 Diphtheria A36	-	-	-	-	-	-	-	-
1-010 Whooping cough A37	-	-	-	-	-	-	-	-
1-011 Meningococcal infection A39	-	-	-	-	-	-	1	-
1-012 Septicaemia A40-A41	8	9	29	11	32	17	43	24
1-013 Infection with a predominantly sexual mode of transmission A50-A64	1	-	-	-	1	-	1	-
1-014 Acute poliomyelitis A80	-	-	-	1	-	-	-	1
1-015 Rabies A82	-	-	1	-	-	1	3	1
1-016 Yellow fever A95	-	-	-	-	-	-	-	-
1-017 Other arthropod-borne viral fevers and viral haemorrhagic fevers	11	14	15	15	11	17	8	13
1-018 Measles B05	-	-	-	-	-	-	-	-
1-019 Viral hepatitis B15-B19	-	1	-	-	-	-	-	1
1-020 Human immunodeficiency virus [HIV] disease B20-B24	-	-	-	-	-	1	-	1
1-021 Malaria B50-B54	-	-	2	-	-	-	-	-
1-022 Leishmaniasis B55	-	-	-	-	-	-	-	-
1-023 Trypanosomiasis B56-B57	-	-	-	-	-	-	-	-
1-024 Schistosomiasis B65	-	-	-	-	-	-	-	-
1-025 Remainder of certain infectious and parasitic diseases	13	4	10	4	23	9	35	5
							81	22

Table 7.2 : Number of deaths according to cause by age and sex - 2010 (List 1 - ICD10) (Cont.)

Cause of death	25-29				Age at death in years				40-44		Total	
					30-34		35-39				25-44 years	
	M	F	M	F	M	F	M	F	M	F	M	F
1-026 Neoplasms C00-D48	56	50	72	73	106	137	176	209	410	469		
1-027 Malignant neoplasm of lip,oral cavity and pharynx C00-C14	4	2	2	1	10	3	20	7	36	13		
1-028 Malignant neoplasm of oesophagus C15	2	1	1	4	5	4	12	6	20	15		
1-029 Malignant neoplasm of stomach C16	-	1	1	1	3	5	6	7	10	14		
1-030 Malignant neoplasm of colon,rectum and anus C18-C21	1	-	4	-	5	1	7	3	17	4		
1-031 Malignant neoplasm of liver and intrahepatic bile ducts C22	1	5	-	3	8	6	7	7	16	21		
1-032 Malignant neoplasm of pancreas C25	1	-	-	-	2	-	-	1	3	1		
1-033 Malignant neoplasm of larynx C32	-	-	-	-	-	-	1	-	1	-		
1-034 Malignant neoplasm of trachea, bronchus and lung C33-C34	3	1	6	2	11	5	20	8	40	16		
1-035 Malignant melanoma of skin C43	-	1	-	-	-	-	-	-	-	1		
1-036 Malignant neoplasm of breast C50	-	3	-	7	-	31	-	42	-	83		
1-037 Malignant neoplasm of cervix uteri C53	-	-	-	3	-	1	-	8	-	12		
1-038 Malignant neoplasm of other and unspecified parts of uterus C54-C55	-	1	-	3	-	5	-	6	-	15		
1-039 Malignant neoplasm of ovary C56	-	5	-	2	-	9	-	9	-	25		
1-040 Malignant neoplasm of prostate C61	-	-	1	-	-	-	-	-	1	-		
1-041 Malignant neoplasm of bladder C67	-	-	-	-	-	-	2	-	2	-		
1-042 Malignant neoplasm of meninges , brain and other parts of central nervous system C70-C72	5	6	5	3	10	6	11	10	31	25		
1-043 Non-Hodgkin s lymphoma C82-C85	5	1	3	7	10	4	10	5	28	17		
1-044 Multiple myeloma and malignant plasma cell neoplasms C90	-	-	-	-	-	1	1	1	1	2		
1-045 Leukaemia C91-C95	10	8	19	11	13	8	11	13	53	40		
1-046 Remainder of malignant neoplasm	24	14	28	26	26	46	66	73	144	159		
1-047 Remainder of neoplasms D00-D48	-	1	2	-	3	2	2	3	7	6		

Table 7.2 : Number of deaths according to cause by age and sex – 2010 (List 1 – ICD10) (Cont.)

Cause of death	Age at death in years						Total	
	25-29		30-34		35-39		40-44	
	M	F	M	F	M	F	M	F
1-048 Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D50-D89								
1-049 Anaemias D50-D64	2	4	2	3	2	2	2	3
1-050 Remainder of diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D65-D89	1	3	1	3	2	2	2	2
	1	1	1	-	-	-	2	2
1-051 Endocrine, nutritional and metabolic diseases E00-E88	18	17	35	20	29	24	82	52
1-052 Diabetes mellitus E10-E14	13	14	29	18	27	23	78	48
1-053 Malnutrition E40-E46	-	1	1	-	-	-	-	-
1-054 Remainder of endocrine, nutritional and metabolic diseases	5	2	5	2	2	1	4	4
1-055 Mental and behavioural disorders F01-F99	6	-	9	2	20	2	34	3
1-056 Mental and behavioural disorders due to psychoactive substance use F10-F19	3	-	8	-	16	-	30	1
1-057 Remainder of mental and behavioural disorders F01-F09, F20-F99	3	-	1	2	4	2	4	2
1-058 Diseases of the nervous system G00-G98	31	28	30	30	45	26	57	42
1-059 Meningitis G00, G03	6	4	-	1	2	1	2	6
1-060 Alzheimer's diseases G30	-	-	-	-	-	-	-	-
1-061 Remainder of disease of the nervous system G04-G25, G31-G98	25	24	30	29	43	25	55	36
1-062 Diseases of the eye and adnexa H00-H57	-	-	-	-	-	-	-	1
1-063 Diseases of the ear and mastoid process H60-H93	-	-	-	-	-	-	-	-
1-064 Diseases of the circulatory system I00-I99	110	73	176	97	267	145	474	194
1-065 Acute rheumatic fever and chronic rheumatic heart diseases I00-I09	2	-	1	-	4	-	1	3
1-066 Hypertensive diseases I10-I14	10	9	17	14	28	20	47	16
1-067 Ischaemic heart diseases I20-I25	11	4	24	10	50	16	87	26
1-068 Other heart diseases I26-I51	72	43	96	52	147	79	268	123
1-069 Cerebrovascular diseases I60-I69	12	11	27	21	33	24	59	24
1-070 Atherosclerosis I70	-	-	-	-	3	1	1	-
1-071 Remainder of diseases of the circulatory system I71-I99	3	6	11	-	2	5	11	2
							1,027	509
							8	3
							102	59
							172	56
							583	297
							131	80
							4	1
							27	13

Table 7.2 : Number of deaths according to cause by age and sex - 2010 (List 1 - ICD10) (Cont.)

Cause of death	25-29						Age at death in years						Total					
	M			F			30-34			35-39			40-44			25-44 years		
	M	F		M	F		M	F		M	F		M	F		M	F	
1-072 Diseases of the respiratory system J00-J98	46	45		55	40		69	61		115	45		285	191				
1-073 Influenza J10-J11	-	2		-	-		1	-		-	-		1	2				
1-074 Pneumonia J12-J18	24	23		29	23		37	21		66	16		156	83				
1-075 Other acute lower respiratory infections J20-J22	2	-		-	-		-	1		3	-		5	1				
1-076 Chronic lower respiratory diseases J40-J47	14	15		19	14		22	29		26	23		81	81				
1-077 Remainder of diseases of the respiratory system	6	5		7	3		9	10		20	6		42	24				
1-078 Diseases of the digestive system K00-K92	23	7		47	14		130	13		262	18		462	52				
1-079 Gastric and duodenal ulcer K25-K27	-	-		1	1		1	1		1	-		3	2				
1-080 Diseases of the liver K70-K76	16	4		41	11		117	11		236	12		410	38				
1-081 Remainder of diseases of the digestive system	7	3		5	2		12	1		25	6		49	12				
1-082 Diseases of the skin and subcutaneous tissue L00-L98	-	-		2	2		-	1		2	3		4	6				
1-083 Diseases of the musculoskeletal system and connective tissue M00-M99	-	3		-	3		-	2		1	1		1	9				
1-084 Diseases of the genitourinary system N00-N98	31	22		27	27		42	25		86	39		186	113				
1-085 Glomerular and renal tubulo-interstitial diseases N00-N15	2	2		2	3		1	1		10	6		15	12				
1-086 Remainder of diseases of the genitourinary System N17-N98	29	20		25	24		41	24		76	33		171	101				

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2010 (List 1 - ICD10) (Cont.)

Cause of death	45-49				50-54				55-59				60-64				Total		Age at death in years			
	M		F		M		F		M		F		M		F		45-64 years		65-69		70-74	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1-001 Certain infectious and parasitic diseases A00-B99	180	80	188	85	253	122	267	142	888	429	225	161	264	147	-	-	-	-	-	-	-	-
1-002 Cholera A00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-003 Diarrhoea and gastroenteritis of presumed Infectious origin A09	3	4	5	3	10	6	8	8	26	21	12	14	17	19	-	-	-	-	-	-	-	-
1-004 Other intestinal infectious diseases A01-A08	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
1-005 Respiratory tuberculosis A15-A16	44	9	58	20	73	18	89	19	264	66	80	25	71	15	-	-	-	-	-	-	-	-
1-006 Other tuberculosis A17-A19	3	1	-	-	1	1	2	2	6	4	2	1	-	1	-	-	-	-	-	-	-	-
1-007 Plague A20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-008 Tetanus A33-A35	2	-	-	-	-	-	2	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
1-009 Diphtheria A36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-010 Whooping cough A37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-011 Meningococcal infection A39	-	-	1	-	1	-	-	1	2	1	1	-	1	-	-	-	-	-	-	-	-	-
1-012 Septicaemia A40-A41	69	36	68	46	113	67	104	95	354	244	106	110	138	96	-	-	-	-	-	-	-	-
1-013 Infection with a predominantly sexual mode of transmission A50-A64	3	-	-	-	1	-	2	-	6	-	2	1	2	-	-	-	-	-	-	-	-	-
1-014 Acute poliomyelitis A80	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
1-015 Rabies A82	2	-	5	1	1	-	6	-	14	1	1	-	-	1	-	-	-	-	-	-	-	-
1-016 Yellow fever A95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-017 Other arthropod-borne viral fevers and viral haemorrhagic fevers	6	10	11	6	6	15	5	5	28	36	4	3	5	3	-	-	-	-	-	-	-	-
1-018 Measles B05	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-019 Viral hepatitis B15-B19	1	3	-	-	1	-	-	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-
1-020 Human immunodeficiency virus [HIV] disease B20-B24	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
1-021 Malaria B50-B54	-	-	-	-	2	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-
1-022 Leishmaniasis B55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-023 Trypanosomiasis B56-B57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-024 Schistosomiasis B65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-025 Remainder of certain infectious and parasitic diseases	47	17	40	8	44	14	48	11	179	50	17	6	30	12	-	-	-	-	-	-	-	-

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2010 (List 1 - ICD10) (Cont.)

Cause of death	45-49						Age at death in years						Total		Age at death in years			
	M			F			50-54			55-59			60-64		65-69		70-74	
	M	F		M	F		M	F		M	F		M	F	M	F	M	F
1-026 Neoplasms C00-D48	433	376		576	583		844	658		1,025	818		2,878	2,435	949	652	832	622
1-027 Malignant neoplasm of lip,oral cavity and pharynx C00-C14	74	10		88	23		115	29		121	38		398	100	116	48	108	35
1-028 Malignant neoplasm of oesophagus C15	42	22		48	38		85	32		96	59		271	151	99	65	67	53
1-029 Malignant neoplasm of stomach C16	25	17		32	27		44	41		58	34		159	119	53	37	43	44
1-030 Malignant neoplasm of colon,rectum and anus C18-C21	14	10		8	16		15	10		30	23		67	59	20	8	18	14
1-031 Malignant neoplasm of liver and intrahepatic bile ducts C22	13	10		35	21		50	24		71	47		169	102	59	30	51	28
1-032 Malignant neoplasm of pancreas C25	8	3		5	3		12	7		9	7		34	20	13	7	6	7
1-033 Malignant neoplasm of larynx C32	5	-		6	1		12	3		14	1		37	5	18	6	11	1
1-034 Malignant neoplasm of trachea, bronchus and lung C33-C34	45	17		60	22		114	28		133	29		352	96	124	30	117	28
1-035 Malignant melanoma of skin C43	1	-		-	-		-	-		-	-		1	-	1	-	-	-
1-036 Malignant neoplasm of breast C50	-	67		-	85		1	114		-	100		1	366	-	64	-	52
1-037 Malignant neoplasm of cervix uteri C53	-	10		-	23		-	21		-	18		-	72	-	15	-	6
1-038 Malignant neoplasm of other and unspecified parts of uterus C54-C55	-	22		-	33		-	24		-	44		-	123	-	34	-	42
1-039 Malignant neoplasm of ovary C56	-	29		-	40		-	26		-	28		-	123	-	18	-	31
1-040 Malignant neoplasm of prostate C61	3	-		3	-		10	-		23	-		39	-	22	-	17	-
1-041 Malignant neoplasm of bladder C67	6	-		3	3		12	6		15	1		36	10	11	2	15	5
1-042 Malignant neoplasm of meninges , brain and other parts of central nervous system C70-C72	23	12		25	23		28	24		31	26		107	85	20	22	25	18
1-043 Non-Hodgkin s lymphoma C82-C85	13	4		11	10		22	16		20	13		66	43	18	4	15	6
1-044 Multiple myeloma and malignant plasma cell neoplasms C90	2	2		7	2		6	7		9	13		24	24	12	10	12	8
1-045 Leukaemia C91-C95	23	18		20	17		27	26		25	28		95	89	25	21	17	21
1-046 Remainder of malignant neoplasm	133	122		219	192		286	217		360	303		998	834	327	225	301	220
1-047 Remainder of neoplasms D00-D48	3	1		6	4		5	3		10	6		24	14	11	6	9	3

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2010 (List 1 - ICD10) (Cont.)

Cause of death	Age at death in years						Total		Age at death in years			
	45-49		50-54		55-59		60-64		65-69		70-74	
	M	F	M	F	M	F	M	F	M	F	M	F
1-048 Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D50-D89												
1-049 Anaemias D50-D64	8	12	4	10	10	7	15	19	16	9	15	21
1-050 Remainder of diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D65-D89	7	8	3	6	7	6	13	15	12	7	14	21
	1	4	1	4	3	1	2	4	4	2	1	-
1-051 Endocrine, nutritional and metabolic diseases E00-E88												
1-052 Diabetes mellitus E10-E14	177	103	344	190	493	332	696	541	687	626	663	759
1-053 Malnutrition E40-E46	167	98	333	182	476	317	675	524	665	606	650	737
1-054 Remainder of endocrine, nutritional and metabolic diseases	2	2	-	1	-	1	4	1	5	1	1	-
	8	3	11	7	17	14	17	16	17	19	12	22
1-055 Mental and behavioural disorders F01-F99												
1-056 Mental and behavioural disorders due to psychoactive substance use F10-F19	47	5	54	6	53	10	36	12	31	10	28	11
1-057 Remainder of mental and behavioural disorders F01-F09, F20-F99	42	1	47	1	45	1	29	1	18	2	18	1
	5	4	7	5	8	9	7	11	27	29	13	10
1-058 Diseases of the nervous system G00-G98												
1-059 Meningitis G00, G03	100	58	140	66	259	91	405	229	561	363	775	629
1-060 Alzheimer's diseases G30	8	-	11	4	16	3	9	3	5	2	8	5
1-061 Remainder of disease of the nervous system G04-G25, G31-G98	-	-	-	-	-	-	-	-	-	-	-	-
	92	58	129	62	243	88	396	226	556	361	767	624
1-062 Diseases of the eye and adnexa H00-H57												
1-063 Diseases of the ear and mastoid process H60-H93	-	-	2	-	1	-	1	-	1	1	-	1
	1	-	-	-	-	-	-	-	-	-	-	-
1-064 Diseases of the circulatory system I00-I99												
1-065 Acute rheumatic fever and chronic rheumatic heart diseases I00-I99	913	313	1,455	503	1,974	748	2,414	1,232	2,576	1,548	2,689	2,062
1-066 Hypertensive diseases I10-I14	2	7	1	2	5	5	-	1	8	3	1	-
1-067 Ischaemic heart diseases I20-I25	79	48	155	78	267	130	420	245	921	555	398	650
1-068 Other heart diseases I26-I51	184	47	272	93	398	149	484	253	513	320	505	371
1-069 Cerebrovascular diseases I60-I69	520	149	832	264	1,080	350	1,183	575	1,213	631	1,151	790
1-070 Atherosclerotic I70	105	54	164	55	192	101	287	142	264	171	359	227
1-071 Remainder of diseases of the circulatory system I71-I99	6	2	6	1	1	1	4	1	2	1	2	2
	17	6	25	10	31	12	36	15	109	43	24	43

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2010 (List 1 - ICD10) (Cont.)

Cause of death	Age at death in years										Total		
	45-49		50-54		55-59		60-64				45-64 years		
	M	F	M	F	M	F	M	F			M	F	
1-072 Diseases of the respiratory system J00-J98	244	98	368	140	473	225	737	349			1,822	812	
1-073 Influenza J10-J11	-	-	-	-	2	-	1	1			3	1	-
1-074 Pneumonia J12-J18	130	41	143	46	138	58	171	91			582	236	
1-075 Other acute lower respiratory infections J20-J22	1	1	3	1	2	4	8	7			14	13	
1-076 Chronic lower respiratory diseases J40-J47	87	46	174	75	269	124	481	210			1,011	455	
1-077 Remainder of diseases of the respiratory system	26	10	48	18	62	39	76	40			212	107	
1-078 Diseases of the digestive system K00-K92	371	43	409	46	470	71	330	99			1,580	259	
1-079 Gastric and duodenal ulcer K25-K27	3	-	3	1	3	-	3	2			12	3	
1-080 Diseases of the liver K70-K76	340	30	369	37	418	55	286	74			1,413	196	
1-081 Remainder of diseases of the digestive system	28	13	37	8	49	16	41	23			155	60	
1-082 Diseases of the skin and subcutaneous tissue L00-L98	2	2	3	1	5	4	11	3			21	10	
1-083 Diseases of the musculoskeletal system and connective tissue M00-M99	2	-	-	6	3	6	8	6			13	18	
1-084 Diseases of the genitourinary system N00-N98	182	63	221	86	290	112	376	128			1,069	389	
1-085 Glomerular and renal tubulo-interstitial diseases N00-N15	9	8	14	4	15	8	32	10			70	30	
1-086 Remainder of diseases of the genitourinary system N17-N98	173	55	207	82	275	104	344	118			999	359	

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2010 (List 1 - ICD10) (Cont.)

Cause of death	Age at death in years						Total		Age at death in years					
	45-49		50-54		55-59		M	F	60-64		65-69		70-74	
	M	F	M	F	M	F			M	F	M	F	M	F
1-087 Pregnancy, childbirth and the puerperium O00-O09	-	2	-	-	-	-	-	2	-	-	-	-	-	-
1-088 Pregnancy with abortive outcome O00-O07	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-089 Other direct obstetric deaths O10-O92	-	2	-	-	-	-	-	2	-	-	-	-	-	-
1-090 Indirect obstetric deaths O98-O99	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-091 Remainder of pregnancy,childbirth and the puerperium O95-O97	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-092 Certain condition originating in the perinatal period P00-P96	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-093 Congenital malformations,deformations and chromosomal abnormalities Q00-Q99	3	10	2	5	4	4	1	2	10	21	1	1	-	-
1-094 Symptoms signs and abnormal clinical and laboratory findings, not elsewhere classified R00-R99	101	55	123	75	177	97	287	181	688	408	563	422	993	892
1-095 External causes of morbidity and mortality V01-Y99	1,079	273	998	308	902	296	764	279	3,743	1,156	666	275	524	230
1-096 Transport accidents V01- Y99	179	21	181	35	151	54	120	36	631	146	121	51	92	45
1-097 Falls W00-W19	98	4	59	9	80	6	78	7	315	26	64	21	53	27
1-098 Accidental drowning and submersion W65-W74	73	12	38	11	41	10	29	6	181	39	26	13	14	7
1-099 Exposure to smoke,fire and flames X00-X09	6	12	5	10	4	8	4	9	19	39	7	5	2	7
1-100 Accidental poisoning by and exposure to noxious substances X40-X49	6	5	10	-	8	1	5	1	29	7	6	-	1	-
1-101 Intentional self-harm X60-X84	290	53	285	49	224	29	172	31	971	162	157	35	108	22
1-102 Assault X85-Y09	40	5	26	10	23	7	9	4	98	26	9	5	10	3
1-103 All other external causes W20-W64,W75-W99,X10-X39, .	387	161	394	184	371	181	347	185	1,499	711	276	145	244	119
1-106 Disappearance	1	-	-	-	-	-	-	-	1	-	1	-	-	-
Total	3,844	1,493	4,887	2,110	6,211	2,783	7,373	4,040	22,315	10,426	7,728	4,757	8,443	6,327

Table 7.2 : Number of Deaths according to Cause by Age and Sex – 2010 (List 1 – ICD10) (Cont.)

Cause of death	Total 65-74 years		Age at death in years						Total 75 years and over		Not Stated	
	M	F	75-79		80-84		85+		M	F	M	F
			M	F	M	F	M	F				
1-001 Certain infectious and parasitic diseases A00-B99	489	308	192	150	149	129	169	160	510	439	5	1
1-002 Cholera A00	-	-	-	-	-	-	-	-	-	-	-	-
1-003 Diarrhoea and gastroenteritis of presumed Infectious origin A09	29	33	29	30	24	25	30	37	83	92	-	-
1-004 Other intestinal infectious diseases A01-A08	-	-	-	-	-	-	-	-	-	-	-	-
1-005 Respiratory tuberculosis A15-A16	151	40	44	11	28	8	15	6	87	25	3	-
1-006 Other tuberculosis A17-A19	2	2	-	2	-	1	-	-	-	3	-	-
1-007 Plague A20	-	-	-	-	-	-	-	-	-	-	-	-
1-008 Tetanus A33-A35	-	-	-	-	-	-	-	-	-	-	-	-
1-009 Diphtheria A36	-	-	-	-	-	-	-	-	-	-	-	-
1-010 Whooping cough A37	-	-	-	-	-	-	-	-	-	-	-	-
1-011 Meningococcal infection A39	2	-	-	1	-	-	1	-	1	1	-	-
1-012 Septicaemia A40-A41	244	206	107	95	88	83	115	112	310	290	1	1
1-013 Infection with a predominantly sexual mode of transmission A50-A64	4	1	4	-	-	1	-	-	4	1	-	-
1-014 Acute poliomyelitis A80	-	-	-	-	-	-	-	1	-	1	-	-
1-015 Rabies A82	1	1	-	-	-	1	-	-	-	1	-	-
1-016 Yellow fever A95	-	-	-	-	-	-	-	-	-	-	-	-
1-017 Other arthropod-borne viral fevers and viral haemorrhagic fevers	9	6	1	1	3	1	5	1	9	3	1	-
1-018 Measles B05	-	-	-	-	-	-	-	-	-	-	-	-
1-019 Viral hepatitis B15-B19	-	-	-	-	-	-	-	-	-	-	-	-
1-020 Human immunodeficiency virus [HIV] disease B20-B24	-	-	-	-	-	-	-	-	-	-	-	-
1-021 Malaria B50-B54	-	1	-	-	-	-	-	-	-	-	-	-
1-022 Leishmaniasis B55	-	-	-	-	-	-	-	-	-	-	-	-
1-023 Trypanosomiasis B56-B57	-	-	-	-	-	-	-	-	-	-	-	-
1-024 Schistosomiasis B65	-	-	-	-	-	-	-	-	-	-	-	-
1-025 Remainder of certain infectious and parasitic diseases	47	18	7	10	6	9	3	3	16	22	-	-

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2010 (List 1 - ICD10) (Cont.)

Cause of death	Total 65-74 years		Age at death in years						Total 75 years and over		Not Stated	
	M	F	75-79		80-84		85+		M	F	M	F
			M	F	M	F	M	F				
I-026 Neoplasms C00-D48	1,781	1,274	572	531	346	332	231	212	1,149	1,075	-	2
I-027 Malignant neoplasm of lip, oral cavity and pharynx C00-C14	224	83	82	33	54	32	38	26	174	91	-	-
I-028 Malignant neoplasm of oesophagus C15	166	118	40	46	24	28	10	11	74	85	-	-
I-029 Malignant neoplasm of stomach C16	96	81	34	45	19	32	13	18	66	95	-	-
I-030 Malignant neoplasm of colon, rectum and anus C18-C21	38	22	10	15	12	7	3	12	25	34	-	-
I-031 Malignant neoplasm of liver and intrahepatic bile ducts C22	110	58	39	21	20	11	15	8	74	40	-	-
I-032 Malignant neoplasm of pancreas C25	19	14	5	3	6	4	1	2	12	9	-	-
I-033 Malignant neoplasm of larynx C32	29	7	7	-	4	-	-	2	11	2	-	-
I-034 Malignant neoplasm of trachea, bronchus and lung C33-C34	241	58	63	35	39	16	20	5	122	56	-	-
I-035 Malignant melanoma of skin C43	1	-	1	1	-	-	-	-	1	1	-	-
I-036 Malignant neoplasm of breast C50	-	116	1	47	-	27	-	18	1	92	-	-
I-037 Malignant neoplasm of cervix uteri C53	-	21	-	9	-	5	-	3	-	17	-	-
I-038 Malignant neoplasm of other and unspecified parts of uterus C54-C55	-	76	-	23	-	18	-	12	-	53	-	1
I-039 Malignant neoplasm of ovary C56	-	49	-	12	-	8	-	4	-	24	-	-
I-040 Malignant neoplasm of prostate C61	39	-	25	-	19	-	10	-	54	-	-	-
I-041 Malignant neoplasm of bladder C67	26	7	20	4	11	2	9	-	40	6	-	-
I-042 Malignant neoplasm of meninges, brain and other parts of central nervous system C70-C72	45	40	9	7	4	5	3	1	16	13	-	-
I-043 Non-Hodgkin's lymphoma C82-C85	33	10	4	9	3	4	3	-	10	13	-	-
I-044 Multiple myeloma and malignant plasma cell neoplasms C90	24	18	4	2	6	4	1	3	11	9	-	-
I-045 Leukaemia C91-C95	42	42	14	24	9	7	2	12	25	43	-	-
I-046 Remainder of malignant neoplasm	628	445	207	187	114	118	98	69	419	374	-	1
I-047 Remainder of neoplasms D00-D48	20	9	7	8	2	4	5	6	14	18	-	-

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2010 (List 1 - ICD10) (Cont.)

Cause of death	Total 65-74 years		Age at death in years						Total 75 years and over		Not Stated	
	M	F	75-79		80-84		85+		M	F	M	F
			M	F	M	F	M	F				
1-048 Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D50-D89												
1-049 Anaemias D50-D64	31	30	9	13	14	12	5	11	28	36	-	-
1-050 Remainder of diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D65-D89	26	28	7	12	14	11	5	11	26	34	-	-
	5	2	2	1	-	1	-	-	2	2	-	-
1-051 Endocrine, nutritional and metabolic diseases E00-E88												
1-052 Diabetes mellitus E10-E14	1,350	1,385	616	752	530	650	415	583	1,561	1,985	1	2
1-053 Malnutrition E40-E46	1,315	1,343	593	736	519	635	402	565	1,514	1,936	1	2
1-054 Remainder of endocrine, nutritional and metabolic diseases	6	1	5	2	-	4	6	6	11	12	-	-
	29	41	18	14	11	11	7	12	36	37	-	-
1-055 Mental and behavioural disorders F01-F99												
1-056 Mental and behavioural disorders due to psychoactive substance use F10-F19	59	21	21	7	3	3	11	2	35	12	-	-
1-057 Remainder of mental and behavioural disorders F01-F09, F20-F99	36	3	13	-	2	-	5	-	20	-	-	-
	23	18	8	7	1	3	6	2	15	12	-	-
1-058 Diseases of the nervous system G00-G98												
1-059 Meningitis G00, G03	1,336	992	916	867	865	946	797	1,216	2,578	3,029	1	-
1-060 Alzheimer's diseases G30	13	7	3	5	4	2	2	1	9	8	-	-
1-061 Remainder of disease of the nervous system G04-G25, G31-G98	-	-	-	-	-	1	-	-	-	1	-	-
	1,323	985	913	862	861	943	795	1,215	2,569	3,020	1	-
1-062 Diseases of the eye and adnexa H00-H57												
1-063 Diseases of the ear and mastoid process H60-H93	1	2	1	-	1	-	-	-	2	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
1-064 Diseases of the circulatory system I00-I99												
1-065 Acute rheumatic fever and chronic rheumatic heart diseases I00-I09	5,265	3,610	2,307	2,172	1,863	2,099	1,682	2,100	5,852	6,371	14	3
1-066 Hypertensive diseases I10-I14	3	3	-	-	1	-	-	-	1	-	-	-
1-067 Ischaemic heart diseases I20-I25	1,183	1,048	689	730	535	807	553	825	1,777	2,362	1	-
1-068 Other heart diseases I26-I51	1,018	691	447	380	349	335	257	323	1,053	1,038	2	1
1-069 Cerebrovascular diseases I60-I69	2,364	1,421	890	783	754	714	635	749	2,279	2,246	7	1
1-070 Atherosclerotic I70	623	398	247	257	199	221	221	185	667	663	3	1
1-071 Remainder of diseases of the circulatory system I71-I99	4	3	2	-	3	1	1	2	6	3	-	-
	70	46	32	22	22	21	15	16	69	59	1	-

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2010 (List 1 - ICD10) (Cont.)

Cause of death	Total 65-74 years		Age at death in years						Total 75 years and over		Not Stated	
	M	F	75-79		80-84		85+		M	F	M	F
			M	F	M	F	M	F				
1-072 Diseases of the respiratory system J00-J98	1,988	1,092	1,109	767	907	753	873	944	2,889	2,464	7	2
1-073 Influenza J10-J11	2	-	-	-	-	1	1	-	1	1	-	-
1-074 Pneumonia J12-J18	373	188	149	121	158	137	141	148	448	406	7	-
1-075 Other acute lower respiratory infections J20-J22	28	7	17	7	12	9	12	13	41	29	-	-
1-076 Chronic lower respiratory diseases J40-J47	1,385	790	837	585	677	552	638	714	2,152	1,851	-	1
1-077 Remainder of diseases of the respiratory system	200	107	106	54	60	54	81	69	247	177	-	1
1-078 Diseases of the digestive system K00-K92	474	175	132	77	89	60	64	58	285	195	2	1
1-079 Gastric and duodenal ulcer K25-K27	4	2	3	3	1	3	2	2	6	8	-	-
1-080 Diseases of the liver K70-K76	385	123	88	51	59	32	31	28	178	111	2	1
1-081 Remainder of diseases of the digestive system	85	50	41	23	29	25	31	28	101	76	-	-
1-082 Diseases of the skin and subcutaneous tissue L00-L98	17	13	6	12	9	8	11	8	26	28	-	-
1-083 Diseases of the musculoskeletal system and connective tissue M00-M99	10	25	10	16	3	10	5	10	18	36	-	-
1-084 Diseases of the genitourinary system N00-N98	622	337	290	143	228	113	202	101	720	357	1	-
1-085 Glomerular and renal tubulo-interstitial diseases N00-N15	49	18	25	19	18	9	14	9	57	37	-	-
1-086 Remainder of diseases of the genitourinary system N17-N98	573	319	265	124	210	104	188	92	663	320	1	-

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2010 (List 1 - ICD10) (Cont.)

Cause of death	Total 65-74 years		Age at death in years						Total 75 years and over		Not Stated	
	M	F	M	F	M	F	M	F	M	F	M	F
1-087 Pregnancy, childbirth and the puerperium O00-O09	-	-	-	-	-	-	-	-	-	-	-	-
1-088 Pregnancy with abortive outcome O00-O07	-	-	-	-	-	-	-	-	-	-	-	-
1-089 Other direct obstetric deaths O10-O92	-	-	-	-	-	-	-	-	-	-	-	-
1-090 Indirect obstetric deaths O98-O99	-	-	-	-	-	-	-	-	-	-	-	-
1-091 Remainder of pregnancy, childbirth and the puerperium O95-O97	-	-	-	-	-	-	-	-	-	-	-	-
1-092 Certain condition originating in the perinatal period P00-P96	-	-	-	-	-	-	-	-	-	-	1	-
1-093 Congenital malformations, deformations and chromosomal abnormalities Q00-Q99	1	1	-	2	2	-	1	1	3	3	-	1
1-094 Symptoms signs and abnormal clinical and laboratory findings, not elsewhere classified R00-R99	1,556	1,314	1,312	1,455	1,977	2,379	3,245	4,628	6,534	8,462	9	4
1-095 External causes of morbidity and mortality V01-Y99	1,190	505	383	223	288	193	220	171	891	587	9	5
1-096 Transport accidents V01-Y99	213	96	70	31	51	17	27	12	148	60	6	3
1-097 Falls W00-W19	117	48	35	42	32	49	49	73	116	164	1	-
1-098 Accidental drowning and submersion W65-W74	40	20	15	12	11	8	14	9	40	29	-	-
1-099 Exposure to smoke, fire and flames X00-X09	9	12	5	6	3	9	2	3	10	18	-	-
1-100 Accidental poisoning by and exposure to noxious substances X40-X49	7	-	3	-	3	-	2	-	8	-	-	-
1-101 Intentional self-harm X60-X84	265	57	93	22	77	23	47	11	217	56	-	-
1-102 Assault X85-Y09	19	8	10	3	3	-	3	2	16	5	-	1
1-103 All other external causes W20-W64, W75-W99, X10-X39, . .	520	264	152	107	108	87	76	61	336	255	2	1
1-106 Disappearance	1	-	-	-	-	-	-	-	-	-	-	-
Total	16,171	11,084	7,876	7,187	7,274	7,687	7,931	10,205	23,081	25,079	50	21

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2013(List 1 - ICD10)

Cause of death	Total deaths			Age at death in days				Total 0-29 days	
	T	M	F	0-7		8-29		M	F
				M	F	M	F		
1-001 Certain infectious and parasitic diseases A00-B99	4,096	2,403	1,693	5	4	2	4	7	8
1-002 Cholera A00	-	-	-	-	-	-	-	-	-
1-003 Diarrhoea and gastroenteritis of presumed Infectious origin A09	288	143	145	-	-	-	-	-	-
1-004 Other inestinal infectious diseases A01-A08	5	4	1	-	-	-	-	-	-
1-005 Respiratory tuberculosis A15-A16	606	446	160	-	-	-	-	-	-
1-006 Other tuberculosis A17-A19	37	20	17	-	-	-	-	-	-
1-007 Plague A20	-	-	-	-	-	-	-	-	-
1-008 Tetanus A33-A35	5	4	1	-	-	-	-	-	-
1-009 Diphtheria A36	-	-	-	-	-	-	-	-	-
1-010 Whooping cough A37	-	-	-	-	-	-	-	-	-
1-011 Meningococcal infection A39	4	2	2	-	-	-	-	-	-
1-012 Septicaemia A40-A41	2,627	1,446	1,181	5	4	2	4	7	8
1-013 Infection with a predominantly sexual mode of transmission A50-A64	1	1	-	-	-	-	-	-	-
1-014 Acute poliomyelitis A80	-	-	-	-	-	-	-	-	-
1-015 Rabies A82	14	8	6	-	-	-	-	-	-
1-016 Yellow fever A95	-	-	-	-	-	-	-	-	-
1-017 Other arthropod-borne viral fevers and viral haemorrhagic fevers	133	61	72	-	-	-	-	-	-
1-018 Measles B05	2	2	-	-	-	-	-	-	-
1-019 Viral hepatitis B15-B19	3	1	2	-	-	-	-	-	-
1-020 Human immunodeficiency virus [HIV] disease B20-B24	4	1	3	-	-	-	-	-	-
1-021 Malaria B50-B54	-	-	-	-	-	-	-	-	-
1-022 Leishmaniasis B55	-	-	-	-	-	-	-	-	-
1-023 Trypanosomiasis B56-B57	-	-	-	-	-	-	-	-	-
1-024 Schistosomiasis B65	-	-	-	-	-	-	-	-	-
1-025 Remainder of certain infectious and parasitic diseases	367	264	103	-	-	-	-	-	-

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2013 (List 1 - ICD10)(Cont.)

Cause of death	Total deaths			Age at death in days			Total	
	T	M	F	0-7	8-29	F	M	F
1-026 Neoplasms C00-D48	12,954	7,166	5,788	1	2	-	1	3
1-027 Malignant neoplasm of lip,oral cavity and pharynx C00-C14	1,152	863	289	-	-	-	-	-
1-028 Malignant neoplasm of oesophagus C15	613	371	242	-	-	-	-	-
1-029 Malignant neoplasm of stomach C16	506	272	234	-	-	-	-	-
1-030 Malignant neoplasm of colon,rectum and anus C18-C21	372	205	167	-	-	-	-	-
1-031 Malignant neoplasm of liver and intrahepatic bile ducts C22	698	491	207	-	-	-	-	-
1-032 Malignant neoplasm of pancreas C25	121	75	46	-	-	-	-	-
1-033 Malignant neoplasm of larynx C32	199	132	67	-	-	-	-	-
1-034 Malignant neoplasm of trachea, bronchus and lung C33-C34	1,233	902	331	1	-	-	1	-
1-035 Malignant melanoma of skin C43	2	1	1	-	-	-	-	-
1-036 Malignant neoplasm of breast C50	695	7	688	-	-	-	-	-
1-037 Malignant neoplasm of cervix uteri C53	117	-	117	-	-	-	-	-
1-038 Malignant neoplasm of other and unspecified parts of uterus C54-C55	294	-	294	-	-	-	-	-
1-039 Malignant neoplasm of ovary C56	213	-	213	-	-	-	-	-
1-040 Malignant neoplasm of prostate C61	159	159	-	-	-	-	-	-
1-041 Malignant neoplasm of bladder C67	173	131	42	-	-	-	-	-
1-042 Malignant neoplasm of meninges , brain and other parts of central nervous system C70-C72	471	251	220	-	1	-	-	1
1-043 Non-Hodgkin s lymphoma C82-C85	266	154	112	-	-	-	-	-
1-044 Multiple myeloma and malignant plasma cell neoplasms C90	139	86	53	-	-	-	-	-
1-045 Leukaemia C91-C95	598	314	284	-	-	-	-	-
1-046 Remainder of malignant neoplasm	4,874	2,723	2,151	-	1	-	-	2
1-047 Remainder of neoplasms D00-D48	59	29	30	-	-	-	-	-

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2013 (List 1 - ICD10)(Cont.)

Cause of death	Total deaths			Age at death in days			Total 0-29 days		
	T	M	F	0-7		8-29	0-29 days		Total
				M	F		M	F	
1-048 Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D50-D89									
1-049 Anaemias D50-D64	360	173	187	-	-	-	-	-	-
1-050 Remainder of diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D65-D89	309	150	159	-	-	-	-	-	-
	51	23	28	-	-	-	-	-	-
1-051 Endocrine,nutritional and metabolic diseases E00-E88	10,424	5,281	5,143	1	-	-	1	1	1
1-052 Diabetes mellitus E10-E14	10,093	5,102	4,991	-	-	-	-	-	-
1-053 Malnutrition E40-E46	32	19	13	-	-	-	-	-	-
1-054 Remainder of endocrine, nutritional and metabolic diseases	299	160	139	1	-	-	1	1	1
1-055 Mental and behavioural disorders F01-F99	201	126	75	-	-	-	-	-	-
1-056 Mental and behavioural disorders due to psychoactive substance use F10-F19	66	59	7	-	-	-	-	-	-
1-057 Remainder of mental and behavioural disorders F01-F09, F20-F99	135	67	68	-	-	-	-	-	-
1-058 Diseases of the nervous system G00-G98	10,631	5,442	5,189	1	1	3	4	4	4
1-059 Meningitis G00, G03	123	79	44	-	-	-	-	1	1
1-060 Alzheimer's diseases G30	1	1	-	-	-	-	-	-	-
1-061 Remainder of disease of the nervous system G04-G25, G31-G98	10,507	5,362	5,145	1	1	3	4	2	3
1-062 Diseases of the eye and adnexa H00-H57	6	4	2	-	-	-	-	-	-
1-063 Diseases of the ear and mastoid process H60-H93	1	1	-	-	-	-	-	-	-
1-064 Diseases of the circulatory system I00-I99	31,842	18,684	13,158	4	1	2	6	2	2
1-065 Acute rheumatic fever and chronic rheumatic heart diseases I00-I09	57	23	34	-	-	-	-	-	-
1-066 Hypertensive diseases I10-I14	6,482	3,118	3,364	-	-	-	-	-	-
1-067 Ischaemic heart diseases I20-I25	6,603	4,065	2,538	1	1	-	1	1	1
1-068 Other heart diseases I26-I51	14,766	9,167	5,599	2	-	2	4	-	-
1-069 Cerebrovascular diseases I60-I69	3,488	2,048	1,440	-	-	-	-	1	1
1-070 Atherosclerosis I70	93	67	26	-	-	-	-	-	-
1-071 Remainder of diseases of the circulatory system I71-I99	353	196	157	1	-	-	1	-	-

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2013 (List 1 - ICD10)(Cont.)

Cause of death	Total deaths			Age at death in days				Total		
	T	M	F	0-7			8-29		0-29 days	
				M	F	M	F	M	F	
1-072 Diseases of the respiratory system J00-J98	12,434	7,533	4,901	2	-	3	4	5	4	
1-073 Influenza J10-J11	5	2	3	-	-	-	-	-	-	
1-074 Pneumonia J12-J18	3,070	1,865	1,205	-	-	1	4	1	4	
1-075 Other acute lower respiratory infections J20-J22	208	115	93	-	-	1	-	1	-	
1-076 Chronic lower respiratory diseases J40-J47	7,538	4,553	2,985	-	-	1	-	1	-	
1-077 Remainder of diseases of the respiratory system	1,613	998	615	2	-	-	-	2	-	
1-078 Diseases of the digestive system K00-K92	3,409	2,545	864	-	-	1	1	1	1	
1-079 Gastric and duodenal ulcer K25-K27	37	21	16	-	-	-	-	-	-	
1-080 Diseases of the liver K70-K76	2,646	2,062	584	-	-	-	1	-	1	
1-081 Remainder of diseases of the digestive system	726	462	264	-	-	1	-	1	-	
1-082 Diseases of the skin and subcutaneous tissue L00-L98	194	104	90	-	-	-	-	-	-	
1-083 Diseases of the musculoskeletal system and connective tissue M00-M99	236	98	138	-	-	-	-	-	-	
1-084 Diseases of the genitourinary system N00-N98	4,488	3,027	1,461	4	-	1	-	5	-	
1-085 Glomerular and renal tubulo-interstitial diseases N00-N15	206	121	85	2	-	-	-	2	-	
1-086 Remainder of diseases of the genitourinary System N17-N98	4,282	2,906	1,376	2	-	1	-	3	-	

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2013 (List 1 - ICD10)(Cont.)

Cause of death	Total deaths			Age at death in days						Total	
	T	M	F	0-7			8-29			0-29 days	
				M	F	M	M	F	F	M	F
1-087 Pregnancy, childbirth and the puerperium O00-O09	25	-	25	-	-	-	-	-	-	-	-
1-088 Pregnancy with abortive outcome O00-O07	8	-	8	-	-	-	-	-	-	-	-
1-089 Other direct obstetric deaths O10-O92	17	-	17	-	-	-	-	-	-	-	-
1-090 Indirect obstetric deaths O98-O99	-	-	-	-	-	-	-	-	-	-	-
1-091 Remainder of pregnancy,childbirth and the puerperium O95-O97	-	-	-	-	-	-	-	-	-	-	-
1-092 Certain condition originating in the perinatal period P00-P96	1,743	977	766	690	533	230	189	189	920	722	
1-093 Congenital malformations,deformations and chromosomal abnormalities Q00-Q99	1,176	669	507	189	140	71	42	42	260	182	
1-094 Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified R00-R99	22,362	10,059	12,303	16	12	4	7	7	20	19	
1-095 External causes of morbidity and mortality V01-Y99	10,196	7,747	2,449	5	1	2	1	1	7	2	
1-096 Transport accidents V01-V99	2,451	1,984	467	-	-	1	-	-	1	-	-
1-097 Falls W00-W19	954	670	284	-	-	1	1	1	1	1	1
1-098 Accidental drowning and submersion W65-W74	894	723	171	1	1	-	-	-	1	1	1
1-099 Exposure to smoke,fire and flames X00-X09	221	84	137	-	-	-	-	-	-	-	-
1-100 Accidental poisoning by and exposure to noxious substances X40-X49	129	100	29	1	-	-	-	-	1	-	-
1-101 Intentional self-harm X60-X84	3,164	2,440	724	-	-	-	-	-	-	-	-
1-102 Assault X85-Y09	410	308	102	1	-	-	-	-	1	-	-
1-103 All other external causes W20-W64,W75-W99,X10-X39, . .	1,973	1,438	535	2	-	-	-	-	2	-	-
1-106 Dissaperance	405	371	34	-	-	-	-	-	-	-	-
Total	127,183	72,410	54,773	918	694	319	254	254	1,237	948	

Table 7.2 : Number of deaths according to cause by age and sex - 2013 (List 1 - ICD10) (Cont.)

Cause of death	Age at death in months										Total	
	1-2		3-5		6-8		9-11		1-11 months			
	M	F	M	F	M	F	M	F	M	F		
1-001 Certain infectious and parasitic diseases A00-B99	25	12	22	13	10	6	7	12	64	43		
1-002 Cholera A00	-	-	-	-	-	-	-	-	-	-		
1-003 Diarrhoea and gastroenteritis of presumed Infectious origin A09	2	1	-	2	2	-	-	3	4	6		
1-004 Other intestinal infectious diseases A01-A08	-	-	-	-	-	-	-	-	-	-		
1-005 Respiratory tuberculosis A15-A16	-	-	1	1	-	-	-	-	1	1		
1-006 Other tuberculosis A17-A19	-	-	1	-	-	-	-	-	1	-		
1-007 Plague A20	-	-	-	-	-	-	-	-	-	-		
1-008 Tetanus A33-A35	-	-	-	-	-	-	-	-	-	-		
1-009 Diphtheria A36	-	-	-	-	-	-	-	-	-	-		
1-010 Whooping cough A37	-	-	-	-	-	-	-	-	-	-		
1-011 Meningococcal infection A39	-	-	-	-	-	-	-	-	-	-		
1-012 Septicaemia A40-A41	22	11	19	10	8	6	6	5	55	32		
1-013 Infection with a predominantly sexual mode of transmission A50-A64	-	-	-	-	-	-	-	-	-	-		
1-014 Acute poliomyelitis A80	-	-	-	-	-	-	-	-	-	-		
1-015 Rabies A82	-	-	-	-	-	-	-	-	-	-		
1-016 Yellow fever A95	-	-	-	-	-	-	-	-	-	-		
1-017 Other arthropod-borne viral fevers and viral haemorrhagic fevers	-	-	-	-	-	-	1	3	1	3		
1-018 Measles B05	-	-	1	-	-	-	-	-	1	-		
1-019 Viral hepatitis B15-B19	-	-	-	-	-	-	-	-	-	-		
1-020 Human immunodeficiency virus [HIV] disease B20-B24	-	-	-	-	-	-	-	-	-	-		
1-021 Malaria B50-B54	-	-	-	-	-	-	-	-	-	-		
1-022 Leishmaniasis B55	-	-	-	-	-	-	-	-	-	-		
1-023 Trypanosomiasis B56-B57	-	-	-	-	-	-	-	-	-	-		
1-024 Schistosomiasis B65	-	-	-	-	-	-	-	-	-	-		
1-025 Remainder of certain infectious and parasitic diseases	1	-	-	-	-	-	-	-	1	1		

Table 7.2 : Number of deaths according to Cause, Age and Sex - 2013 (List 1 - ICD10) (Cont.)

Cause of death	1-2		Age at death in months						Total	
			3-5		6-8		9-11		1-11 months	
	M	F	M	F	M	F	M	F	M	F
1-026 Neoplasms C00-D48	-	2	1	3	-	2	3	3	4	10
1-027 Malignant neoplasm of lip, oral cavity and pharynx C00-C14	-	-	-	-	-	-	-	-	-	-
1-028 Malignant neoplasm of oesophagus C15	-	-	-	-	-	-	-	-	-	-
1-029 Malignant neoplasm of stomach C16	-	-	-	-	-	-	-	-	-	-
1-030 Malignant neoplasm of colon, rectum and anus C18-C21	-	-	-	-	-	-	-	-	-	-
1-031 Malignant neoplasm of liver and intrahepatic bile ducts C22	-	1	-	-	-	-	1	-	1	1
1-032 Malignant neoplasm of pancreas C25	-	-	-	-	-	-	-	-	-	-
1-033 Malignant neoplasm of larynx C32	-	-	-	-	-	-	-	-	-	-
1-034 Malignant neoplasm of trachea, bronchus and lung C33-C34	-	-	-	-	-	-	-	-	-	-
1-035 Malignant melanoma of skin C43	-	-	-	-	-	-	-	-	-	-
1-036 Malignant neoplasm of breast C50	-	-	-	-	-	-	-	-	-	-
1-037 Malignant neoplasm of cervix uteri C53	-	-	-	-	-	1	-	-	-	1
1-038 Malignant neoplasm of other and unspecified parts of uterus C54-C55	-	-	-	-	-	-	-	-	-	-
1-039 Malignant neoplasm of ovary C56	-	-	-	-	-	-	-	-	-	-
1-040 Malignant neoplasm of prostate C61	-	-	-	-	-	-	-	-	-	-
1-041 Malignant neoplasm of bladder C67	-	-	-	-	-	-	-	-	-	-
1-042 Malignant neoplasm of meninges, brain and other parts of central nervous system C70-C72	-	-	-	1	-	-	1	-	1	1
1-043 Non-Hodgkin s lymphoma C82-C85	-	-	1	-	-	-	-	1	1	1
1-044 Multiple myeloma and malignant plasma cell neoplasms C90	-	-	-	-	-	-	-	-	-	-
1-045 Leukaemia C91-C95	-	-	-	-	-	-	1	1	1	1
1-046 Remainder of malignant neoplasm	-	-	-	2	-	1	-	1	-	4
1-047 Remainder of neoplasms D00-D48	-	1	-	-	-	-	-	-	-	1

Table 7.2 : Number of deaths according to Cause, Age and Sex - 2013 (List 1 - ICD10) (Cont.)

Cause of death	Age at death in months						Total	
	1-2		3-5		6-8		9-11	
	M	F	M	F	M	F	M	F
1-048 Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D50-D89								
1-049 Anaemias D50-D64	1	1	2	2	-	-	3	5
1-050 Remainder of diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D65-D89	1	-	1	-	-	-	2	1
	-	1	1	2	-	-	1	4
1-051 Endocrine, nutritional and metabolic diseases E00-E88	6	2	-	1	3	-	9	3
1-052 Diabetes mellitus E10-E14	1	-	-	-	-	-	1	-
1-053 Malnutrition E40-E46	-	-	-	-	-	-	-	-
1-054 Remainder of endocrine, nutritional and metabolic diseases	5	2	-	1	3	-	8	3
1-055 Mental and behavioural disorders F01-F99	1	-	-	-	-	-	1	-
1-056 Mental and behavioural disorders due to psychoactive substance use F10-F19	-	-	-	-	-	-	-	-
1-057 Remainder of mental and behavioural disorders F01-F09, F20-F99	1	-	-	-	-	-	1	-
1-058 Diseases of the nervous system G00-G98	7	7	9	3	8	6	31	20
1-059 Meningitis G00, G03	1	1	2	-	2	-	7	3
1-060 Alzheimer's diseases G30	-	-	-	-	-	-	-	-
1-061 Remainder of disease of the nervous system G04-G25, G31-G98	6	6	7	3	6	6	24	17
1-062 Diseases of the eye and adnexa H00-H57	-	-	-	-	-	-	-	-
1-063 Diseases of the ear and mastoid process H60-H93	-	-	-	-	-	-	-	-
1-064 Diseases of the circulatory system I00-I99	6	4	6	9	4	3	22	16
1-065 Acute rheumatic fever and chronic rheumatic heart diseases I00-I09	-	-	-	-	-	-	-	-
1-066 Hypertensive diseases I10-I14	-	-	-	-	-	-	-	-
1-067 Ischaemic heart diseases I20-I25	1	-	1	1	-	-	2	1
1-068 Other heart diseases I26-I51	5	2	5	8	4	3	19	13
1-069 Cerebrovascular diseases I60-I69	-	-	-	-	-	-	-	-
1-070 Atherosclerotic I70	-	-	-	-	-	-	-	-
1-071 Remainder of diseases of the circulatory system I71-I99	-	2	-	-	-	-	1	2

Table 7.2 : Number of deaths according to Cause, Age and Sex - 2013 (List 1 - ICD10) (Cont.)

Cause of death	Age at death in months										Total	
	1-2		3-5		6-8		9-11		1-11 months			
	M	F	M	F	M	F	M	F	M	F	M	F
1-072 Diseases of the respiratory system J00-J98	35	23	24	24	19	13	9	9	87	69		
1-073 Influenza J10-J11	-	-	-	-	-	-	-	-	-	-	-	-
1-074 Pneumonia J12-J18	27	19	16	20	12	11	8	8	63	58		
1-075 Other acute lower respiratory infections J20-J22	1	2	3	3	1	-	-	-	5	5		
1-076 Chronic lower respiratory diseases J40-J47	-	-	-	-	2	-	-	-	2	-		
1-077 Remainder of diseases of the respiratory system	7	2	5	1	4	2	1	1	17	6		
1-078 Diseases of the digestive system K00-K92	2	2	1	1	3	2	3	3	9	8		
1-079 Gastric and duodenal ulcer K25-K27	-	-	-	-	-	-	-	-	-	-		
1-080 Diseases of the liver K70-K76	-	1	1	1	3	2	1	3	5	7		
1-081 Remainder of diseases of the digestive system	2	1	-	-	-	-	2	-	4	1		
1-082 Diseases of the skin and subcutaneous tissue L00-L98	-	-	-	-	-	-	-	-	-	-		
1-083 Diseases of the musculoskeletal system and connective tissue M00-M99	-	-	-	-	-	1	-	-	-	1		
1-084 Diseases of the genitourinary system N00-N98	5	-	-	1	2	1	-	3	7	5		
1-085 Glomerular and renal tubulo-interstitial diseases N00-N15	2	-	-	-	-	-	-	1	2	1		
1-086 Remainder of diseases of the genitourinary system N17-N98	3	-	-	1	2	1	-	2	5	4		

Table 7.2 : Number of deaths according to Cause, Age and Sex - 2013 (List 1 - ICD10) (Cont.)

Cause of death	Age at death in months										Total	
	1-2		3-5		6-8		9-11		1-11 months			
	M	F	M	F	M	F	M	F	M	F	M	F
1-087 Pregnancy, childbirth and the puerperium O00-O09	-	-	-	-	-	-	-	-	-	-	-	-
1-088 Pregnancy with abortive outcome O00-O07	-	-	-	-	-	-	-	-	-	-	-	-
1-089 Other direct obstetric deaths O10-O92	-	-	-	-	-	-	-	-	-	-	-	-
1-090 Indirect obstetric deaths O98-O99	-	-	-	-	-	-	-	-	-	-	-	-
1-091 Remainder of pregnancy,childbirth and the puerperium O95-O97	-	-	-	-	-	-	-	-	-	-	-	-
1-092 Certain condition originating in the perinatal period P00-P96	38	26	5	11	3	4	2	2	48	43		
1-093 Congenital malformations,deformations and chromosomal abnormalities Q00-Q99	62	47	61	43	26	23	9	10	158	123		
1-094 Symptoms ,signs and abnormal clinical and laboratory findings, not elsewhere classified R00-R99	3	7	4	4	4	2	3	1	14	14		
1-095 External causes of morbidity and mortality V01-Y99	4	9	7	5	4	6	3	3	18	23		
1-096 Transport accidents V01-V99	-	1	1	1	-	2	1	1	2	5		
1-097 Falls W00-W19	-	-	-	-	-	-	-	-	-	-		
1-098 Accidental drowning and submersion W65-W74	-	-	-	1	-	1	-	-	-	2		
1-099 Exposure to smoke,fire and flames X00-X09	-	-	-	-	-	-	-	-	-	-		
1-100 Accidental poisoning by and exposure to noxious substances X40-X49	-	-	-	-	-	-	-	-	-	-		
1-101 Intentional self-harm X60-X84	-	-	-	-	-	-	-	-	-	-		
1-102 Assault X85-Y09	-	-	-	-	-	-	-	-	-	-		
1-103 All other external causes W20-W64,W75-W99,X10-X39, .	4	8	6	3	4	3	2	2	16	16		
1-106 Disappearance	-	-	-	-	-	-	-	-	-	-		
Total	195	142	142	120	86	69	52	52	475	383		

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2013 (List 1 - ICD10)(Cont.)

Cause of death	Under 1 year		Age at death in years								Total 1-4 years	
	M	F	1		2		3		4		M	F
			M	F	M	F	M	F	M	F		
1-001 Certain infectious and parasitic diseases A00-B99	71	51	15	8	7	1	5	4	6	4	33	17
1-002 Cholera A00	-	-	-	-	-	-	-	-	-	-	-	-
1-003 Diarrhoea and gastroenteritis of presumed Infectious origin A09	4	6	-	1	1	1	-	-	-	-	1	2
1-004 Other intestinal infectious diseases A01-A08	-	-	-	-	-	-	-	-	-	-	-	-
1-005 Respiratory tuberculosis A15-A16	1	1	2	-	-	-	-	-	1	-	3	-
1-006 Other tuberculosis A17-A19	1	-	-	-	-	-	-	-	-	-	-	-
1-007 Plague A20	-	-	-	-	-	-	-	-	-	-	-	-
1-008 Tetanus A33-A35	-	-	-	-	-	-	-	-	-	-	-	-
1-009 Diphtheria A36	-	-	-	-	-	-	-	-	-	-	-	-
1-010 Whooping cough A37	-	-	-	-	-	-	-	-	-	-	-	-
1-011 Meningococcal infection A39	-	-	-	-	-	-	-	-	-	1	-	1
1-012 Septicaemia A40-A41	62	40	11	7	6	-	4	4	4	2	25	13
1-013 Infection with a predominantly sexual mode of transmission A50-A64	-	-	-	-	-	-	-	-	-	-	-	-
1-014 Acute poliomyelitis A80	-	-	-	-	-	-	-	-	-	-	-	-
1-015 Rabies A82	-	-	-	-	-	-	-	-	-	-	-	-
1-016 Yellow fever A95	-	-	-	-	-	-	-	-	-	-	-	-
1-017 Other arthropod-borne viral fevers and viral haemorrhagic fevers	1	3	-	-	-	-	-	-	1	1	1	1
1-018 Measles B05	1	-	1	-	-	-	-	-	-	-	1	-
1-019 Viral hepatitis B15-B19	-	-	-	-	-	-	-	-	-	-	-	-
1-020 Human immunodeficiency virus [HIV] disease B20-B24	-	-	-	-	-	-	-	-	-	-	-	-
1-021 Malaria B50-B54	-	-	-	-	-	-	-	-	-	-	-	-
1-022 Leishmaniasis B55	-	-	-	-	-	-	-	-	-	-	-	-
1-023 Trypanosomiasis B56-B57	-	-	-	-	-	-	-	-	-	-	-	-
1-024 Schistosomiasis B65	-	-	-	-	-	-	-	-	-	-	-	-
1-025 Remainder of certain infectious and parasitic diseases	1	1	1	-	-	-	1	-	-	-	2	-

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2013 (List 1 - ICD10)(Cont.)

Cause of death	Under 1 year		Age at death in years								Total	
			1		2		3		4		1-4 years	
	M	F	M	F	M	F	M	F	M	F	M	F
1-026 Neoplasms C00-D48	5	13	11	7	4	3	4	6	5	7	24	23
1-027 Malignant neoplasm of lip,oral cavity and pharynx C00-C14	-	-	-	-	-	1	-	-	-	-	-	1
1-028 Malignant neoplasm of oesophagus C15	-	-	-	-	-	-	-	-	-	-	-	-
1-029 Malignant neoplasm of stomach C16	-	-	-	-	-	-	-	-	-	-	-	-
1-030 Malignant neoplasm of colon,rectum and anus C18-C21	-	-	-	-	-	-	-	-	-	-	-	-
1-031 Malignant neoplasm of liver and intrahepatic bile ducts C22	1	1	-	-	-	-	-	-	-	-	-	-
1-032 Malignant neoplasm of pancreas C25	-	-	-	-	-	-	-	-	-	-	-	-
1-033 Malignant neoplasm of larynx C32	-	-	-	-	-	-	-	-	-	-	-	-
1-034 Malignant neoplasm of trachea, bronchus and lung C33-C34	1	-	-	-	-	-	-	-	-	-	-	-
1-035 Malignant melanoma of skin C43	-	-	-	-	-	-	-	-	-	-	-	-
1-036 Malignant neoplasm of breast C50	-	-	-	-	-	-	-	-	-	-	-	-
1-037 Malignant neoplasm of cervix uteri C53	-	1	-	-	-	-	-	-	-	-	-	-
1-038 Malignant neoplasm of other and unspecified parts of uterus C54-C55	-	-	-	-	-	-	-	-	-	-	-	-
1-039 Malignant neoplasm of ovary C56	-	-	-	-	-	-	-	-	-	-	-	-
1-040 Malignant neoplasm of prostate C61	-	-	-	-	-	-	-	-	-	-	-	-
1-041 Malignant neoplasm of bladder C67	-	-	-	-	-	-	-	-	-	-	-	-
1-042 Malignant neoplasm of meninges, brain and other parts of central nervous system C70-C72	1	2	1	2	1	-	-	-	-	1	2	3
1-043 Non-Hodgkin s lymphoma C82-C85	1	1	-	-	-	-	1	-	-	-	1	-
1-044 Multiple myeloma and malignant plasma cell neoplasms C90	-	-	-	-	-	-	-	-	-	-	-	-
1-045 Leukaemia C91-C95	1	1	7	4	1	1	2	6	3	3	13	14
1-046 Remainder of malignant neoplasm	-	6	3	1	2	1	1	-	2	3	8	5
1-047 Remainder of neoplasms D00-D48	-	1	-	-	-	-	-	-	-	-	-	-

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2013 (List 1 - ICD10)(Cont.)

Cause of death	Under 1 year		Age at death in years								Total	
			1		2		3		4		1-4 years	
	M	F	M	F	M	F	M	F	M	F	M	F
1-048 Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D50-D89												
1-049 Anaemias D50-D64	3	5	1	-	2	-	-	-	-	-	3	-
1-050 Remainder of diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D65-D89	2	1	1	-	-	-	-	-	-	-	1	-
	1	4	-	-	2	-	-	-	-	-	2	-
1-051 Endocrine, nutritional and metabolic diseases E00-E88												
1-052 Diabetes mellitus E10-E14	10	4	2	-	1	2	-	-	-	-	3	2
1-053 Malnutrition E40-E46	1	-	-	-	-	2	-	-	-	-	-	2
1-054 Remainder of endocrine, nutritional and metabolic diseases	-	-	-	-	-	-	-	-	-	-	-	-
	9	4	2	-	1	-	-	-	-	-	3	-
1-055 Mental and behavioural disorders F01-F99												
1-056 Mental and behavioural disorders due to psychoactive substance use F10-F19	1	-	-	-	-	-	-	-	-	-	-	-
1-057 Remainder of mental and behavioural disorders F01-F09, F20-F99	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-
1-058 Diseases of the nervous system G00-G98												
1-059 Meningitis G00, G03	35	24	9	9	4	-	8	3	7	4	28	16
1-060 Alzheimer's diseases G30	7	4	-	1	1	-	-	-	1	1	2	2
1-061 Remainder of disease of the nervous system G04-G25, G31-G98	-	-	-	-	-	-	-	-	-	-	-	-
	28	20	9	8	3	-	8	3	6	3	26	14
1-062 Diseases of the eye and adnexa H00-H57												
1-063 Diseases of the ear and mastoid process H60-H93	-	-	-	1	-	-	-	-	-	-	-	1
	-	-	-	-	-	-	-	-	-	-	-	-
1-064 Diseases of the circulatory system I00-I99												
1-065 Acute rheumatic fever and chronic rheumatic heart diseases I00-I09	28	18	6	9	8	2	2	3	4	2	20	16
1-066 Hypertensive diseases I10-I14	-	-	-	-	-	-	-	-	-	-	-	-
1-067 Ischaemic heart diseases I20-I25	-	-	-	-	-	-	-	-	-	-	-	-
1-068 Other heart diseases I26-I51	3	2	-	1	-	-	1	-	-	-	1	1
1-069 Cerebrovascular diseases I60-I69	23	13	5	5	7	2	1	3	3	2	16	12
1-070 Atherosclerotic I70	-	1	1	3	-	-	-	-	1	-	2	3
1-071 Remainder of diseases of the circulatory system I71-I99	-	-	-	-	-	-	-	-	-	-	-	-
	2	2	-	-	1	-	-	-	-	-	1	-

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2013 (List 1 - ICD10)(Cont.)

Cause of death	Under 1 year		Age at death in years								Total	
	M	F	1		2		3		4		1-4 years	
			M	F	M	F	M	F	M	F	M	F
1-072 Diseases of the respiratory system J00-J98	92	73	15	13	6	10	2	3	3	6	26	32
1-073 Influenza J10-J11	-	-	-	-	-	-	-	-	-	-	-	-
1-074 Pneumonia J12-J18	64	62	9	12	4	8	2	3	2	6	17	29
1-075 Other acute lower respiratory infections J20-J22	6	5	1	-	-	1	-	-	1	-	2	1
1-076 Chronic lower respiratory diseases J40-J47	3	-	3	-	-	-	-	-	-	-	3	-
1-077 Remainder of diseases of the respiratory system	19	6	2	1	2	1	-	-	-	-	4	2
1-078 Diseases of the digestive system K00-K92	10	9	1	4	-	-	-	-	4	2	5	6
1-079 Gastric and duodenal ulcer K25-K27	-	-	-	-	-	-	-	-	-	-	-	-
1-080 Diseases of the liver K70-K76	5	8	1	3	-	-	-	-	2	-	3	3
1-081 Remainder of diseases of the digestive system	5	1	-	1	-	-	-	-	2	2	2	3
1-082 Diseases of the skin and subcutaneous tissue L00-L98	-	-	1	-	-	-	-	-	-	-	1	-
1-083 Diseases of the musculoskeletal system and connective tissue M00-M99	-	1	-	1	-	-	-	-	-	-	-	1
1-084 Diseases of the genitourinary system N00-N98	12	5	1	-	1	1	-	-	1	-	3	1
1-085 Glomerular and renal tubulo-interstitial diseases N00-N15	4	1	-	-	-	-	-	-	-	-	-	-
1-086 Remainder of diseases of the genitourinary System N17-N98	8	4	1	-	1	1	-	-	1	-	3	1

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2013 (List 1 - ICD10)(Cont.)

Cause of death	Under 1 year		Age at death in years						Total	
	M F		1		2		3		4	
	M	F	M	F	M	F	M	F	M	F
1-087 Pregnancy, childbirth and the puerperium O00-O09	-	-	-	-	-	-	-	-	-	-
1-088 Pregnancy with abortive outcome O00-O07	-	-	-	-	-	-	-	-	-	-
1-089 Other direct obstetric deaths O10-O92	-	-	-	-	-	-	-	-	-	-
1-090 Indirect obstetric deaths O98-O99	-	-	-	-	-	-	-	-	-	-
1-091 Remainder of pregnancy,childbirth and the puerperium O95-O97	-	-	-	-	-	-	-	-	-	-
1-092 Certain condition originating in the perinatal period P00-P96	968	765	7	1	1	1	1	-	-	9
1-093 Congenital malformations,deformations and chromosomal abnormalities Q00-Q99	418	305	32	21	11	8	7	13	9	59
1-094 Symptoms ,signs and abnormal clinical and laboratory findings, not elsewhere classified R00-R99	34	33	7	5	5	4	5	-	1	18
1-095 External causes of morbidity and mortality V01-Y99	25	25	23	22	17	10	12	7	26	78
1-096 Transport accidents V01-V99	3	5	4	6	2	2	1	3	4	11
1-097 Falls W00-W19	1	1	4	1	3	2	1	-	3	11
1-098 Accidental drowning and submersion W65-W74	1	3	10	5	7	-	3	-	10	30
1-099 Exposure to smoke,fire and flames X00-X09	-	-	1	-	-	-	1	-	-	2
1-100 Accidental poisoning by and exposure to noxious substances X40-X49	1	-	1	1	1	-	1	1	1	4
1-101 Intentional self-harm X60-X84	-	-	-	-	-	-	-	-	-	-
1-102 Assault X85-Y09	1	-	-	2	-	-	-	-	-	-
1-103 All other external causes W20-W64,W75-W99,X10-X39, .	18	16	3	7	4	6	5	3	8	20
1-106 Disappearance	-	-	-	-	-	-	-	-	-	-
Total	1,712	1,331	131	101	67	41	46	39	66	310
										220

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2013 (List 1 - ICD10)(Cont.)

Cause of death	Age at death in years						Total			Age at death in years						Total		
	5-9			10-14			5-14 years			15-19			20-24			15-24 years		
	M	F		M	F		M	F		M	F		M	F		M	F	
1-001 Certain infectious and parasitic diseases A00-B99	14	16		13	21		27	37		26	16		29	33		55	49	
1-002 Cholera A00	-	-		-	-		-	-		-	-		-	-		-	-	
1-003 Diarrhoea and gastroenteritis of presumed Infectious origin A09	-	-		1	-		1	-		3	-		1	2		4	2	
1-004 Other intestinal infectious diseases A01-A08	-	-		-	-		-	-		-	-		-	-		-	-	
1-005 Respiratory tuberculosis A15-A16	1	-		-	-		1	-		4	2		1	5		5	7	
1-006 Other tuberculosis A17-A19	-	-		-	-		-	-		-	1		1	-		1	1	
1-007 Plague A20	-	-		-	-		-	-		-	-		-	-		-	-	
1-008 Tetanus A33-A35	-	-		-	-		-	-		-	-		-	-		-	-	
1-009 Diphtheria A36	-	-		-	-		-	-		-	-		-	-		-	-	
1-010 Whooping cough A37	-	-		-	-		-	-		-	-		-	-		-	-	
1-011 Meningococcal infection A39	-	-		1	-		1	-		-	-		-	-		-	-	
1-012 Septicaemia A40-A41	7	6		8	11		15	17		7	9		11	17		18	26	
1-013 Infection with a predominantly sexual mode of transmission A50-A64	-	-		-	-		-	-		-	-		-	-		-	-	
1-014 Acute poliomyelitis A80	-	-		-	-		-	-		-	-		-	-		-	-	
1-015 Rabies A82	-	-		-	-		-	-		1	-		-	-		1	-	
1-016 Yellow fever A95	-	-		-	-		-	-		-	-		-	-		-	-	
1-017 Other arthropod-borne viral fevers and viral haemorrhagic fevers	5	9		3	7		8	16		4	3		7	6		11	9	
1-018 Measles B05	-	-		-	-		-	-		-	-		-	-		-	-	
1-019 Viral hepatitis B15-B19	-	-		-	1		-	1		-	-		-	-		-	-	
1-020 Human immunodeficiency virus [HIV] disease B20-B24	-	-		-	-		-	-		-	-		-	-		-	-	
1-021 Malaria B50-B54	-	-		-	-		-	-		-	-		-	-		-	-	
1-022 Leishmaniasis B55	-	-		-	-		-	-		-	-		-	-		-	-	
1-023 Trypanosomiasis B56-B57	-	-		-	-		-	-		-	-		-	-		-	-	
1-024 Schistosomiasis B65	-	-		-	-		-	-		-	-		-	-		-	-	
1-025 Remainder of certain infectious and parasitic diseases	1	1		-	2		1	3		7	1		8	3		15	4	

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2013 (List 1 - ICD10)(Cont.)

Cause of death	Age at death in years						Total		Age at death in years						Total	
	5-9			10-14			5-14 years		15-19			20-24			15-24 years	
	M	F		M	F		M	F	M	F		M	F		M	F
I-026 Neoplasms C00-D48	22	13		27	24		49	37	42	30		51	29		93	59
I-027 Malignant neoplasm of lip,oral cavity and pharynx C00-C14	-	-		1	-		1	-	1	-		-	1		1	1
I-028 Malignant neoplasm of oesophagus C15	-	-		-	-		-	-	-	1		1	-		1	1
I-029 Malignant neoplasm of stomach C16	-	-		-	-		-	-	1	-		1	1		2	1
I-030 Malignant neoplasm of colon,rectum and anus C18-C21	-	-		-	-		-	-	-	-		1	1		1	1
I-031 Malignant neoplasm of liver and intrahepatic bile ducts C22	-	-		-	-		-	-	2	-		2	-		4	-
I-032 Malignant neoplasm of pancreas C25	-	-		-	-		-	-	-	-		-	1		1	-
I-033 Malignant neoplasm of larynx C32	-	-		-	-		-	-	-	-		-	-		-	-
I-034 Malignant neoplasm of trachea, bronchus and lung C33-C34	-	-		-	-		-	-	2	1		2	1		4	2
I-035 Malignant melanoma of skin C43	-	-		-	-		-	-	-	-		-	-		-	-
I-036 Malignant neoplasm of breast C50	-	-		-	-		-	-	-	-		-	-		-	-
I-037 Malignant neoplasm of cervix uteri C53	-	-		-	-		-	-	-	-		-	-		-	-
I-038 Malignant neoplasm of other and unspecified parts of uterus C54-C55	-	-		-	-		-	-	-	-		-	-		-	1
I-039 Malignant neoplasm of ovary C56	-	-		-	-		-	-	-	1		-	2		-	3
I-040 Malignant neoplasm of prostate C61	-	-		-	-		-	-	-	-		-	-		-	-
I-041 Malignant neoplasm of bladder C67	-	-		-	-		-	-	-	-		-	-		-	-
I-042 Malignant neoplasm of meninges , brain and other parts of central nervous system C70-C72	4	6		3	4		7	10	3	5		6	3		9	8
I-043 Non-Hodgkin s lymphoma C82-C85	1	1		3	3		4	4	2	3		4	2		6	5
I-044 Multiple myeloma and malignant plasma cell neoplasms C90	-	-		-	-		-	-	-	-		-	-		-	-
I-045 Leukaemia C91-C95	10	3		7	11		17	14	21	8		18	5		39	13
I-046 Remainder of malignant neoplasm	7	3		12	6		19	9	8	10		13	12		21	22
I-047 Remainder of neoplasms D00-D48	-	-		1	-		1	-	2	1		2	-		4	1

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2013 (List 1 - ICD10)(Cont.)

Cause of death	Age at death in years				Total		Age at death in years				Total	
	5-9		10-14		5-14 years		15-19		20-24		15-24 years	
	M	F	M	F	M	F	M	F	M	F	M	F
1-048 Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D50-D89												
1-049 Anaemias D50-D64	2	6	-	-	2	6	5	5	3	5	8	10
1-050 Remainder of diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D65-D89	1	3	-	-	1	3	4	3	2	4	6	7
	1	3	-	-	1	3	1	2	1	1	2	3
1-051 Endocrine, nutritional and metabolic diseases E00-E88												
1-052 Diabetes mellitus E10-E14	4	5	6	3	10	8	5	1	5	9	10	10
1-053 Malnutrition E40-E46	1	2	4	1	5	3	3	1	5	7	8	8
1-054 Remainder of endocrine, nutritional and metabolic diseases	1	-	-	1	1	1	-	-	-	-	-	-
	2	3	2	1	4	4	2	-	-	2	2	2
1-055 Mental and behavioural disorders F01-F99												
1-056 Mental and behavioural disorders due to psychoactive substance use F10-F19	-	-	1	-	1	-	-	1	-	-	-	1
1-057 Remainder of mental and behavioural disorders F01-F09, F20-F99	-	-	-	-	-	-	-	1	-	-	-	1
	-	-	1	-	1	-	-	-	-	-	-	-
1-058 Diseases of the nervous system G00-G98												
1-059 Meningitis G00, G03	24	14	25	15	49	29	23	20	24	17	47	37
1-060 Alzheimer's diseases G30	3	1	2	-	5	1	2	-	1	4	3	4
1-061 Remainder of disease of the nervous system G04-G25, G31-G98	-	-	-	-	-	-	-	-	-	-	-	-
	21	13	23	15	44	28	21	20	23	13	44	33
1-062 Diseases of the eye and adnexa H00-H57												
1-063 Diseases of the ear and mastoid process H60-H93	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	1	-
1-064 Diseases of the circulatory system I00-I99												
1-065 Acute rheumatic fever and chronic rheumatic heart diseases I00-I09	14	26	19	17	33	43	36	26	61	31	97	57
1-066 Hypertensive diseases I10-I14	-	-	-	1	-	1	-	1	1	-	1	1
1-067 Ischaemic heart diseases I20-I25	-	-	-	1	-	1	-	2	2	1	2	3
1-068 Other heart diseases I26-I51	-	4	3	1	3	5	4	2	8	2	12	4
1-069 Cerebrovascular diseases I60-I69	12	15	11	12	23	27	27	19	34	22	61	41
1-070 Atherosclerotic I70	2	6	5	2	7	8	5	-	10	5	15	5
1-071 Remainder of diseases of the circulatory system I71-I99	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	1	-	2	6	1	6	3

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2013 (List 1 - ICD10)(Cont.)

Cause of death	Age at death in years						Total			Age at death in years						Total		
	5-9		10-14		15-19		20-24		Total	25-29		30-34		35-39		Total	40-44	
	M	F	M	F	M	F	M	F		M	F	M	F	M	F		M	F
1-072 Diseases of the respiratory system J00-J98																		
1-073 Influenza J10-J11	25	24	27	20	29	20	35	25	52	44	1	-	-	-	-	64	45	-
1-074 Pneumonia J12-J18	15	17	12	11	22	14	21	18	27	28	1	-	-	-	-	43	32	-
1-075 Other acute lower respiratory infections J20-J22	5	2	5	3	10	5	1	-	10	5	1	-	1	-	-	2	-	-
1-076 Chronic lower respiratory diseases J40-J47	1	3	6	3	7	6	3	4	7	6	3	1	4	3	7	4	4	-
1-077 Remainder of diseases of the respiratory system	4	2	4	2	8	4	3	4	8	4	3	5	9	4	12	9	9	-
1-078 Diseases of the digestive system K00-K92																		
1-079 Gastric and duodenal ulcer K25-K27	5	1	6	5	11	6	5	8	11	6	5	3	8	8	8	16	-	-
1-080 Diseases of the liver K70-K76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-081 Remainder of diseases of the digestive system	4	1	4	5	8	6	3	7	8	6	3	7	3	4	6	11	6	11
1-082 Diseases of the skin and subcutaneous tissue L00-L98																		
1-083 Diseases of the musculoskeletal system and connective tissue M00-M99	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
1-084 Diseases of the genitourinary system N00-N98	1	-	-	-	1	-	-	-	1	-	1	1	-	-	1	1	1	1
1-085 Glomerular and renal tubulo-interstitial diseases N00-N15	6	1	5	4	11	5	9	4	11	5	9	4	17	13	26	17	1	-
1-086 Remainder of diseases of the genitourinary system N17-N98	1	-	-	-	1	-	-	-	1	-	-	-	1	-	1	-	1	-
	5	1	5	4	10	5	9	4	10	5	9	4	16	13	25	17	25	17

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2013 (List 1 - ICD10)(Cont.)

Cause of death	Age at death in years				Total				Age at death in years				Total			
	5-9		10-14		5-14 years		15-19		20-24		15-24 years		5-14 years		15-24 years	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1-087 Pregnancy, childbirth and the puerperium O00-O09	-	-	-	-	-	-	-	1	-	6	-	7	-	-	-	-
1-088 Pregnancy with abortive outcome O00-O07	-	-	-	-	-	-	-	1	-	2	-	3	-	-	-	-
1-089 Other direct obstetric deaths O10-O92	-	-	-	-	-	-	-	-	-	4	-	4	-	-	-	-
1-090 Indirect obstetric deaths O98-O99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-091 Remainder of pregnancy,childbirth and the puerperium O95-O97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-092 Certain condition originating in the perinatal period P00-P96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-093 Congenital malformations,deformations and chromosomal abnormalities Q00-Q99	29	22	33	24	62	46	26	23	16	11	42	34	62	46	42	34
1-094 Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified R00-R99	10	5	9	7	19	12	18	12	31	17	49	29	19	12	49	29
1-095 External causes of morbidity and mortality V01-Y99	63	42	86	41	149	83	367	164	573	216	940	380	149	83	940	380
1-096 Transport accidents V01-Y99	9	11	19	7	28	18	88	17	190	21	278	38	28	18	278	38
1-097 Falls W00-W19	8	6	5	1	13	7	5	-	13	4	18	4	13	7	18	4
1-098 Accidental drowning and submersion W65-W74	20	9	27	6	47	15	95	8	76	8	171	16	47	15	171	16
1-099 Exposure to smoke, fire and flames X00-X09	2	1	-	1	2	2	1	7	3	16	4	23	2	2	4	23
1-100 Accidental poisoning by and exposure to noxious substances X40-X49	2	1	-	-	2	1	2	2	3	1	5	3	2	1	5	3
1-101 Intentional self-harm X60-X84	-	-	11	12	11	12	96	108	177	124	273	232	11	12	273	232
1-102 Assault X85-Y09	1	2	2	-	3	2	8	2	23	7	31	9	3	2	31	9
1-103 All other external causes W20-W64,W75-W99,X10-X39,...	21	12	22	14	43	26	72	20	88	35	160	55	43	26	160	55
1-106 Dissaperance	-	-	6	2	6	2	88	9	101	7	189	16	6	2	189	16
Total	220	175	263	183	483	358	680	341	950	427	1,630	768	483	358	1,630	768

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2013 (List 1 - ICD10)(Cont.)

Cause of death	25-29				30-34				35-39				40-44				Total	
	M		F		M		F		M		F		M		F		M	F
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
1-001 Certain infectious and parasitic diseases A00-B99	35	25	42	40	75	32	85	54	237	151								
1-002 Cholera A00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-003 Diarrhoea and gastroenteritis of presumed Infectious origin A09	-	1	-	2	1	-	2	2	3	5								
1-004 Other inestinal infectious diseases A01-A08	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
1-005 Respiratory tuberculosis A15-A16	5	6	6	6	21	4	15	5	47	21								
1-006 Other tuberculosis A17-A19	2	1	1	2	1	-	2	1	6	4								
1-007 Plague A20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-008 Tetanus A33-A35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-009 Diphtheria A36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-010 Whooping cough A37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-011 Meningococcal infection A39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-012 Septicaemia A40-A41	10	9	23	21	27	17	44	33	104	80								
1-013 Infection with a predominantly sexual mode of transmission A50-A64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-014 Acute poliomyelitis A80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-015 Rabies A82	-	-	-	-	1	1	2	-	3	1								
1-016 Yellow fever A95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-017 Other arthropod-borne viral fevers and viral haemorrhagic fevers	9	6	2	6	4	4	3	2	18	18								
1-018 Measles B05	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-019 Viral hepatitis B15-B19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-020 Human immunodeficiency virus [HIV] disease B20-B24	-	1	-	1	-	-	-	-	-	2								
1-021 Malaria B50-B54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-022 Leishmaniasis B55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-023 Trypanosomiasis B56-B57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-024 Schistosomiasis B65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-025 Remainder of certain infectious and parasitic diseases	8	1	10	2	20	6	17	11	55	20								

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2013 (List 1 - ICD10)(Cont.)

Cause of death	25-29						Age at death in years						40-44						Total	
	M			F			30-34			35-39			M			F			25-44 years	
	M	F		M	F		M	F		M	F		M	F		M	F		M	F
1-026 Neoplasms C00-D48	50	47		76	91		88	118		195	227		409	483						
1-027 Malignant neoplasm of lip,oral cavity and pharynx C00-C14	2	3		3	3		6	2		26	3		37	11						
1-028 Malignant neoplasm of oesophagus C15	1	-		4	2		1	2		6	2		12	6						
1-029 Malignant neoplasm of stomach C16	-	-		1	3		4	6		3	4		8	13						
1-030 Malignant neoplasm of colon,rectum and anus C18-C21	-	1		1	4		3	3		8	7		12	15						
1-031 Malignant neoplasm of liver and intrahepatic bile ducts C22	4	-		2	2		6	4		9	4		21	10						
1-032 Malignant neoplasm of pancreas C25	1	1		-	2		-	-		3	2		4	5						
1-033 Malignant neoplasm of larynx C32	1	-		-	-		-	-		1	1		2	1						
1-034 Malignant neoplasm of trachea, bronchus and lung C33-C34	8	6		9	5		6	12		19	15		42	38						
1-035 Malignant melanoma of skin C43	-	-		-	-		-	-		-	1		-	1						
1-036 Malignant neoplasm of breast C50	-	-		-	8		-	21		-	43		-	72						
1-037 Malignant neoplasm of cervix uteri C53	-	-		-	-		-	2		-	11		-	13						
1-038 Malignant neoplasm of other and unspecified parts of uterus C54-C55	-	1		-	1		-	6		-	7		-	15						
1-039 Malignant neoplasm of ovary C56	-	5		-	9		-	5		-	7		-	26						
1-040 Malignant neoplasm of prostate C61	-	-		-	-		-	-		-	-		-	-						
1-041 Malignant neoplasm of bladder C67	-	-		1	-		-	-		-	3		4	1						
1-042 Malignant neoplasm of meninges , brain and other parts of central nervous system C70-C72	2	9		10	6		11	5		15	17		38	37						
1-043 Non-Hodgkin s lymphoma C82-C85	3	4		4	3		2	2		9	2		18	11						
1-044 Multiple myeloma and malignant plasma cell neoplasms C90	-	-		-	-		-	-		2	1		2	1						
1-045 Leukaemia C91-C95	12	5		20	15		11	14		12	13		55	47						
1-046 Remainder of malignant neoplasm	16	12		21	27		38	32		79	86		154	157						
1-047 Remainder of neoplasms D00-D48	-	-		-	1		-	2		-	-		-	3						

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2013 (List 1 - ICD10)(Cont.)

Cause of death	25-29						Age at death in years						40-44						Total					
	M			F			30-34			35-39			M			F			M			F		
	M	F		M	F		M	F		M	F		M	F		M	F		M	F		M	F	
1-048 Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D50-D89	4	5		2	3		1	3		7	2		14	13		14	13		14	13		14	13	
1-049 Anaemias D50-D64	3	3		1	1		1	1		7	2		12	7		12	7		12	7		12	7	
1-050 Remainder of diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D65-D89	1	2		1	2		-	2		-	-		2	-		2	-		2	-		2	-	
1-051 Endocrine, nutritional and metabolic diseases E00-E88	14	5		20	12		30	22		76	48		140	87		140	87		140	87		140	87	
1-052 Diabetes mellitus E10-E14	11	4		17	10		26	19		71	43		125	76		125	76		125	76		125	76	
1-053 Malnutrition E40-E46	-	-		-	1		-	1		1	-		1	1		1	-		1	1		1	2	
1-054 Remainder of endocrine, nutritional and metabolic diseases	3	1		3	1		4	2		4	5		14	9		14	9		14	9		14	9	
1-055 Mental and behavioural disorders F01-F99	1	1		3	-		1	5		12	1		17	7		17	7		17	7		17	7	
1-056 Mental and behavioural disorders due to psychoactive substance use F10-F19	1	-		1	-		1	1		8	-		11	1		11	1		11	1		11	1	
1-057 Remainder of mental and behavioural disorders	-	1		2	-		-	4		4	1		6	6		6	6		6	6		6	6	
1-058 Diseases of the nervous system G00-G98	28	12		27	17		43	22		47	32		145	83		145	83		145	83		145	83	
1-059 Meningitis G00, G03	4	2		2	1		2	1		5	1		13	5		13	5		13	5		13	5	
1-060 Alzheimer's diseases G30	-	-		-	-		-	-		-	-		-	-		-	-		-	-		-	-	
1-061 Remainder of disease of the nervous system G04-G25, G31-G98	24	10		25	16		41	21		42	31		132	78		132	78		132	78		132	78	
1-062 Diseases of the eye and adnexa H00-H57	-	-		-	-		-	-		-	-		-	-		-	-		-	-		-	-	
1-063 Diseases of the ear and mastoid process H60-H93	-	-		-	-		-	-		-	-		-	-		-	-		-	-		-	-	
1-064 Diseases of the circulatory system I00-I99	88	36		154	83		254	100		458	185		954	404		954	404		954	404		954	404	
1-065 Acute rheumatic fever and chronic rheumatic heart diseases I00-I09	-	3		1	1		1	-		1	1		3	5		3	5		3	5		3	5	
1-066 Hypertensive diseases I10-I14	7	4		7	9		12	11		33	25		59	49		59	49		59	49		59	49	
1-067 Ischaemic heart diseases I20-I25	11	3		26	13		59	16		82	21		178	53		178	53		178	53		178	53	
1-068 Other heart diseases I26-I51	53	19		99	45		136	53		273	105		561	222		561	222		561	222		561	222	
1-069 Cerebrovascular diseases I60-I69	15	6		19	10		36	16		57	28		127	60		127	60		127	60		127	60	
1-070 Atherosclerotic I70	-	1		-	-		4	-		2	1		6	2		6	2		6	2		6	2	
1-071 Remainder of diseases of the circulatory system I71-I99	2	-		2	5		6	4		10	4		20	13		20	13		20	13		20	13	

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2013 (List 1 - ICD10)(Cont.)

Cause of death	Age at death in years						Total	
	25-29		30-34		35-39		40-44	
	M	F	M	F	M	F	M	F
1-072 Diseases of the respiratory system J00-J98	49	33	60	47	55	39	107	62
1-073 Influenza J10-J11	-	-	-	1	-	-	-	1
1-074 Pneumonia J12-J18	28	20	32	30	37	25	60	25
1-075 Other acute lower respiratory infections J20-J22	3	1	1	1	1	-	1	-
1-076 Chronic lower respiratory diseases J40-J47	8	7	17	7	5	8	24	22
1-077 Remainder of diseases of the respiratory system	10	5	10	8	12	6	22	15
1-078 Diseases of the digestive system K00-K92	24	5	46	8	110	16	161	14
1-079 Gastric and duodenal ulcer K25-K27	-	1	1	-	-	-	-	-
1-080 Diseases of the liver K70-K76	15	2	40	6	96	10	143	8
1-081 Remainder of diseases of the digestive system	9	2	5	2	14	6	18	6
1-082 Diseases of the skin and subcutaneous tissue L00-L98	-	-	2	-	-	-	2	-
1-083 Diseases of the musculoskeletal system and connective tissue M00-M99	1	1	2	-	3	1	3	2
1-084 Diseases of the genitourinary system N00-N98	19	20	41	19	40	27	73	45
1-085 Glomerular and renal tubulo-interstitial diseases N00-N15	1	1	2	2	4	1	1	7
1-086 Remainder of diseases of the genitourinary system N17-N98	18	19	39	17	36	26	72	38
							173	111
							8	11
							165	100

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2013 (List 1 - ICD10)(Cont.)

Cause of death	Age at death in years								Total	
	25-29		30-34		35-39		40-44		25-44 years	
	M	F	M	F	M	F	M	F	M	F
1-087 Pregnancy, childbirth and the puerperium O00-O09	-	7	-	4	-	5	-	2	-	18
1-088 Pregnancy with abortive outcome O00-O07	-	1	-	1	-	2	-	1	-	5
1-089 Other direct obstetric deaths O10-O92	-	6	-	3	-	3	-	1	-	13
1-090 Indirect obstetric deaths O98-O99	-	-	-	-	-	-	-	-	-	-
1-091 Remainder of pregnancy,childbirth and the puerperium O95-O97	-	-	-	-	-	-	-	-	-	-
1-092 Certain condition originating in the perinatal period P00-P96	-	-	-	-	-	-	-	-	-	-
1-093 Congenital malformations,deformations and chromosomal abnormalities Q00-Q99	17	10	12	7	13	11	7	8	49	36
1-094 Symptoms ,signs and abnormal clinical and laboratory findings, not elsewhere classified R00-R99	35	28	46	29	36	23	52	29	169	109
1-095 External causes of morbidity and mortality V01-Y99	560	174	630	150	641	137	582	136	2,413	597
1-096 Transport accidents V01-V99	191	18	169	12	160	32	139	25	659	87
1-097 Falls W00-W19	11	6	17	3	41	6	38	6	107	21
1-098 Accidental drowning and submersion W65-W74	43	8	47	7	44	10	62	8	196	33
1-099 Exposure to smoke,fire and flames X00-X09	8	16	9	14	5	8	7	7	29	45
1-100 Accidental poisoning by and exposure to noxious substances X40-X49	4	3	3	2	6	1	9	2	22	8
1-101 Intentional self-harm X60-X84	194	77	213	75	209	44	196	56	812	252
1-102 Assault X85-Y09	21	4	47	7	37	14	39	7	144	32
1-103 All other external causes W20-W64,W75-W99,X10-X39, .	88	42	125	30	139	22	92	25	444	119
1-106 Dissaperance	59	2	37	3	29	1	13	1	138	7
Total	984	411	1,200	513	1,419	562	1,880	848	5,483	2,334

Cause of death	Age at death in years						Total		Age at death in years					
	45-49		50-54		55-59		60-64		45-64 years		65-69		70-74	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1-001 Certain infectious and parasitic diseases A00-B99	144	81	192	102	234	125	280	148	850	456	282	178	256	197
1-002 Cholera A00	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-003 Diarrhoea and gastroenteritis of presumed Infectious origin A09	-	3	7	-	5	3	6	8	18	14	12	6	19	21
1-004 Other intestinal infectious diseases A01-A08	-	-	2	-	-	-	-	-	2	-	1	1	-	-
1-005 Respiratory tuberculosis A15-A16	35	12	46	17	61	14	59	13	201	56	70	25	45	19
1-006 Other tuberculosis A17-A19	2	1	-	2	2	2	2	1	6	6	3	1	-	4
1-007 Plague A20	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-008 Tetanus A33-A35	1	-	-	-	1	-	-	-	2	-	-	-	-	1
1-009 Diphtheria A36	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-010 Whooping cough A37	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-011 Meningococcal infection A39	-	-	-	-	-	-	1	-	1	-	-	-	-	-
1-012 Septicaemia A40-A41	69	51	96	66	129	86	178	111	472	314	169	133	176	142
1-013 Infection with a predominantly sexual mode of transmission A50-A64	1	-	-	-	-	-	-	-	1	-	-	-	-	-
1-014 Acute poliomyelitis A80	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-015 Rabies A82	2	-	-	1	-	2	1	-	3	3	1	1	-	-
1-016 Yellow fever A95	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-017 Other arthropod-borne viral fevers and viral haemorrhagic fevers	4	2	3	4	3	1	2	4	12	11	3	1	3	5
1-018 Measles B05	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-019 Viral hepatitis B15-B19	-	-	-	-	-	1	1	-	1	1	-	-	-	-
1-020 Human immunodeficiency virus [HIV] disease B20-B24	-	-	1	1	-	-	-	-	1	1	-	-	-	-
1-021 Malaria B50-B54	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-022 Leishmaniasis B55	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-023 Trypanosomiasis B56-B57	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-024 Schistosomiasis B65	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-025 Remainder of certain infectious and parasitic diseases	30	12	37	11	33	16	30	11	130	50	23	10	13	5

Table 7.2 : Number of deaths according to cause by age and sex - 2013 (List 1 - ICD10) (Cont.)

Cause of death	Age at death in years								Total		Age at death in years			
	45-49		50-54		55-59		60-64		45-64 years		65-69		70-74	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1-026 Neoplasms C00-D48	404	378	652	566	891	663	1,183	801	3,130	2,408	1,154	889	1,008	698
1-027 Malignant neoplasm of lip,oral cavity and pharynx C00-C14	60	16	94	13	114	26	139	40	407	95	156	43	114	37
1-028 Malignant neoplasm of oesophagus C15	24	10	43	19	62	18	74	34	203	81	55	53	45	41
1-029 Malignant neoplasm of stomach C16	18	7	21	20	41	22	40	36	120	85	54	49	34	31
1-030 Malignant neoplasm of colon,rectum and anus C18-C21	10	12	12	13	30	15	25	18	77	58	32	30	31	26
1-031 Malignant neoplasm of liver and intrahepatic bile ducts C22	16	18	38	22	62	20	90	32	206	92	95	29	79	28
1-032 Malignant neoplasm of pancreas C25	7	3	10	7	5	5	16	3	38	18	13	4	8	8
1-033 Malignant neoplasm of larynx C32	7	7	12	2	23	3	26	6	68	18	19	10	22	18
1-034 Malignant neoplasm of trachea, bronchus and lung C33-C34	46	30	83	23	107	38	180	51	416	142	172	52	145	44
1-035 Malignant melanoma of skin C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-036 Malignant neoplasm of breast C50	-	71	-	98	3	107	1	103	4	379	-	84	-	59
1-037 Malignant neoplasm of cervix uteri C53	-	11	-	18	-	11	-	20	-	60	-	19	-	8
1-038 Malignant neoplasm of other and unspecified parts of uterus C54-C55	-	15	-	28	-	33	-	51	-	127	-	41	-	39
1-039 Malignant neoplasm of ovary C56	-	16	-	21	-	27	-	29	-	93	-	43	-	22
1-040 Malignant neoplasm of prostate C61	-	-	3	-	7	-	22	-	32	-	23	-	41	-
1-041 Malignant neoplasm of bladder C67	4	1	8	1	14	5	8	1	34	8	24	8	24	9
1-042 Malignant neoplasm of meninges, brain and other parts of central nervous system C70-C72	17	14	27	18	23	21	45	26	112	79	36	28	21	29
1-043 Non-Hodgkin s lymphoma C82-C85	10	3	15	14	18	12	22	12	65	41	20	16	13	14
1-044 Multiple myeloma and malignant plasma cell neoplasms C90	5	3	9	7	13	9	19	8	46	27	11	7	14	7
1-045 Leukaemia C91-C95	20	15	20	25	16	27	35	28	91	95	33	31	31	23
1-046 Remainder of malignant neoplasm	153	123	255	213	352	262	439	300	1,199	898	408	334	382	250
1-047 Remainder of neoplasms D00-D48	7	3	2	4	1	2	2	3	12	12	3	8	4	5

Table 7.2 : Number of deaths according to cause by age and sex - 2013 (List 1 - ICD10) (Cont.)

Cause of death	Age at death in years						Total		Age at death in years			
	45-49		50-54		55-59		60-64		65-69		70-74	
	M	F	M	F	M	F	M	F	M	F	M	F
1-048 Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D50-D89												
1-049 Anaemias D50-D64	5	11	12	9	5	11	25	16	18	20	29	22
1-050 Remainder of diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D65-D89	3	10	10	7	5	10	23	16	17	17	26	21
	2	1	2	2	-	1	2	-	1	3	3	1
1-051 Endocrine, nutritional and metabolic diseases E00-E88												
1-052 Diabetes mellitus E10-E14	176	105	367	233	532	377	769	602	819	766	754	770
1-053 Malnutrition E40-E46	164	102	351	225	511	369	749	592	803	748	728	738
1-054 Remainder of endocrine, nutritional and metabolic diseases	2	-	4	1	1	-	1	1	2	-	2	2
	10	3	12	7	20	8	19	9	14	18	24	30
1-055 Mental and behavioural disorders F01-F99												
1-056 Mental and behavioural disorders due to psychoactive substance use F10-F19	16	5	17	9	14	10	19	8	19	8	7	7
1-057 Remainder of mental and behavioural disorders F01-F09, F20-F99	12	1	11	-	7	1	6	1	7	1	1	-
	4	4	6	9	7	9	13	7	12	7	6	7
1-058 Diseases of the nervous system G00-G98												
1-059 Meningitis G00, G03	69	51	135	88	253	122	393	259	643	426	822	669
1-060 Alzheimer's diseases G30	4	4	6	3	3	1	5	4	13	5	5	2
1-061 Remainder of disease of the nervous system G04-G25, G31-G98	-	-	-	-	-	-	-	-	1	-	-	-
	65	47	129	85	250	121	388	255	629	421	817	667
1-062 Diseases of the eye and adnexa H00-H57												
1-063 Diseases of the ear and mastoid process H60-H93	-	-	-	-	2	-	1	-	-	-	-	1
	-	-	-	-	-	-	-	-	-	-	-	-
1-064 Diseases of the circulatory system I00-I99												
1-065 Acute rheumatic fever and chronic rheumatic heart diseases I00-I09	811	292	1,405	535	1,874	733	2,394	1,214	2,659	1,566	2,527	1,925
1-066 Hypertensive diseases I10-I14	2	-	1	7	1	3	1	4	3	4	4	3
1-067 Ischaemic heart diseases I20-I25	61	44	122	76	170	110	309	200	662	420	332	468
1-068 Other heart diseases I26-I51	167	48	322	108	430	158	556	273	598	307	570	411
1-069 Cerebrovascular diseases I60-I69	467	142	776	269	1,046	352	1,245	595	1,327	729	1,170	810
1-070 Atherosclerotic I70	98	55	161	68	203	100	255	128	272	171	267	211
1-071 Remainder of diseases of the circulatory system I71-I99	6	1	8	1	9	1	9	5	8	6	8	3
	10	2	15	6	15	9	19	9	31	17	25	19

Table 7.2 : Number of deaths according to cause by age and sex - 2013 (List 1 - ICD10) (Cont.)

Cause of death	Age at death in years								Total		Age at death in years			
	45-49		50-54		55-59		60-64		45-64 years		65-69		70-74	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1-072 Diseases of the respiratory system J00-J98	207	92	358	137	478	217	755	297	1,798	743	924	472	1,123	655
	1	-	-	-	-	-	-	1	1	1	-	-	-	-
	107	30	160	52	169	84	194	74	630	240	191	109	210	121
	2	1	7	3	6	5	11	7	26	16	10	4	14	11
	51	39	132	57	223	94	429	158	835	348	603	286	766	436
	46	22	59	25	80	34	121	57	306	138	120	73	133	87
	256	38	356	62	371	67	334	89	1,317	256	330	142	197	122
1-079 Gastric and duodenal ulcer K25-K27	1	1	1	1	1	-	2	-	5	2	2	3	3	-
	224	33	319	49	321	53	282	68	1,146	203	269	108	153	79
	31	4	36	12	49	14	50	21	166	51	59	31	41	43
	4	3	4	-	9	3	12	5	29	11	10	11	9	19
1-083 Diseases of the mischloskeletal system and connective tissue M00-M99	2	3	4	5	3	3	8	12	17	23	11	13	17	22
	149	59	290	105	309	151	396	181	1,144	496	423	167	397	202
1-085 Glomerular and renal tubulo-interstitial diseases NOO-N15	3	2	9	8	13	11	11	16	36	37	19	7	17	11
	146	57	281	97	296	140	385	165	1,108	459	404	160	380	191

Table 7.2 : Number of deaths according to cause by age and sex - 2013 (List 1 - ICD10) (Cont.)

Cause of death	Age at death in years								Total		Age at death in years			
	45-49		50-54		55-59		60-64		45-64 years		65-69		70-74	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1-087 Pregnancy, childbirth and the puerperium O00-O09	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-088 Pregnancy with abortive outcome O00-O07	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-089 Other direct obstetric deaths O10-O92	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-090 Indirect obstetric deaths O98-O99	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-091 Remainder of pregnancy, childbirth and the puerperium O95-O97	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-092 Certain condition originating in the perinatal period P00-P96	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-093 Congenital malformations, deformations and chromosomal abnormalities Q00-Q99	4	8	8	7	5	5	7	5	24	25	8	3	2	2
1-094 Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified R00-R99	93	49	158	84	206	96	322	221	779	450	552	469	1,022	1,022
1-095 External causes of morbidity and mortality V01-Y99	754	157	715	147	625	173	551	148	2,645	625	472	159	337	152
1-096 Transport accidents V01-V99	180	28	184	44	160	56	144	47	668	175	125	42	76	40
1-097 Falls W00-W19	71	6	86	10	62	11	62	15	281	42	57	21	47	33
1-098 Accidental drowning and submersion W65-W74	59	12	50	8	57	15	28	14	194	49	25	15	27	8
1-099 Exposure to smoke, fire and flames X00-X09	5	9	6	7	6	6	4	6	21	28	9	6	4	7
1-100 Accidental poisoning by and exposure to noxious substances X40-X49	11	5	11	1	11	2	14	1	47	9	5	4	5	-
1-101 Intentional self-harm X60-X84	253	53	229	31	199	40	171	22	852	146	165	16	109	27
1-102 Assault X85-Y09	39	13	31	14	18	6	14	8	102	41	6	5	10	3
1-103 All other external causes W20-W64, W75-W99, X10-X39, .	136	31	118	32	112	37	114	35	480	135	80	50	59	34
1-106 Disappearance	10	2	8	-	7	2	3	1	28	5	3	1	1	-
Total	3,104	1,334	4,681	2,089	5,818	2,758	7,452	4,007	21,055	10,188	8,327	5,290	8,508	6,485

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2013 (List 1 - ICD10)(Cont.)

Cause of death	Total 65-74 years		Age at death in years						Total 75 years and over		Not Stated	
	M	F	75-79		80-84		85+		M	F	M	F
			M	F	M	F	M	F				
1-001 Certain infectious and parasitic diseases A00-B99	538	375	212	173	185	180	190	200	587	553	5	4
1-002 Cholera A00	-	-	-	-	-	-	-	-	-	-	-	-
1-003 Diarrhoea and gastroenteritis of presumed Infectious origin A09	31	27	21	22	23	26	36	41	80	89	1	-
1-004 Other intestinal infectious diseases A01-A08	1	1	-	-	-	-	-	-	-	-	-	-
1-005 Respiratory tuberculosis A15-A16	115	44	37	16	26	12	9	3	72	31	1	-
1-006 Other tuberculosis A17-A19	3	5	2	-	1	1	-	-	3	1	-	-
1-007 Plague A20	-	-	-	-	-	-	-	-	-	-	-	-
1-008 Tetanus A33-A35	-	1	1	-	1	-	-	-	2	-	-	-
1-009 Diphtheria A36	-	-	-	-	-	-	-	-	-	-	-	-
1-010 Whooping cough A37	-	-	-	-	-	-	-	-	-	-	-	-
1-011 Meningococcal infection A39	-	-	-	-	-	1	-	-	-	1	-	-
1-012 Septicaemia A40-A41	345	275	139	127	125	137	139	148	403	412	2	4
1-013 Infection with a predominantly sexual mode of transmission A50-A64	-	-	-	-	-	-	-	-	-	-	-	-
1-014 Acute poliomyelitis A80	-	-	-	-	-	-	-	-	-	-	-	-
1-015 Rabies A82	1	1	-	-	-	-	-	1	-	1	-	-
1-016 Yellow fever A95	-	-	-	-	-	-	-	-	-	-	-	-
1-017 Other arthropod-borne viral fevers and viral haemorrhagic fevers	6	6	-	3	1	1	3	4	4	8	-	-
1-018 Measles B05	-	-	-	-	-	-	-	-	-	-	-	-
1-019 Viral hepatitis B15-B19	-	-	-	-	-	-	-	-	-	-	-	-
1-020 Human immunodeficiency virus [HIV] disease B20-B24	-	-	-	-	-	-	-	-	-	-	-	-
1-021 Malaria B50-B54	-	-	-	-	-	-	-	-	-	-	-	-
1-022 Leishmaniasis B55	-	-	-	-	-	-	-	-	-	-	-	-
1-023 Trypanosomiasis B56-B57	-	-	-	-	-	-	-	-	-	-	-	-
1-024 Schistosomiasis B65	-	-	-	-	-	-	-	-	-	-	-	-
1-025 Remainder of certain infectious and parasitic diseases	36	15	12	5	8	2	3	3	23	10	1	-

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2013 (List 1 - ICD10)(Cont.)

Cause of death	Total 65-74 years		Age at death in years				Total 75 years and over		Not Stated	
	M	F	75-79		80-84		85+		M	F
			M	F	M	F	M	F		
1-026 Neoplasms C00-D48	2,162	1,587	663	568	386	366	244	243	1,293	1,177
1-027 Malignant neoplasm of lip,oral cavity and pharynx C00-C14	270	80	71	49	46	28	29	24	146	101
1-028 Malignant neoplasm of oesophagus C15	100	94	29	29	19	15	7	16	55	60
1-029 Malignant neoplasm of stomach C16	88	80	32	23	11	21	11	11	54	55
1-030 Malignant neoplasm of colon,rectum and anus C18-C21	63	56	30	15	14	18	8	4	52	37
1-031 Malignant neoplasm of liver and intrahepatic bile ducts C22	174	57	46	22	28	12	11	13	85	47
1-032 Malignant neoplasm of pancreas C25	21	12	5	5	2	4	4	2	11	11
1-033 Malignant neoplasm of larynx C32	41	28	11	12	5	3	5	5	21	20
1-034 Malignant neoplasm of trachea, bronchus and lung C33-C34	317	96	73	27	32	14	17	12	122	53
1-035 Malignant melanoma of skin C43	-	-	1	-	-	-	-	-	1	-
1-036 Malignant neoplasm of breast C50	-	143	1	45	-	31	2	18	3	94
1-037 Malignant neoplasm of cervix uteri C53	-	27	-	3	-	8	-	5	-	16
1-038 Malignant neoplasm of other and unspecified parts of uterus C54-C55	-	80	-	37	-	23	-	11	-	71
1-039 Malignant neoplasm of ovary C56	-	65	-	16	-	5	-	5	-	26
1-040 Malignant neoplasm of prostate C61	64	-	31	-	20	-	12	-	63	-
1-041 Malignant neoplasm of bladder C67	48	17	22	7	14	4	9	5	45	16
1-042 Malignant neoplasm of meninges , brain and other parts of central nervous system C70-C72	57	57	15	13	6	6	4	5	25	24
1-043 Non-Hodgkin s lymphoma C82-C85	33	30	15	10	10	6	1	4	26	20
1-044 Multiple myeloma and malignant plasma cell neoplasms C90	25	14	6	7	5	2	2	2	13	11
1-045 Leukaemia C91-C95	64	54	15	25	11	12	8	9	34	46
1-046 Remainder of malignant neoplasm	790	584	256	223	162	154	114	92	532	469
1-047 Remainder of neoplasms D00-D48	7	13	4	-	1	-	-	-	5	-

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2013 (List 1 - ICD10)(Cont.)

Cause of death	Total 65-74 years		Age at death in years				Total 75 years and over		Not Stated	
	M	F	M	F	M	F	M	F	M	F
1-048 Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D50-D89										
1-049 Anaemias D50-D64	47	42	21	25	16	18	12	20	49	63
1-050 Remainder of diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism D65-D89	43	38	18	24	16	18	10	18	44	60
	4	4	3	1	-	-	2	2	5	3
1-051 Endocrine, nutritional and metabolic diseases E00-E88										
1-052 Diabetes mellitus E10-E14	1,573	1,536	674	823	547	747	470	609	1,691	2,179
1-053 Malnutrition E40-E46	1,531	1,486	663	808	539	726	455	594	1,657	2,128
1-054 Remainder of endocrine, nutritional and metabolic diseases	4	2	4	1	1	3	-	2	5	6
	38	48	7	14	7	18	15	13	29	45
1-055 Mental and behavioural disorders F01-F99										
1-056 Mental and behavioural disorders due to psychoactive substance use F10-F19	26	15	9	7	3	6	3	7	15	20
1-057 Remainder of mental and behavioural disorders F01-F09, F20-F99	8	1	-	-	2	-	2	1	4	1
	18	14	9	7	1	6	1	6	11	19
1-058 Diseases of the nervous system G00-G98										
1-059 Meningitis G00, G03	1,465	1,095	970	987	924	1,046	924	1,349	2,818	3,382
1-060 Alzheimer's diseases G30	18	7	5	1	2	4	6	4	13	9
1-061 Remainder of disease of the nervous system G04-G25, G31-G98	1	-	-	-	-	-	-	-	-	-
	1,446	1,088	965	986	922	1,042	918	1,345	2,805	3,373
1-062 Diseases of the eye and adnexa H00-H57										
1-063 Diseases of the ear and mastoid process H60-H93	-	1	1	-	-	-	-	-	1	-
	-	-	-	-	-	-	-	-	-	-
1-064 Diseases of the circulatory system I00-I99										
1-065 Acute rheumatic fever and chronic rheumatic heart diseases I00-I09	5,186	3,491	2,266	2,120	1,819	2,010	1,783	2,221	5,868	6,351
1-066 Hypertensive diseases I10-I14	7	7	2	2	2	1	3	3	7	6
1-067 Ischaemic heart diseases I20-I25	903	800	508	649	463	677	519	754	1,490	2,080
1-068 Other heart diseases I26-I51	1,168	718	471	425	398	356	355	386	1,224	1,167
1-069 Cerebrovascular diseases I60-I69	2,497	1,539	1,010	792	726	750	707	843	2,443	2,385
1-070 Atherosclerotic I70	539	382	248	227	215	194	176	209	639	630
1-071 Remainder of diseases of the circulatory system I71-I99	16	9	8	2	1	3	4	2	13	7
	56	36	19	23	14	29	19	24	52	76

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2013 (List 1 - ICD10)(Cont.)

Cause of death	Total 65-74 years		Age at death in years						Total 75 years and over		Not Stated	
	M	F	75-79		80-84		85+		M	F	M	F
			M	F	M	F	M	F				
1-072 Diseases of the respiratory system J00-J98	2,047	1,127	1,162	801	1,022	788	991	1,066	3,175	2,655	8	1
1-073 Influenza J10-J11	-	-	-	-	-	-	1	-	1	-	-	-
1-074 Pneumonia J12-J18	401	230	183	139	162	147	176	198	521	484	5	-
1-075 Other acute lower respiratory infections J20-J22	24	15	10	19	15	14	14	16	39	49	-	-
1-076 Chronic lower respiratory diseases J40-J47	1,369	722	842	561	729	551	703	748	2,274	1,860	1	1
1-077 Remainder of diseases of the respiratory system	253	160	127	82	116	76	97	104	340	262	2	-
1-078 Diseases of the digestive system K00-K92	527	264	145	106	104	84	77	73	326	263	-	1
1-079 Gastric and duodenal ulcer K25-K27	5	3	6	4	2	5	2	1	10	10	-	-
1-080 Diseases of the liver K70-K76	422	187	79	64	65	41	34	34	178	139	-	1
1-081 Remainder of diseases of the digestive system	100	74	60	38	37	38	41	38	138	114	-	-
1-082 Diseases of the skin and subcutaneous tissue L00-L98	19	30	14	9	13	17	23	23	50	49	-	-
1-083 Diseases of the musculoskeletal system and connective tissue M00-M99	28	35	19	24	14	23	9	25	42	72	-	1
1-084 Diseases of the genitourinary system N00-N98	820	369	331	187	271	128	235	140	837	455	1	2
1-085 Glomerular and renal tubulo-interstitial diseases N00-N15	36	18	16	10	9	5	10	3	35	18	-	-
1-086 Remainder of diseases of the genitourinary system N17-N98	784	351	315	177	262	123	225	137	802	437	1	2

Table 7.2 : Number of Deaths according to Cause by Age and Sex - 2013 (List 1 - ICD10)(Cont.)

Cause of death	Total 65-74 years		Age at death in years						Total 75 years and over		Not Stated	
	M	F	75-79		80-84		85+		M	F	M	F
			M	F	M	F	M	F				
1-087 Pregnancy, childbirth and the puerperium O00-O09	-	-	-	-	-	-	-	-	-	-	-	-
1-088 Pregnancy with abortive outcome O00-O07	-	-	-	-	-	-	-	-	-	-	-	-
1-089 Other direct obstetric deaths O10-O92	-	-	-	-	-	-	-	-	-	-	-	-
1-090 Indirect obstetric deaths O98-O99	-	-	-	-	-	-	-	-	-	-	-	-
1-091 Remainder of pregnancy, childbirth and the puerperium O95-O97	-	-	-	-	-	-	-	-	-	-	-	-
1-092 Certain condition originating in the perinatal period P00-P96	-	-	-	-	-	-	-	-	-	-	-	-
1-093 Congenital malformations, deformations and chromosomal abnormalities Q00-Q99	10	5	1	4	1	-	1	1	3	5	2	2
1-094 Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified R00-R99	1,574	1,491	1,515	1,887	2,156	2,770	3,737	5,508	7,408	10,165	9	4
1-095 External causes of morbidity and mortality V01-Y99	809	311	278	130	209	126	190	123	677	379	11	4
1-096 Transport accidents V01-V99	201	82	55	24	51	15	27	10	133	49	3	-
1-097 Falls W00-W19	104	54	46	33	39	50	49	69	134	152	1	-
1-098 Accidental drowning and submersion W65-W74	52	23	11	14	9	8	11	3	31	25	1	1
1-099 Exposure to smoke, fire and flames X00-X09	13	13	4	11	5	10	4	5	13	26	-	-
1-100 Accidental poisoning by and exposure to noxious substances X40-X49	10	4	7	-	1	1	1	1	9	2	-	-
1-101 Intentional self-harm X60-X84	274	43	106	18	58	11	53	10	217	39	1	-
1-102 Assault X85-Y09	16	8	4	5	5	2	2	1	11	8	-	-
1-103 All other external causes W20-W64, W75-W99, X10-X39, .	139	84	45	25	41	29	43	24	129	78	5	3
1-106 Disappearance	4	1	3	2	1	-	2	1	6	3	-	-
Total	16,835	11,775	8,284	7,853	7,671	8,309	8,891	11,609	24,846	27,771	56	28

SUICIDES

Table 8.1 : Number of Suicides by District of Place of Occurrence & Sex, 2007, 2009 - 2010, 2013

District	2007			2009			2010			2013		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
Sri Lanka	3,859	2,946	913	3,597	2,793	804	3,562	2,698	864	3,164	2,440	724
Colombo	310	219	91	294	216	78	281	211	70	298	221	77
Gampaha	245	203	42	255	214	41	230	187	43	185	148	37
Kalutara	176	150	26	158	135	23	157	133	24	148	130	18
Kandy	202	154	48	235	172	63	256	193	63	178	133	45
Matale	103	80	23	77	58	19	94	68	26	85	67	18
Nuwaraeliya	109	78	31	97	77	20	94	64	30	89	60	29
Galle	166	139	27	138	110	28	167	142	25	139	111	28
Matara	180	140	40	131	103	28	135	101	34	115	99	16
Hambantota	126	98	28	112	88	24	141	103	38	95	72	23
Jaffna	120	89	31	129	90	39	119	81	38	165	112	53
Mannar	9	6	3	11	8	3	18	14	4	19	17	2
Vavuniya	30	19	11	46	36	10	51	31	20	44	30	14
Mullaitivu	38	25	13	2	2	-	1	1	-	15	13	2
Kilinochchi	57	33	24	1	1	-	8	5	3	25	16	9
Batticaloa	96	64	32	122	79	43	110	79	31	100	63	37
Ampara	94	71	23	91	60	31	92	69	23	71	55	16
Trincomalee	53	41	12	35	23	12	43	27	16	42	29	13
Kurunegala	498	386	112	475	385	90	426	327	99	346	296	50
Puttalam	165	132	33	172	137	35	163	122	41	132	105	27
Anuradhapura	261	196	65	217	166	51	177	141	36	163	128	35
Polonnaruwa	124	94	30	100	79	21	101	68	33	93	70	23
Badulla	194	142	52	207	157	50	204	137	67	173	121	52
Monaragala	77	52	25	88	70	18	85	58	27	85	48	37
Ratnapura	255	197	58	273	216	57	277	223	54	216	170	46
Kegalle	171	138	33	131	111	20	132	113	19	143	126	17

Table 8.2 : Number of Suicides by District of Usual Residence and Sex, 2007, 2009 - 2010, 2013

District	2007			2009			2010			2013		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
Sri Lanka	3,859	2,946	913	3,597	2,793	804	3,562	2,698	864	3,164	2,440	724
Colombo	217	162	55	219	168	51	201	154	47	222	165	57
Gampaha	244	203	41	265	216	49	245	196	49	199	158	41
Kalutara	181	152	29	154	134	20	163	138	25	146	126	20
Kandy	164	122	42	209	162	47	217	163	54	167	125	42
Matale	118	89	29	86	65	21	97	71	26	85	71	14
Nuwaraeliya	145	109	36	111	84	27	111	78	33	104	70	34
Galle	182	152	30	144	115	29	163	139	24	136	112	24
Matara	170	135	35	127	102	25	142	105	37	120	104	16
Hambantota	134	103	31	131	100	31	151	110	41	101	73	28
Jaffna	115	84	31	125	86	39	118	80	38	161	110	51
Mannar	10	7	3	11	7	4	18	14	4	17	15	2
Vavuniya	35	20	15	45	34	11	41	25	16	46	32	14
Mullaitivu	35	24	11	4	4	-	7	5	2	14	11	3
Kilinochchi	59	34	25	2	2	-	13	7	6	28	18	10
Batticaloa	90	62	28	121	77	44	111	80	31	99	63	36
Ampara	96	68	28	94	59	35	87	65	22	73	56	17
Trincomalee	62	47	15	38	24	14	48	32	16	39	26	13
Kurunegala	490	384	106	472	384	88	438	338	100	362	310	52
Puttalam	172	133	39	185	143	42	171	126	45	132	104	28
Anuradhapura	271	200	71	219	168	51	178	139	39	163	125	38
Polonnaruwa	121	89	32	108	84	24	105	72	33	97	72	25
Badulla	200	150	50	205	156	49	204	135	69	170	120	50
Monaragala	91	61	30	106	78	28	111	80	31	102	61	41
Ratnapura	258	199	59	265	215	50	262	211	51	214	168	46
Kegalle	194	154	40	149	124	25	159	134	25	167	145	22
Not Stated	5	3	2	2	2	-	1	1	-	-	-	-

Table 8.3 : Number of Suicides by Age and Sex, 2007, 2009 - 2010, 2013

Age	2007			2009			2010			2013		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	3,859	2,946	913	3,597	2,793	804	3,562	2,698	864	3,164	2,440	724
5 - 9	4	3	1	1	1	-	-	-	-	-	-	-
10 - 14	30	10	20	28	9	19	23	10	13	23	11	12
15 - 19	247	106	141	235	109	126	222	92	130	204	96	108
20 - 24	366	224	142	341	206	135	339	197	142	301	177	124
25 - 29	378	245	133	327	225	102	355	244	111	271	194	77
30 - 34	332	257	75	273	215	58	316	236	80	288	213	75
35 - 39	366	292	74	303	243	60	288	214	74	253	209	44
40 - 44	358	315	43	309	261	48	291	252	39	252	196	56
45 - 49	352	316	36	384	336	48	343	290	53	306	253	53
50 - 54	310	271	39	329	303	26	334	285	49	260	229	31
55 - 59	258	226	32	299	260	39	253	224	29	239	199	40
60 - 64	197	173	24	203	170	33	203	172	31	193	171	22
65 - 69	190	150	40	156	133	23	192	157	35	181	165	16
70 - 74	173	140	33	152	121	31	130	108	22	136	109	27
75 - 79	119	85	34	102	80	22	115	93	22	124	106	18
80 - 84	97	72	25	79	63	16	100	77	23	69	58	11
85+	81	60	21	74	56	18	58	47	11	63	53	10
Not Stated	1	1	-	2	2	-	-	-	-	1	1	-

DEATHS DUE TO TRANSPORT ACCIDENTS

Table 9.1 : Number of Deaths due to Transport Accidents by District & Sex, 2007, 2009 - 2010, 2013

District	2007			2009			2010			2013		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
Sri Lanka	2,402	1,992	410	2,457	2,012	445	2,615	2,132	483	2,451	1,984	467
Colombo	843	709	134	653	542	111	699	578	121	597	487	110
Gampaha	230	186	44	253	203	50	239	187	52	257	210	47
Kalutara	118	97	21	125	96	29	130	99	31	118	90	28
Kandy	120	93	27	220	178	42	275	218	57	197	153	44
Matale	39	33	6	52	48	4	47	34	13	54	46	8
Nuwaraeliya	18	15	3	22	12	10	26	20	6	17	14	3
Galle	149	121	28	128	106	22	170	137	33	196	159	37
Matara	64	56	8	50	41	9	68	56	12	76	57	19
Hambantota	41	34	7	58	48	10	72	60	12	52	44	8
Jaffna	26	24	2	27	23	4	33	28	5	49	44	5
Mannar	1	1	-	1	1	-	1	1	-	10	7	3
Vavuniya	8	5	3	5	5	-	11	7	4	19	18	1
Mullaitivu	4	3	1	-	-	-	1	1	-	9	8	1
Kilinochchi	17	10	7	2	2	-	1	1	-	10	8	2
Batticaloa	46	33	13	32	27	5	43	39	4	47	42	5
Ampara	32	28	4	41	35	6	49	42	7	31	29	2
Trincomalee	15	13	2	15	11	4	18	17	1	17	15	2
Kurunegala	219	183	36	218	182	36	219	194	25	175	147	28
Puttalam	82	67	15	102	83	19	101	81	20	103	76	27
Anuradhapura	99	91	8	130	111	19	110	87	23	136	112	24
Polonnaruwa	32	26	6	56	50	6	50	38	12	48	44	4
Badulla	46	36	10	60	48	12	74	64	10	55	35	20
Monaragala	24	21	3	37	31	6	41	33	8	38	24	14
Ratnapura	85	69	16	93	74	19	92	75	17	91	78	13
Kegalle	44	38	6	77	55	22	45	35	10	49	37	12

Note: (a). District level figures are based on the place of occurrence.

Table 9.2 : Number of Deaths due to Transport Accidents by Age Group and Sex, 2007, 2009 - 2010, 2013

Age	2007			2009			2010			2013		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	2,402	1,992	410	2,457	2,012	445	2,615	2,132	483	2,451	1,984	467
0 - 4	34	14	20	28	14	14	33	19	14	32	14	18
5 - 9	35	23	12	27	13	14	46	26	20	20	9	11
10 - 14	34	26	8	31	21	10	30	20	10	26	19	7
15 - 19	91	79	12	114	102	12	114	97	17	105	88	17
20 - 24	210	189	21	196	173	23	252	229	23	211	190	21
25 - 29	234	206	28	246	218	28	263	239	24	209	191	18
30 - 34	181	159	22	180	165	15	194	168	26	181	169	12
35 - 39	193	172	21	203	177	26	200	177	23	192	160	32
40 - 44	190	171	19	205	180	25	180	159	21	164	139	25
45 - 49	179	158	21	224	196	28	200	179	21	208	180	28
50 - 54	208	172	36	186	151	35	216	181	35	228	184	44
55 - 59	198	163	35	182	143	39	205	151	54	216	160	56
60 - 64	152	115	37	170	130	40	156	120	36	191	144	47
65 - 69	152	122	30	151	115	36	172	121	51	167	125	42
70 - 74	122	101	21	140	109	31	137	92	45	116	76	40
75 - 79	89	55	34	83	47	36	101	70	31	79	55	24
80 - 84	62	40	22	60	43	17	68	51	17	66	51	15
85+	38	27	11	28	12	16	39	27	12	37	27	10
Not Stated	-	-	-	3	3	-	9	6	3	3	3	-

INDICATORS

10.1: Crude Birth Rate by District and Sex, 2008 - 2016

District	2008 ^(a)			2009 ^(a)			2010 ^(a)			2011 ^(a)			2012 ^(b)		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
Sri Lanka	18.5	19.0	17.9	18.0	18.5	17.5	17.6	18.1	17.1	17.3	17.9	16.8	17.6	18.6	16.7
Colombo	24.5	24.6	24.3	22.8	22.8	22.9	21.6	21.7	21.4	21.4	21.5	21.3	15.1	15.8	14.4
Gampaha	13.1	13.8	12.5	12.8	13.4	12.2	12.4	12.8	11.9	12.3	12.7	12.0	14.4	15.1	13.8
Kalutara	15.5	16.2	14.9	14.7	15.3	14.1	14.2	14.7	13.7	14.5	15.0	14.0	15.7	16.4	15.2
Kandy	21.8	23.1	20.6	21.2	22.2	20.3	20.5	21.4	19.6	20.3	21.1	19.4	19.0	20.6	17.6
Matale	21.7	22.2	21.2	21.7	22.4	21.0	20.2	20.7	19.7	20.8	21.7	20.0	19.9	21.3	18.5
Nuwaraeliya	14.4	14.9	14.0	14.3	15.1	13.5	12.8	13.2	12.5	13.5	14.0	13.1	20.9	22.1	19.8
Galle	19.7	20.5	19.0	18.6	19.8	17.5	17.4	18.3	16.5	17.8	18.7	16.9	17.0	18.3	15.8
Matara	17.8	18.7	16.9	17.7	18.7	16.8	16.7	17.3	16.2	14.5	15.2	13.8	18.8	20.0	17.7
Hambantota	17.4	17.7	17.1	16.4	16.7	16.0	15.3	15.4	15.3	15.4	15.8	15.0	19.7	20.4	19.1
Jaffna	14.9	15.2	14.5	14.5	15.1	14.0	18.6	18.8	18.5	18.5	19.0	18.0	15.1	16.5	14.0
Mannar	7.3	7.7	6.8	8.0	8.2	7.7	10.2	10.8	9.6	9.0	9.0	9.0	18.9	19.0	18.8
Vavuniya	18.9	19.3	18.4	27.2	27.7	26.8	36.9	38.4	35.4	24.5	24.1	25.0	17.6	18.7	16.6
Mullativu	-	-	-	4.7	5.1	4.3	9.8	10.3	9.3	8.6	9.2	8.1	18.9	20.0	17.8
Kilinochchi	-	-	-	4.4	4.4	4.4	25.4	26.6	24.2	21.5	22.9	20.1	22.3	23.8	20.8
Batticaloa	21.0	21.9	20.2	19.5	20.7	18.5	18.8	19.9	17.8	17.9	19.2	16.7	18.7	20.1	17.5
Ampara	23.2	24.5	22.0	22.1	22.7	21.4	21.8	23.2	20.6	21.6	22.6	20.7	20.7	21.8	19.7
Trincomalee	23.5	24.6	22.4	22.9	23.9	21.8	21.7	22.5	20.9	23.2	24.2	22.3	22.2	23.4	21.0
Kurunegala	17.5	18.0	17.1	17.4	17.9	16.9	16.7	17.5	15.9	16.2	16.8	15.5	17.8	19.0	16.7
Puttalam	19.7	20.2	19.1	18.8	19.5	18.1	17.9	18.5	17.2	18.2	19.0	17.4	18.5	19.7	17.4
Anuradhapura	20.2	20.2	20.2	19.9	19.6	20.1	19.3	19.4	19.2	18.9	18.8	19.0	20.5	21.4	19.6
Polonnaruwa	18.5	18.1	19.0	18.6	18.2	19.1	18.3	18.0	18.6	18.2	18.0	18.5	18.9	19.6	18.2
Badulla	20.3	20.9	19.8	20.1	20.7	19.6	19.7	20.1	19.2	18.6	19.2	18.0	18.7	20.0	17.6
Monaragala	18.7	19.1	18.3	16.1	15.9	16.3	15.5	15.3	15.6	15.8	16.0	15.6	20.2	20.4	19.9
Ratnapura	18.4	18.5	18.3	18.8	18.9	18.7	17.6	17.8	17.5	18.2	18.4	18.0	17.3	17.9	16.8
Kegalle	13.8	14.6	13.0	13.8	14.2	13.3	13.2	13.9	12.6	12.6	13.2	12.0	16.8	17.9	15.8

Note: Births registered in Kilinochchi and Mullativu districts in 2008 have not reported.

10.1: Crude Birth Rate by District and Sex, 2008 – 2016 (Cont.)

District	2013 ^(b)			2014 ^(b)			2015 ^(b)			2016 ^(b)		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
Sri Lanka	17.8	18.8	16.8	16.9	17.7	16.2	16.0	16.7	15.2	15.6	16.5	14.8
Colombo	15.0	15.8	14.2	15.4	15.8	15.1	14.4	14.8	14.0	14.0	14.8	13.3
Gampaha	14.6	15.5	13.7	13.7	14.2	13.3	13.1	13.6	12.6	12.8	13.3	12.3
Kalutara	16.0	17.0	15.2	14.8	15.6	14.0	14.2	15.0	13.5	13.3	13.9	12.7
Kandy	19.6	21.0	18.2	18.8	20.2	17.5	17.5	18.8	16.3	16.4	17.7	15.2
Matale	19.2	20.4	18.0	19.1	20.4	17.8	17.4	18.2	16.6	16.9	17.7	16.2
Nuwaraeliya	20.9	22.1	19.8	17.5	18.7	16.5	16.5	17.6	15.5	17.0	18.2	15.9
Galle	17.0	18.1	16.0	16.7	17.5	16.0	16.4	17.2	15.6	15.9	16.8	15.0
Matara	17.0	18.3	15.8	15.2	16.2	14.3	14.2	15.3	13.3	13.9	15.1	12.9
Hambantota	19.7	20.6	18.8	20.9	21.7	20.1	19.7	20.4	19.0	19.3	20.1	18.5
Jaffna	16.6	17.9	15.5	14.9	16.9	13.1	13.6	14.8	12.7	14.1	15.9	12.5
Mannar	18.1	18.0	18.1	15.4	15.6	15.2	18.1	18.4	17.8	18.5	19.2	17.7
Vavuniya	24.3	25.4	23.1	19.6	20.1	19.0	17.6	17.3	17.9	16.1	16.3	16.0
Mullativu	16.4	17.2	15.5	11.6	11.8	11.5	12.2	12.3	12.2	10.5	10.7	10.2
Kilinochchi	22.3	23.6	21.1	19.1	19.9	18.3	16.9	17.3	16.5	19.5	19.7	19.3
Batticaloa	20.4	21.9	19.0	18.1	19.4	16.9	17.3	18.7	16.0	16.9	17.9	16.0
Ampara	21.0	22.4	19.8	21.1	21.8	20.3	20.5	21.5	19.6	20.5	21.7	19.4
Trincomalee	20.7	21.9	19.6	22.1	22.5	21.7	20.5	21.2	19.8	20.2	21.0	19.4
Kurunegala	17.3	18.5	16.1	16.0	17.1	15.0	15.4	16.4	14.4	15.2	16.3	14.2
Puttalam	19.2	20.3	18.2	19.2	20.1	18.4	18.4	19.3	17.5	17.6	18.4	16.9
Anuradhapura	20.8	21.9	19.7	17.8	18.3	17.3	17.3	18.1	16.6	17.1	17.9	16.4
Polonnaruwa	19.4	19.8	19.1	17.7	18.1	17.4	16.9	17.1	16.6	16.8	17.7	16.0
Badulla	18.4	19.5	17.3	18.4	19.5	17.4	16.2	17.1	15.4	16.8	17.8	15.8
Monaragala	21.2	21.8	20.5	19.5	19.6	19.4	18.4	18.6	18.2	17.5	17.8	17.1
Ratnapura	18.1	18.8	17.5	18.0	18.4	17.6	16.7	17.2	16.3	15.9	16.3	15.5
Kegalle	16.7	17.9	15.6	16.0	17.1	15.0	14.9	15.6	14.2	14.4	15.2	13.7

* - Provisional

Note: (a). District level figures are based on the place of occurrence.

(b). District level figures are based on the usual residence.

10.2: Crude Death Rate by District and Sex, 2008 - 2016

District	2008 ^(a)			2009 ^(a)			2010 ^(a)			2011 ^{(a)*}			2012 ^{(b)*}		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
	Per 1,000 population														
Sri Lanka	6.1	7.3	4.9	6.2	7.5	5.0	6.3	7.4	5.2	5.9	6.9	4.9	6.0	7.1	5.0
Colombo	8.6	9.9	7.3	8.1	9.2	7.0	8.3	9.3	7.3	7.9	8.7	7.1	6.9	7.7	6.2
Gampaha	5.6	6.7	4.5	5.2	6.2	4.3	5.4	6.3	4.5	5.2	6.1	4.4	5.6	6.7	4.7
Kalutara	6.4	7.4	5.5	6.0	6.9	5.2	6.1	6.8	5.4	5.9	6.7	5.1	6.3	7.3	5.4
Kandy	6.9	8.4	5.6	7.5	8.8	6.1	7.6	9.0	6.3	7.2	8.4	6.1	6.5	7.5	5.5
Matale	5.6	7.0	4.2	5.5	6.4	4.6	5.5	6.5	4.5	5.5	6.5	4.4	6.2	7.3	5.1
Nuwaraeliya	5.2	5.7	4.7	5.1	5.8	4.4	5.0	5.7	4.3	4.8	5.4	4.2	6.2	7.5	5.1
Galle	7.5	8.7	6.3	7.2	8.4	6.1	7.0	8.1	6.0	6.8	8.1	5.7	6.7	7.8	5.7
Matara	6.3	7.2	5.6	6.1	7.0	5.2	5.6	6.5	4.8	5.8	6.6	4.9	6.6	7.7	5.6
Hambantota	4.9	5.8	4.0	4.9	5.5	4.2	4.7	5.4	4.0	4.7	5.2	4.2	5.5	6.5	4.5
Jaffna	6.7	8.3	5.2	6.6	7.8	5.4	7.2	8.3	6.2	7.2	8.4	6.1	7.0	8.6	5.6
Mannar	3.8	6.3	1.3	2.3	3.0	1.5	2.0	2.4	1.5	2.1	2.4	1.7	4.4	5.8	3.0
Vavuniya	6.7	9.5	3.8	13.1	14.7	11.4	6.5	8.0	5.0	5.1	6.7	3.6	5.4	6.9	4.0
Mullativu	-	-	-	39.8	62.7	17.5	62.4	80.5	44.6	16.1	21.2	11.1	5.5	7.5	3.6
Kilinochchi	-	-	-	6.2	12.1	0.5	3.6	5.1	2.2	2.1	2.8	1.4	4.5	6.1	3.0
Batticaloa	4.6	6.0	3.4	4.4	5.5	3.4	4.3	5.5	3.2	5.2	6.7	3.8	5.7	7.9	3.6
Ampara	4.4	5.7	3.2	4.5	5.6	3.4	4.3	5.0	3.6	4.3	5.1	3.4	4.6	5.6	3.6
Trincomalee	4.4	5.4	3.3	4.0	4.8	3.3	3.7	4.2	3.2	3.9	4.5	3.3	4.1	5.2	3.0
Kurunegala	6.6	7.8	5.4	6.3	7.6	5.0	6.5	7.6	5.4	6.5	7.6	5.4	6.2	7.4	5.0
Puttalam	5.0	6.1	3.9	4.6	5.6	3.7	4.7	5.5	4.0	4.7	5.6	3.8	5.2	6.1	4.3
Anuradhapura	6.0	7.8	4.1	6.0	7.8	4.2	5.6	6.8	4.3	5.7	7.0	4.4	5.6	6.9	4.3
Polonnaruwa	5.0	5.9	3.9	4.7	5.8	3.5	4.6	5.4	3.7	4.7	5.6	3.6	5.1	6.4	3.7
Badulla	5.5	6.7	4.3	5.2	6.3	4.1	5.4	6.4	4.3	5.4	6.5	4.2	5.8	7.1	4.6
Monaragala	3.9	4.9	2.8	4.0	5.0	3.0	3.8	4.4	3.2	3.9	4.8	3.0	4.5	5.8	3.2
Ratnapura	5.5	6.6	4.4	5.3	6.1	4.5	5.2	6.1	4.3	5.1	5.9	4.3	5.8	6.6	5.1
Kegalle	6.2	7.5	5.0	5.9	6.9	4.9	5.7	6.8	4.7	5.6	6.6	4.7	6.6	8.0	5.4

Note: Deaths registered in Kilinochchi and Mullaitivu districts in 2008 have not reported .

10.2: Crude Death Rate by District and Sex, 2008 - 2016 (Cont.)

District	2013 ^(b)			2014 ^(b)			2015 ^(b)			2016 ^(b)		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
Sri Lanka	6.2	7.3	5.2	6.2	7.1	5.3	6.3	7.3	5.3	6.2	7.1	5.3
Colombo	6.8	7.6	6.1	6.8	7.2	6.4	7.0	7.5	6.4	7.1	7.7	6.5
Gampaha	6.0	6.8	5.1	6.0	6.9	5.2	6.2	7.1	5.4	6.2	7.1	5.5
Kalutara	6.6	7.6	5.7	6.5	7.3	5.8	6.8	7.8	5.9	6.5	7.4	5.7
Kandy	6.6	7.6	5.6	7.2	8.4	6.1	7.0	8.2	6.0	6.8	7.8	5.9
Matale	6.1	7.6	4.7	6.5	7.6	5.4	6.4	7.5	5.4	6.1	7.5	4.8
Nuwaraeliya	6.7	8.0	5.6	6.2	7.0	5.5	6.3	7.3	5.3	6.1	7.1	5.2
Galle	6.8	7.9	5.7	7.3	8.4	6.2	7.6	9.0	6.4	7.1	8.0	6.4
Matara	6.5	7.5	5.5	6.3	7.2	5.4	6.6	7.7	5.5	6.3	7.1	5.6
Hambantota	5.5	6.5	4.6	5.4	6.1	4.6	5.6	6.4	4.8	5.3	6.1	4.6
Jaffna	7.2	8.6	6.0	7.1	8.1	6.3	6.9	8.1	5.9	7.3	8.3	6.5
Mannar	4.6	5.8	3.4	3.7	4.2	3.3	3.8	4.1	3.4	3.9	4.1	3.7
Vavuniya	5.7	7.4	4.0	4.9	5.2	4.5	4.7	5.3	4.1	4.2	4.9	3.6
Mullativu	5.2	6.9	3.5	4.2	5.0	3.4	3.8	4.9	2.7	3.8	4.8	2.9
Kilinochchi	5.0	6.6	3.5	2.9	3.4	2.4	3.1	3.5	2.7	3.6	4.5	2.8
Batticaloa	4.8	6.2	3.5	4.8	5.9	3.8	4.9	5.6	4.2	5.6	7.6	3.9
Ampara	4.5	5.5	3.5	4.6	5.7	3.5	4.7	5.7	3.7	4.6	5.8	3.5
Trincomalee	4.4	5.4	3.5	4.1	4.6	3.6	4.4	5.1	3.6	4.4	5.1	3.8
Kurunegala	6.6	8.0	5.4	6.6	7.9	5.5	6.7	8.1	5.5	6.3	7.4	5.3
Puttalam	5.4	6.5	4.4	5.4	6.5	4.3	5.5	6.7	4.4	5.5	6.5	4.5
Anuradhapura	5.5	6.8	4.3	5.5	6.6	4.4	5.8	7.3	4.5	5.1	6.3	4.1
Polonnaruwa	5.5	7.1	4.0	5.5	6.5	4.5	5.2	6.3	4.1	5.1	6.3	4.0
Badulla	6.1	7.3	5.0	6.4	7.5	5.3	6.1	7.3	5.0	6.2	7.4	5.0
Monaragala	4.7	5.1	4.2	4.7	5.7	3.7	4.8	5.7	3.9	4.9	5.9	4.0
Ratnapura	6.3	7.3	5.3	6.1	7.1	5.0	6.1	7.1	5.2	6.1	7.1	5.2
Kegalle	7.2	8.6	5.9	6.9	8.2	5.7	6.9	8.2	5.7	6.8	7.9	5.8

* - Provisional

Note: (a). District level figures are based on the place of occurrence.

(b). District level figures are based on the usual residence.

10.3: Age Specific Fertility Rate, 2008 - 2013

Age Group	per 1,000 female population					
	2,008	2,009	2,010	2,011	2,012	2,013
15 - 19	20.3	19.6	20.1	19.0	21.5	20.1
20 - 24	82.5	79.6	76.5	75.3	91.7	92.1
25 - 29	153.0	147.0	141.8	136.1	137.4	137.4
30 - 34	119.0	118.7	120.1	122.6	120.4	123.1
35 - 39	59.3	58.2	56.2	55.1	60.2	63.0
40 - 44	16.2	16.1	15.2	15.5	16.0	15.3
45 - 49	1.7	1.9	1.8	1.6	1.5	1.5
General Fertility Rate	66.6	64.9	63.6	62.5	67.0	67.5
Total Fertility Rate	2.3	2.2	2.2	2.1	2.2	2.3

10.4: Age Specific Death Rate by Sex, 2008 - 2010,2013

Age group	2008			2009			2010			2013		
	Total		Female	Total		Female	Total		Female	Total		Female
	Male	Female		Male	Female		Male	Female		Male	Female	
Total	6.1	7.3	4.9	6.2	7.5	5.0	6.3	7.4	5.2	6.2	7.3	5.2
0 - 4	2.4	2.6	2.2	2.6	2.8	2.3	2.5	2.7	2.3	2.0	2.3	1.8
5-9	0.3	0.3	0.2	0.4	0.4	0.4	0.4	0.5	0.4	0.2	0.2	0.2
10-14	0.3	0.3	0.3	0.4	0.4	0.4	0.5	0.5	0.4	0.3	0.3	0.2
15-19	0.7	0.9	0.4	1.0	1.5	0.5	0.9	1.0	0.7	0.6	0.8	0.4
20-24	1.1	1.6	0.5	1.8	3.0	0.6	1.5	1.9	1.0	0.9	1.3	0.5
25-29	1.4	2.1	0.7	1.7	2.7	0.8	1.7	2.4	1.1	0.9	1.3	0.5
30-34	1.4	2.1	0.7	1.7	2.5	0.9	1.6	2.2	1.0	1.0	1.5	0.6
35-39	1.7	2.5	0.9	1.8	2.7	1.0	1.8	2.5	1.1	1.4	2.0	0.8
40-44	2.5	3.8	1.2	2.5	3.7	1.4	2.4	3.4	1.3	2.0	2.8	1.2
45-49	4.2	6.3	2.1	4.2	6.2	2.3	4.2	6.2	2.3	3.4	5.0	2.0
50-54	6.3	9.3	3.4	6.2	8.8	3.6	6.2	8.9	3.7	5.5	8.0	3.2
55-59	10.7	15.6	6.1	11.3	15.9	7.0	11.0	15.7	6.5	8.0	11.5	4.8
60-64	17.0	23.4	11.0	17.6	23.7	11.9	18.8	25.1	12.9	12.3	17.3	8.0
65-69	23.6	31.4	16.9	24.9	32.8	18.1	25.3	33.7	18.0	21.3	29.0	15.0
70-74	41.1	49.6	33.5	39.1	47.6	31.7	39.9	48.8	32.1	36.0	46.3	27.8
75 & Over	111.4	118.9	105.0	106.3	112.5	101.1	109.7	114.3	105.8	93.5	109.4	82.7

Per 1,000 population

10.5: Maternal Mortality Rate by District, 2007, 2009 - 2010, 2013

District	2,007	2009 ^(a)	2010 ^(a)	2013 ^(a)
Sri Lanka	11.9	22.3	22.0	26.8
Colombo	8.1	20.7	7.2	12.5
Gampaha	10.3	10.8	18.6	11.3
Kalutara	11.0	6.0	24.7	12.0
Kandy	16.3	53.0	20.4	58.3
Matale	-	18.8	20.0	19.7
Nuwaraeliya	-	18.4	20.4	26.3
Galle	4.9	25.0	31.9	10.2
Matara	-	13.6	-	23.6
Hambantota	-	43.2	11.4	28.4
Jaffna	23.0	12.9	80.2	30.4
Mannar	-	-	-	57.5
Vavuniya	-	21.9	31.5	24.1
Mullativu	-	-	-	-
Kilinochchi	70.1	-	26.2	-
Batticaloa	16.9	9.5	48.9	76.2
Ampara	13.3	14.3	21.3	14.2
Trincomalee	10.7	35.6	49.3	-
Kurunegala	15.0	48.0	34.3	31.8
Puttalam	19.7	34.3	7.1	32.5
Anuradhapura	36.4	36.9	43.7	53.9
Polonnaruwa	-	-	-	53.2
Badulla	10.4	-	28.5	35.8
Monaragala	-	14.2	14.6	27.8
Ratnapura	19.6	4.7	5.0	19.7
Kegalle	8.3	8.9	27.5	19.5

Note: (a). Information received from civil registration system was reviewed and supplemented the maternal mortality data compiled by the Family Health Bureau, Ministry of Health since 2009.

(b). District level figures are based on the place of occurrence.

10.6: Under-five Mortality Rate by District and Sex, 2008 - 2010, 2013

District	2008			2009			2010			2013		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
Sri Lanka	11.1	12.0	10.0	12.1	13.0	11.0	12.2	13.1	11.3	9.8	10.8	8.7
Colombo	17.7	19.8	15.4	18.2	19.8	16.5	19.3	20.1	18.4	16.4	18.0	14.7
Gampaha	4.4	4.5	4.3	5.5	5.6	5.3	4.7	4.9	4.5	6.5	6.8	6.1
Kalutara	5.1	4.9	5.4	7.0	7.5	6.6	6.3	6.2	6.5	5.8	6.3	5.3
Kandy	12.3	13.7	10.8	16.0	18.5	13.5	18.7	20.8	16.4	14.6	16.3	12.7
Matale	7.8	10.1	5.5	7.6	7.9	7.4	8.5	9.6	7.3	9.1	9.2	9.1
Nuwaraeliya	17.0	18.7	15.2	12.7	12.1	13.4	13.6	17.2	9.8	9.2	9.4	9.0
Galle	13.3	15.0	11.5	12.7	14.5	10.8	9.8	10.8	8.7	9.0	10.1	7.9
Matara	10.9	11.0	10.7	10.5	11.6	9.5	11.3	12.2	10.3	6.0	6.6	5.4
Hambantota	7.2	7.9	6.5	7.4	7.0	7.9	6.4	6.1	6.6	4.2	4.8	3.5
Jaffna	5.9	5.3	6.4	10.5	12.1	8.8	16.6	17.3	16.0	15.6	15.8	15.4
Mannar	3.4	0.0	7.2	3.1	3.0	3.2	2.4	3.5	1.3	3.4	4.5	2.3
Vavuniya	17.6	20.6	14.4	56.4	55.0	57.8	9.8	8.5	11.2	11.6	14.0	9.0
Mullativu	-	-	-	155.2	149.6	161.6	187.5	206.9	166.4	26.1	24.9	27.3
Kilinochchi	-	-	-	4.6	3.1	6.1	5.0	6.1	3.8	10.1	13.3	6.7
Batticaloa	16.7	18.1	15.2	19.9	21.5	18.1	21.6	25.1	18.0	13.6	16.3	10.9
Ampara	5.4	6.3	4.4	5.7	5.5	5.9	6.1	5.7	6.5	3.0	4.0	1.9
Trincomalee	8.0	7.7	8.3	6.9	7.1	6.7	4.7	3.8	5.6	3.2	4.4	1.9
Kurunegala	15.4	15.5	15.3	10.8	12.2	9.3	11.0	11.6	10.4	14.0	15.8	12.0
Puttalam	7.8	9.0	6.7	8.0	10.0	6.0	8.0	7.0	9.1	4.5	4.7	4.3
Anuradhapura	13.0	13.2	12.7	14.9	15.5	14.3	18.3	19.7	16.8	8.6	9.7	7.4
Polonnaruwa	14.5	15.6	13.3	9.6	12.2	6.8	3.1	4.4	1.7	9.4	10.4	8.4
Badulla	8.5	9.3	7.6	8.1	7.9	8.3	9.3	10.1	8.5	8.0	8.2	7.8
Monaragala	4.3	4.1	4.6	6.8	7.6	6.0	4.1	3.2	5.1	4.0	4.6	3.4
Ratnapura	7.5	8.8	6.2	7.4	8.1	6.7	8.7	10.6	6.8	5.3	5.6	5.0
Kegalle	5.0	5.7	4.3	6.8	7.4	6.3	6.5	6.6	6.4	6.5	7.2	5.8

Note: (a). District level figures are based on the place of occurrence.

10.7: Infant Mortality Rate by District and Sex, 2008 - 2010, 2013

District	2008			2009			2010			2013		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
Sri Lanka	9.0	9.9	8.1	9.7	10.6	8.8	9.9	10.5	9.2	8.3	9.1	7.5
Colombo	14.3	16.0	12.5	15.1	16.4	13.8	15.6	16.4	14.9	13.7	14.9	12.3
Gampaha	3.7	3.9	3.6	4.6	4.9	4.4	3.9	4.0	3.8	6.0	6.3	5.7
Kalutara	3.4	3.2	3.7	5.6	5.8	5.3	5.6	5.3	6.0	4.9	5.5	4.3
Kandy	9.6	11.0	8.2	13.7	15.9	11.5	16.6	18.5	14.7	13.3	15.2	11.3
Matale	6.8	8.6	4.9	6.5	6.8	6.2	7.6	8.4	6.7	8.3	8.0	8.5
Nuwaraeliya	14.0	15.8	12.0	10.6	9.8	11.4	12.1	15.4	8.6	8.5	8.7	8.3
Galle	11.9	13.6	10.1	10.7	11.7	9.6	8.6	9.2	7.9	6.9	7.4	6.4
Matara	9.5	10.0	8.9	9.0	10.0	7.9	10.3	10.8	9.7	5.0	5.3	4.6
Hambantota	5.6	5.9	5.2	5.5	5.7	5.3	5.4	5.2	5.5	3.1	3.8	2.3
Jaffna	3.4	3.3	3.6	7.6	8.8	6.4	13.0	13.1	13.0	13.3	13.2	13.3
Mannar	0.9	-	1.8	1.6	1.5	1.6	-	-	-	1.1	2.3	-
Vavuniya	13.7	15.0	12.4	35.8	36.1	35.4	8.2	6.7	9.8	8.2	9.3	7.0
Mullativu	-	-	-	25.1	23.5	26.9	26.0	27.2	24.7	9.8	6.2	13.6
Kilinochchi	-	-	-	1.5	-	3.0	0.3	0.5	-	7.2	8.9	5.4
Batticaloa	13.0	14.2	11.7	17.4	19.1	15.6	19.2	21.9	16.4	12.1	13.8	10.3
Ampara	3.7	4.5	2.7	3.1	3.5	2.6	4.3	4.0	4.7	2.0	2.8	1.2
Trincomalee	5.6	5.2	6.1	4.5	5.0	4.0	3.0	2.2	3.8	1.9	2.4	1.3
Kurunegala	14.2	14.4	14.0	9.6	10.7	8.5	9.6	10.2	8.9	12.5	14.2	10.7
Puttalam	6.4	7.5	5.2	6.3	7.7	4.8	6.7	6.1	7.3	3.5	3.8	3.2
Anuradhapura	10.8	11.2	10.5	12.3	13.3	11.3	16.7	17.7	15.6	7.4	8.3	6.5
Polonnaruwa	11.8	12.2	11.3	7.8	9.6	6.0	2.7	3.6	1.7	8.4	9.4	7.3
Badulla	6.9	7.2	6.5	6.0	6.2	5.9	8.3	9.0	7.5	7.2	7.1	7.2
Monaragala	2.1	1.9	2.3	5.1	5.4	4.9	2.8	1.7	3.9	3.1	3.8	2.3
Ramapura	5.8	7.2	4.5	6.9	7.7	6.2	7.2	8.9	5.4	4.6	5.0	4.2
Kegalle	4.1	4.8	3.3	6.3	6.8	5.7	6.1	6.1	6.0	5.8	6.3	5.2

Note: (a). District level figures are based on the place of occurrence.

10.8: Neo-Natal Mortality Rate by District and Sex, 2008 - 2010, 2013

Per 1,000 live births

District	2008			2009			2010			2013		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
Sri Lanka	6.2	6.8	5.6	6.4	7.2	5.6	7.0	7.5	6.4	5.9	6.5	5.3
Colombo	8.5	9.0	7.9	8.4	9.9	6.9	9.1	9.5	8.6	8.1	8.9	7.3
Gampaha	3.1	3.3	2.9	3.2	3.7	2.7	2.9	2.9	2.9	4.8	5.1	4.4
Kalutara	2.6	2.7	2.5	4.1	4.5	3.7	4.3	4.5	4.2	4.1	4.6	3.6
Kandy	6.8	7.6	5.9	10.2	11.9	8.5	12.6	13.9	11.2	9.6	11.2	7.8
Matale	4.4	6.0	2.7	4.7	4.9	4.5	5.9	6.6	5.1	6.5	6.7	6.3
Nuwareliya	9.7	12.1	7.2	9.9	8.9	10.9	6.8	8.8	4.8	6.0	7.0	5.1
Galle	7.9	9.1	6.7	6.5	7.0	5.9	6.5	6.7	6.3	4.7	5.2	4.1
Matara	7.4	7.7	7.1	6.9	7.8	5.9	7.9	8.1	7.7	3.5	3.7	3.3
Hambantota	3.5	3.6	3.4	3.7	4.2	3.1	3.5	2.9	4.1	2.4	3.3	1.4
Jaffna	1.3	1.5	1.0	4.7	5.6	3.7	10.0	10.4	9.6	10.8	10.0	11.7
Mannar	0.9	-	1.8	0.8	1.5	-	-	-	-	0.6	1.1	-
Vavuniya	11.2	12.5	9.8	14.3	10.3	18.4	6.0	5.4	6.6	4.8	4.7	5.0
Mullativu	-	-	-	3.1	5.9	-	2.4	3.0	1.6	3.3	2.1	4.5
Kilinochchi	-	-	-	-	-	-	-	-	-	4.9	5.1	4.7
Batticaloa	9.3	10.2	8.3	14.1	16.3	11.9	15.9	18.4	13.2	9.4	10.7	8.2
Ampara	1.8	2.1	1.4	1.8	1.8	1.7	2.5	2.5	2.5	1.1	1.5	0.6
Trincomalee	3.8	3.6	3.9	2.7	3.0	2.5	1.5	1.4	1.5	0.9	1.0	0.8
Kurunegala	12.0	12.3	11.7	7.7	8.6	6.8	8.0	8.8	7.2	10.6	12.0	9.1
Puttalam	4.2	4.9	3.4	4.4	5.2	3.5	5.2	4.7	5.7	2.4	2.5	2.3
Anuradhapura	7.5	8.1	7.0	7.9	9.4	6.4	13.9	14.9	12.8	5.0	5.5	4.4
Polonnaruwa	10.7	11.1	10.2	5.3	7.0	3.5	2.3	3.1	1.4	6.0	7.3	4.6
Badulla	4.0	4.5	3.6	3.3	3.2	3.5	5.5	6.1	4.9	5.5	5.0	6.0
Monaragala	0.7	0.5	1.0	2.1	2.8	1.4	1.3	1.4	1.2	1.7	2.2	1.1
Ratnapura	4.5	5.8	3.1	5.1	5.9	4.2	4.9	6.0	3.8	3.5	3.8	3.2
Kegalle	2.5	3.3	1.7	4.6	5.3	4.0	4.0	4.6	3.4	4.8	5.1	4.4

Note: (a). District level figures are based on the place of occurrence.

FIGURES

Figure 1: Mid-Year Population by Sex 2008-2017



Figure 2: Population Growth Rate 2001-2017




Figure 3: Marriages Registered by Year 2008-2016




Figure 4: Crude Marriage Rate 1995-2016




Figure 5: Live Births Registered by Sex 2008-2016




Figure 6: Live Births Registered by Age of Mother-2011-2013




Figure 7: Deaths registered by Sex 2008 – 2016




Figure 8: Percentage distribution of Deaths by Sector -2013




Figure 9: Movements of persons To and from Sri Lanka 2011-2016




Figure 10: Movements of Persons To and From Sri Lanka by Nationality - 2016




Figure 11: Number of Suicides by Age and Sex -2013




Figure 12: Number of Deaths Due to Transport Accidents by Age Group and sex




Figure 13: Percentage Distribution of the 10 Leading Causes of Death by Sex -2013




Figure 14: Percentage Distribution of the 10 Leading Causes of Death by Sex -2013




Figure 15: Crude Birth Rate by Year 2008 – 2016




Figure 16: Crude Death Rate by Sex 2008 – 2016




Figure 17: Neonatal Mortality Rate, Infant Mortality Rate, Under Five mortality Rate- 1997-2013




Figure 18: Age Specific Fertility Rate 2011-2013

